

SAFETY DATA SHEET

FRESHMAKER ANTIBACTERIAL WET WIPES 120 PCS

According to Regulation (EC) No 1907/2006

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: FRESHMAKER ANTIBACTERIAL WET WIPES 120 PCS

APPLICATION: WET WIPES

COMPILED BY: Ebury Ltd, Aspect Gate, 1 Olds Approach, Watford, Hertfordshire, WD18 9RF

EMERGENCY TELEPHONE: 020 7251 5336 (Office hours only)

2. HAZARDS IDENTIFICATION

Classification (67/548/EEC) or Directive 1999/45/EC

Not classified. Not hazard under normal product conditions.

Classification according to Regulation (EC) No 1272/2008.

Not classified. Not hazard under normal product conditions.

3. COMPOSITION / INFORMATIONS ON INGREDIENTS

Product Composition: Nonwoven, 20% Viscose , 80 Polyester, imregnated with aqueous mixture containing:

Ingredient Name	Identifiers	Classification 67/548/EEC	Classification EC/1272/2008	Concentration Range
Aqua	EC – CAS 7732-18-5	none	none	97,97
Tetrasodium Edta	EC –200-573-9 CAS 64-02-8		Eye Irrit. 2, H351,H319,H302	0,05
Phenoxyethanol Dehydroacetic Acid Benzoic Acid	Mixture	none	none	0,6
Cocamidopropyl Betain	EC 2630588 CAS 61789-40-0	Xi,R41	Eye Dam. 1, H318	0,175
Parfum(Alpha-Isomethyl Ionone, Benzyl Salicylate, Butylphenyl Methylpropional, Citronellol, Coumarin, Hexyl Cinnamal)	Mixture	none	none	0,3
Polysorbate 20	CAS 9005-64-5	none	none	0,01
Benzalkonium Khloride	CAS 68424-85-1 EC 270-325-2	none	none	0,5
Glycerin	Cas 56-81-5 EC 200-289-5	none	none	0,05
Propylene glycol,	EC 200-338-0 CAS 57-55-6	none	none	0,2
PEG-7 Glyceryl Cocoate	CAS 68201-46-7	none	none	0,1

Citric Acid	EC 201-069-1 CAS 77-92-9 / 5949-29-1	Xi R36/37/38	Eye Irrit. 2, H315,H319,H335	0,045
-------------	---	--------------	---------------------------------	-------

The Full Text for all R-Phrases is Displayed in Section 16

4.FIRST AID MEASURES :

Eye Contact : Wash your eyes with plenty of water and in case of irritation, consult physician.
In case of swallowing : Rinse out the mouth and drink plenty of water. Prevent vomiting and ask for an immediate medical aid.

5.FIRE-FIGHTING MEASURES :

Suitable Extinguishing Means:

- Water Spray
- Foam
- Chemical Fire Extinguisher
- Carbon Dioxide (CO₂)

Extinguishing Procedure:

Never apply pressurized water onto burning material.

6.ACCIDENTIAL RELEASE MEASURES :

- Personal Cautions** : Avoid eye contact.
- Environmental Cautions:** Keep away from sewage and overhead water.
- Cleaning Methods** : Clean with absorbent and wash with water.

7.HANDLING AND STORAGE :

Avoid eye contact. Stored in a cool and dry place with a temperature of above -5 C and below 40 °C.

8.PERSONAL PROTECTIVE EQUIPMENT :

No need for personal protection equipment.

9.PHYSICAL AND CHEMICAL PROPERTIES :

COMPOSITION	20% Viscose + 80% PET
BASIC WEIGHT	40 g/sq.mt
THICKNESS	0.41 mm
DRY TENSILE STRENGTH (N/50mm)	MD 54-----CD 39
ELONGATION (%)	MD 23-----CD 40
WET TENSILE STRENGTH (N/50mm)	MD 49-----CD 35
WET ELONGATION (%)	MD 27-----CD 39
ABSORPTION CAPACITY (g/g)	9 g/g
WATER ABSORPTION RATE	95 MM/10MIN
PH	5-5,5

10.STABILITY AND REACTIVITY :

Not reactive in suitable storage and usage conditions.

11. TOXICOLOGICAL INFORMATION

No hazardous effects identified.

12. ECOLOGICAL INFORMATION

Not hazardous for the environment.

13. DISPOSAL CONSIDERATIONS

Not classified as hazardous wastes but dispose of in accordance with national or regional regulations.

14. TRANSPORT INFORMATION

Finished packaged product transported by ground (DOT): Non hazardous

Finished packaged product transported by vessel (IMDG): Non hazardous

Finished packaged product transported by air (IATA): Non hazardous

15. REGULATORY INFORMATION

Not classified as hazardous and no label required showing that it is hazardous.

16. OTHER INFORMATION

INFORMATION SOURCES

This MSDS is prepared based on the information received from the product owner.

List of relevant R phrases, hazard statements, safety phrases and/or precautionary statements:

Xi: Irritant

Xn: Harmful

R22: Harmful if swallowed

R36/37/38: Irritating to eyes, respiratory system and skin

R41: Risk of serious damage to eyes

H302: Harmful if swallowed.

H315: Causes skin irritation.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation

DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.