

# HWANG BISHOP



CIRRUS | DOUBLE CANDLESTICK

N-940-DC

## DIMENSIONS

|            |                       |
|------------|-----------------------|
| HEIGHT     | 10.5 IN (WITH SHADE)  |
| WIDTH      | 17.25 IN (WITH SHADE) |
| BACKPLATE  | 7 IN DIAMETER         |
| PROJECTION | 9.5 IN (WITH SHADE)   |

## LAMP / WIRING

|                |                |
|----------------|----------------|
| MAX WATTAGE    | 40W            |
| BULB BASE TYPE | CANDELABRA E12 |

## FINISHES

|          |  |
|----------|--|
| CERAMIC  | N/A  |
| HARDWARE | HEWN BRASS / POLISHED<br>NICKEL / ANTIQUE BRONZE |
| AS SHOWN | HEWN BRASS                                       |

## RATING

UL LISTED 

# HWANG BISHOP



HELIOS | DOUBLE CANDLESTICK SCONCE

N-950-DC

## DIMENSIONS

|            |                       |
|------------|-----------------------|
| HEIGHT     | 10.5 IN (WITH SHADE)  |
| WIDTH      | 17.25 IN (WITH SHADE) |
| BACKPLATE  | 7 IN DIAMETER         |
| PROJECTION | 9.5 IN (WITH SHADE)   |

## LAMP / WIRING

|                |                |
|----------------|----------------|
| MAX WATTAGE    | 40W            |
| BULB BASE TYPE | CANDELABRA E12 |

## FINISHES

|          |   |
|----------|---|
| CERAMIC  | N/A   |
| HARDWARE | HEWN BRASS / POLISHED NICKEL / ANTIQUE BRONZE |
| AS SHOWN | HEWN BRASS                                    |

## RATING

UL LISTED 

# HWANG BISHOP



CLASSIC | DOUBLE CANDLESTICK SCONCE

N-960-DC

## DIMENSIONS

|            |                       |
|------------|-----------------------|
| HEIGHT     | 10.5 IN (WITH SHADE)  |
| WIDTH      | 17.25 IN (WITH SHADE) |
| BACKPLATE  | 5 IN DIAMETER         |
| PROJECTION | 9.5 IN (WITH SHADE)   |

## LAMP / WIRING

|                |                |
|----------------|----------------|
| MAX WATTAGE    | 40W            |
| BULB BASE TYPE | CANDELABRA E12 |

## FINISHES

|          |   |
|----------|---|
| CERAMIC  | N/A   |
| HARDWARE | HEWN BRASS / POLISHED NICKEL / ANTIQUE BRONZE |
| AS SHOWN | HEWN BRASS                                    |

## RATING

UL LISTED 