

Prepared for:

Asher House Wellness

P.O Box 2159

Estacada, OR USA 97023

LB-O-60292


Batch ID or Lot Number: BH-8672-13	Test: Microbial Contaminants	Reported: 08Aug2022	USDA License: NA
Matrix: General/Other	Test ID: T000217004	Started: 05Aug2022	Sampler ID: NA
	Method(s): TM25 (PCR) TM24, TM26, TM27 (Culture Plating)	Received: 05Aug2022	Status: NA

Microbial

Contaminants

Contaminants	Method	LOD	Quantitation Range	Result	Notes
STEC	TM25: PCR	10 ⁰ CFU/g	NA	Absent	Free from visual mold, mildew, and foreign matter
Salmonella	TM25: PCR	10 ⁰ CFU/g	NA	Absent	
Total Yeast and Mold*	TM24: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	
Total Aerobic Count*	TM26: Culture Plating	10 ² CFU/g	1.0x10 ³ - 1.5x10 ⁵	None Detected	
Total Coliforms*	TM27: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	

Final Approval



Eden Thompson-Wright
08Aug2022
01:34:00 PM MDT



Brianne Maillot
08Aug2022
04:44:00 PM MDT



PREPARED BY / DATE

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/d0fef926-ac0c-4803-a3c6-8552fbd5123>

Definitions

* Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form. Examples: 10² = 100 CFU, 10³ = 1,000 CFU, 10⁴ = 10,000 CFU, 10⁵ = 100,000 CFU
CFU/g = Colony Forming Units per Gram, LOD = Limit of Detection
ULQ = Upper Limit of Quantitation, LLOQ = Lower Limit of Quantitation
STEC = Shiga Toxin-Producing E. coli

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
d0fef926ac0c4803a3c68552fbd5123.1

Prepared for:
Asher House Wellness

P.O Box 2159
Estacada, OR USA 97023

LB-O-60292

Batch ID or Lot Number: BH-8672-13	Test: Potency	Reported: 08Aug2022	USDA License: N/A
Matrix: Unit	Test ID: T000217003	Started: 06Aug2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 05Aug2022	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.911	4.042	9.320	0.30	# of Servings = 1, Sample Weight=28.4g
Cannabichromenic Acid (CBCA)	0.833	3.697	ND	ND	
Cannabidiol (CBD)	4.629	13.412	255.710	9.00	
Cannabidiolic Acid (CBDA)	4.747	13.756	ND	ND	
Cannabidivarin (CBDV)	1.095	3.172	ND	ND	
Cannabidivarinic Acid (CBDVA)	1.980	5.738	ND	ND	
Cannabigerol (CBG)	0.517	2.295	4.240	0.10	
Cannabigerolic Acid (CBGA)	2.162	9.593	ND	ND	
Cannabinol (CBN)	0.675	2.994	ND	ND	
Cannabinolic Acid (CBNA)	1.475	6.545	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	2.576	11.429	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	2.340	10.380	5.320	0.20	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	2.073	9.196	ND	ND	
Tetrahydrocannabivarin (THCV)	0.470	2.087	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	1.828	8.112	ND	ND	
Total Cannabinoids			274.590	9.67	
Total Potential THC			5.320	0.19	
Total Potential CBD			255.710	9.00	

Final Approval



Jacob Miller
08Aug2022
05:45:00 PM MDT

PREPARED BY / DATE



Daniel Weidensaul
08Aug2022
05:47:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/1da30622-0899-4a63-b341-3a3f34cb512f>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
1da3062208994a63b3413a3f34cb512f.1