

Maintenance

After using your Aroma Diffuser approximately 6 times, or 3-5 days the unit will need cleaning.

- 1) Unplug the unit from the wall outlet and remove the outer body cover.
- 2) Remove any remaining water from the DRAIN SIDE of the water tank. In order to avoid damaging the product, don't pour the water into the air outlet.
- 3) Recommended to wipe out the unit after each use with a paper towel to avoid any oil being left in the unit
- 4) If you find any debris in the air outlet, remove the water tank cover and rinse with water. Wipe dry with a clean cloth.
- 5) Never use harsh cleaners or detergents to clean your aroma diffuser as this can cause a malfunction in the unit or discolouration.
- 6) Never touch the ultrasonic transducer.


Attention

If the aroma diffuser is not in use, plug the unit and drain and remaining water from the unit. Store in a safe, dry place. The diffuser will auto shut off when the unit is out of water, and the unit will not operate without any water in the water tank.

The amount and intensity of the mist produced by the aroma diffuser will vary, and should not be considered a fault with the unit. Factors that affect this include water type, humidity, temperature, and air current.

We recommend that you clean your aroma diffuser every time you change diffuser oil. Oils are corrosive over time, and may build up and clog diffuser parts. Store your diffuser oils in a cool, dark place with the cap tightly closed and out of reach of children at all times.

Please use water soluble oils only, and others may corrode the unit



- 1) Ensure the Aroma Diffuser is in an upright position. Hold the base carefully and remove the outer body cover.
- 2) Connect the included wall outlet adapter to the DC jack on the bottom of the base.
- 3) Use the supplied measuring cup to add water to the diffuser tank. Do not exceed the max fill line indicated on the water tank. Do not use hot water. Never fill the diffuser when the unit is ON.
- 4) Add around 3-5 drops of your favourite essential oils into the filled water tank.
- 5) Secure the water tank cover to the water tank once you have filled both essential oils and water to the tank. Ensure that the water tank nozzle is lined up with the mist outlet. Place the outer body cover back onto the diffuser.
- 6) Connect the included wall outlet adapter to your wall outlet. The diffuser will now beep twice and be in standby mode.
- 7) Push the right button 'ON' position. A green light will turn on. Press the button again to turn to "Intermittent" position. A red light will turn on.

Intermittent setting will turn the diffuser on and off regularly so the fragrance will be dispersed less often. Push the right button again and the unit will shut off. There will be no light on. The unit will also automatically shut off when out of water.

- 8) The left button turns the light on and toggles through a colored light sequence and then off. The sequence is scrolling rainbow, then solid colors with a bright and soft function, white, and final is Off.
- 9) To disconnect, press right switch turning off the unit. Remove plug from outlet. Do not pull on cord to disconnect from outlet.