

DocaPet Inc

329 West 18th Street Suite 505
 Chicago IL 60616

Control #: 19010161
 Project Number: N/A
 Project Name: DocaPet Inc
 Project Location: N/A

Analytical Results

Lab ID: 19010161
 Date: 1/28/2019

Sample	Client Sample Identity		
19010161-001	Stainless Steel Dog Bowl		
Method: CPSC-CH-E1001-08.1	Analysis: Lead in Metal & Jewelry	Analyst: BenN	
Parameter	CAS Number	Result	*CPSIA Limit (PPM or mg/Kg)
Lead	7439-92-1	< 100 mg/Kg	100
Method: SW 3052	Analysis: Microwave Digestion	Analyst: CharleneF	
Parameter	CAS Number	Result	*CPSIA Limit (PPM or mg/Kg)
Microwave Digestion			
Method: SW 6010C	Analysis: Cadmium in Metal	Analyst: BenN	
Parameter	CAS Number	Result	*CPSIA Limit (PPM or mg/Kg)
Cadmium	7440-43-9	< 50 mg/Kg	
Method: SW 7471A	Analysis: Mercury by MCV	Analyst: BenN	
Parameter	CAS Number	Result	*CPSIA Limit (PPM or mg/Kg)
Mercury	7439-97-6	< 100 mg/Kg	1000

A "LESS THAN" RESULT MEAN THAT THIS COMPOUND WAS NOT DETECTED. THE SAMPLE TESTED CLEAN FOR THESE CONTAMINANTS.