METRC Batch: METRC Sample:

Sample ID: 2302ENC2125_6745

ENCORE

LABS

Strain: White CBG Matrix: Ingestible Type: Tincture Batch#:

Collected: 02/24/2023 Received: 02/24/2023 Completed: 03/01/2023

Sample Size: 3 units;

Distributor **Dad Grass**

6137 Piedmont Ave. Los angeles, CA, 90042



Summary

Test	Date Tested	Instr. Method	Result
Batch			Pass
Cannabinoids	02/27/2023	LC-DAD	Complete
Pesticides	02/27/2023	LC-MS	Pass
Mycotoxins	02/27/2023	LC-MS	Pass
Residual Solvents	02/27/2023	HS-GC-MS	Pass
Microbial Impurities	02/28/2023	qPCR	Pass
Heavy Metals	02/28/2023	ICP-MS	Pass
Foreign Matter	02/27/2023	Visual Inspection	Pass

Cannabinoids

Method: SOP EL-CANNABINOIDS

12.85	mg	unit

Total THC

23.41 mg/unit

Total CBD

1493.35 mg/unit

Total Cannabinoids

LOD	LOQ	Result	Result	Result	
mg/g	mg/g	%	mg/g	mg/unit	
0.013	0.038	ND	ND	ND	
0.013	0.041	0.043	0.43	12.85 ■	
0.015	0.045	ND	ND	ND	
0.014	0.044	ND	ND	ND	
0.015	0.045	ND	ND	ND	
0.013	0.040	ND	ND	ND	
0.013	0.038	0.078	0.78	23.41 ■	
0.012	0.036	ND	ND	ND	
0.014	0.043	ND	ND	ND	
0.013	0.040	4.807	48.07	1442.08	
0.012	0.035	ND	ND	ND	
0.014	0.041	0.050	0.50	15.00 ▮	
		0.043	0.43	12.852	
		0.078	0.78	23.414	
		4.978	49.78	1493.350	
		4.978	49.78	1493.350	
	mg/g 0.013 0.013 0.015 0.014 0.015 0.013 0.012 0.014 0.013 0.012	mg/g mg/g 0.013 0.038 0.013 0.041 0.015 0.045 0.014 0.044 0.015 0.045 0.013 0.040 0.013 0.038 0.012 0.036 0.014 0.043 0.013 0.040 0.013 0.040 0.013 0.040 0.013 0.045	mg/g mg/g % 0.013 0.038 ND 0.013 0.041 0.043 0.015 0.045 ND 0.014 0.044 ND 0.015 0.045 ND 0.013 0.040 ND 0.013 0.038 0.078 0.012 0.036 ND 0.014 0.043 ND 0.013 0.040 4.807 0.012 0.035 ND 0.014 0.041 0.050 0.014 0.043 0.078 4.978	mg/g mg/g % mg/g 0.013 0.038 ND ND 0.013 0.041 0.043 0.43 0.015 0.045 ND ND 0.014 0.044 ND ND 0.015 0.045 ND ND 0.013 0.040 ND ND 0.013 0.038 0.078 0.78 0.012 0.036 ND ND 0.014 0.043 ND ND 0.013 0.040 4.807 48.07 0.012 0.035 ND ND 0.014 0.041 0.050 0.50 0.043 0.43 0.43 0.078 0.78 4.978 4.978 49.78	mg/g mg/g % mg/g mg/unit 0.013 0.038 ND ND ND 0.013 0.041 0.043 0.43 12.85 ■ 0.015 0.045 ND ND ND 0.014 0.044 ND ND ND 0.015 0.045 ND ND ND 0.013 0.040 ND ND ND 0.013 0.038 0.078 0.78 23.41 ■ 0.012 0.036 ND ND ND 0.014 0.043 ND ND ND 0.013 0.040 4.807 48.07 1442.08 ■ 0.012 0.035 ND ND ND 0.014 0.041 0.050 0.50 15.00 ■ 0.043 0.43 0.43 12.852 0.078 0.78 23.414 4.978 49.78 1493.350

Total THC = THCa * 0.877 + \Delta - THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids = (cannabinoid acid forms * 0.877) + cannabinoids; Sum of Cannabinoids = cannabinoid acid forms + cannabinoids; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample. Foreign Material Method: SOP EL-FOREIGN; Moisture and Water Activity Method: SOP EL-WATER







Kevin Nolan Laboratory Director | 03/01/2023

METRC Batch: METRC Sample:

Sample ID: 2302ENC2125_6745

Strain: White CBG Matrix: Ingestible Type: Tincture Batch#:

Collected: 02/24/2023 Received: 02/24/2023

Completed: 03/01/2023 Sample Size: 3 units;

Distributor **Dad Grass**

6137 Piedmont Ave. Los angeles, CA, 90042

Pesticides

Method: EL-PESTMYCOLCMS

Analytes	LOD	LOQ	Limit	Result	Status	Analytes	LOD	LOQ	Limit	Result	Status
	μg/g	μg/g	μg/g	μg/g			μg/g	μg/g	μg/g	μg/g	
Abamectin	0.005	0.02	0.30	ND	Pass	Fludioxonil	0.01	0.05	30.00	ND	Pass
Acephate	0.002	0.01	5.00	ND	Pass	Hexythiazox	0.005	0.02	2.00	ND	Pass
Acequinocyl	0.01	0.02	4.00	ND	Pass	Imazalil	0.05	0.1	0.05	ND	Pass
Acetamiprid	0.005	0.02	5.00	ND	Pass	Imidacloprid	0.005	0.02	3.00	ND	Pass
Aldicarb	0.05	0.1	0.05	ND	Pass	Kresoxim Methyl	0.005	0.02	1.00	ND	Pass
Azoxystrobin	0.005	0.02	40.00	ND	Pass	Malathion	0.02	0.05	5.00	ND	Pass
Bifenazate	0.005	0.01	5.00	ND	Pass	Metalaxyl	0.002	0.005	15.00	ND	Pass
Bifenthrin	0.02	0.05	0.50	ND	Pass	Methiocarb	0.05	0.1	0.05	ND	Pass
Boscalid	0.02	0.05	10.00	ND	Pass	Methomyl	0.01	0.02	0.10	ND	Pass
Captan	0.2	0.3	5.00	ND	Pass	Parathion Methyl	0.02	0.05	0.02	ND	Pass
Carbaryl	0.02	0.05	0.50	ND	Pass	Mevinphos	0.02	0.05	0.02	ND	Pass
Carbofuran	0.05	0.1	0.05	ND	Pass	Myclobutanil	0.005	0.01	9.00	ND	Pass
Chlorantraniliprole	0.002	0.01	40.00	ND	Pass	Naled	0.01	0.02	0.50	ND	Pass
Chlordane	0.05	0.1	0.05	ND	Pass	Oxamyl	0.005	0.01	0.20	ND	Pass
Chlorfenapyr	0.05	0.1	0.05	ND	Pass	Paclobutrazol	0.05	0.1	0.05	ND	Pass
Chlorpyrifos	0.05	0.1	0.05	ND	Pass	PCNB	0.02	0.05	0.20	ND	Pass
Clofentezine	0.01	0.02	0.50	ND	Pass	Permethrin	0.02	0.05	20.00	ND	Pass
Coumaphos	0.02	0.05	0.02	ND	Pass	Phosmet	0.01	0.02	0.20	ND	Pass
Cyfluthrin	0.05	0.1	1.00	ND	Pass	Piperonyl Butoxide	0.02	0.05	8.00	ND	Pass
Cypermethrin	0.1	0.2	1.00	ND	Pass	Prallethrin	0.005	0.02	0.40	ND	Pass
Daminozide	0.02	0.05	0.02	ND	Pass	Propiconazole	0.005	0.01	0.10	ND	Pass
Diazinon	0.002	0.01	0.20	ND	Pass	Propoxure	0.05	0.1	0.05	ND	Pass
Dichlorvos	0.02	0.05	0.02	ND	Pass	Pyrethrins	0.02	0.05	1.00	ND	Pass
Dimethoate	0.02	0.05	0.02	ND	Pass	Pyridaben	0.005	0.01	3.00	ND	Pass
Dimethomorph	0.005	0.02	20.00	ND	Pass	Spinetoram	0.005	0.01	3.00	ND	Pass
Ethoprophos	0.05	0.1	0.05	ND	Pass	Spinosad	0.005	0.01	3.00	ND	Pass
Etofenprox	0.05	0.1	0.05	ND	Pass	Spiromesifen	0.01	0.02	12.00	ND	Pass
Etoxazole	0.005	0.02	1.50	ND	Pass	Spirotetramat	0.005	0.01	13.00	ND	Pass
Fenhexamid	0.005	0.02	10.00	ND	Pass	Spiroxamine	0.05	0.1	0.05	ND	Pass
Fenoxycarb	0.05	0.1	0.05	ND	Pass	Tebuconazole	0.005	0.01	2.00	ND	Pass
Fenpyroximate	0.005	0.02	2.00	ND	Pass	Thiacloprid	0.02	0.05	0.02	ND	Pass
Fipronil	0.05	0.1	0.05	ND	Pass	Thiamethoxam	0.005	0.01	4.50	ND	Pass
Flonicamid	0.01	0.02	2.00	ND	Pass	Trifloxystrobin	0.005	0.01	30.00	ND	Pass

Date Tested: 02/27/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Kevin Nolan



Laboratory Director | 03/01/2023

METRC Batch: METRC Sample:

Sample ID: 2302ENC2125_6745

ENCORE

- LABS

Strain: White CBG Matrix: Ingestible Type: Tincture Batch#: Collected: 02/24/2023 Received: 02/24/2023

Completed: 03/01/2023 Sample Size: 3 units; Distributor **Dad Grass**

Lic.#

6137 Piedmont Ave, Los angeles, CA, 90042

Mycotoxins

Method: EL-PESTMYCOLCMS

Analytes	LOD	LOQ	Limit	Result	Status
	μg/kg	μg/kg	μg/kg	μg/kg	
Aflatoxin B1	1.00	2.00		ND	Tested
Aflatoxin B2	1.00	2.00		ND	Tested
Aflatoxin G1	2.00	4.00		ND	Tested
Aflatoxin G2	1.00	2.00		ND	Tested
Ochratoxin A	4.00	10.00	20.00	ND	Pass
Total Aflatoxins			20.00	ND	Pass

Date Tested: 02/27/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Residual Solvents

Method: EL-RES SOLVENTS

Analytes	LOD	LOQ	Limit	Result	Status
	μg/g	μg/g	μg/g	μg/g	
Acetone	33.00	100.00	5000	ND	Pass
Acetonitrile	10.00	30.00	410	ND	Pass
Benzene	0.09	0.28	1	ND	Pass
Butane	10.00	30.00	5000	ND	Pass
Chloroform	0.10	0.29	1	ND	Pass
Ethanol	10.00	30.00	5000	ND	Pass
Ethyl-Acetate	10.00	30.00	5000	ND	Pass
Ethyl-Ether	10.00	30.00	5000	ND	Pass
Ethylene Oxide	0.08	0.24	1	ND	Pass
Heptane	10.00	30.00	5000	ND	Pass
n-Hexane	10.00	30.00	290	ND	Pass
Isopropanol	10.00	30.00	5000	ND	Pass
Methanol	10.00	30.00	3000	ND	Pass
Methylene-Chloride	0.10	0.31	1	ND	Pass
1,2-Dichloro-Ethane	0.10	0.29	1	ND	Pass
Pentane	10.00	30.00	5000	ND	Pass
Propane	10.00	30.00	5000	ND	Pass
Toluene	10.00	30.00	890	ND	Pass
Xylenes	20.00	60.00	2170	ND	Pass
Trichloroethene	0.10	0.29	1	ND	Pass

Date Tested: 02/27/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Microbial Impurities
Method: SOP EL-MICROBIALS

AnalytesResultStatusShiga toxin-producing Escherichia coliNot Detected in 1gPassSalmonella sppNot Detected in 1gPass

Date Tested: 02/28/2023



2 now



METRC Batch: METRC Sample:

Sample ID: 2302ENC2125_6745

Strain: White CBG Matrix: Ingestible Type: Tincture Batch#: Collected: 02/24/2023 Received: 02/24/2023

Completed: 03/01/2023 Sample Size: 3 units; Distributor

Dad Grass

6137 Piedmont Ave, Los angeles, CA, 90042

Heavy Metals

Method: SOP EL-HEAVYMETALS

Analytes	LOD	LOQ	Limit	Result	Status
	μg/g	μg/g	µg/g	μg/g	
Arsenic	0.012	0.036	1.500	ND	Pass
Cadmium	0.015	0.044	0.500	ND	Pass
Lead	0.055	0.167	0.500	ND	Pass
Mercury	0.005	0.015	3.000	ND	Pass

Date Tested: 02/28/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Kevin Nolan



Laboratory Director | 03/01/2023