

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 08/21/2019 Revision date: 08/21/2019 Version: 1.1

| SECTION 1: Identification | |
|--|---|
| 1.1. Identification | |
| Product form | : Mixture |
| Product name | : APPLE JACK SOLVENT FREE TERPENE FLAVOR |
| CAS-No. | : N/A |
| Product code | : TPBL72 |
| 1.2. Recommended use and restricti | |
| No additional information available | |
| 1.3. Supplier | |
| EXTRACT CONSULTANTS, LLC. TERPENES - FLAVORS - BASES PO BOX 11433, DENVER, CO 80211 www.extractconsultants.com INFORMATION: 1-888-541-9089 | |
| 1.4. Emergency telephone number | |
| Emergency number | : CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 CCN 13010 |
| SECTION 2: Hazard(s) identificati | ion |
| 2.1. Classification of the substance | or mixture |
| GHS US classification | |
| Flammable liquids Category 3 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category Skin sensitization, Category 1 Aspiration hazard Category 1 2.2. GHS Label elements, including | May cause an allergic skin reaction May be fatal if swallowed and enters airways |
| GHS US labeling | |
| Hazard pictograms (GHS-US) | |
| | GHS02 GHS07 GHS08 |
| Signal word (GHS-US) | : Danger |
| Hazard statements (GHS-US) | Flammable liquid and vapour May be fatal if swallowed and enters airways Causes skin irritation May cause an allergic skin reaction Causes serious eye irritation |
| Precautionary statements (GHS-US) | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground/Bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting equipment Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray. |
| | Wash hands, forearms and face thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center or doctor If on skin: Wash with plenty of water If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| and easy to do. Continue rinsing Specific treatment (see supplemental first aid instruction on this label) Do NOT induce vomiting. If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. Wash contaminated clothing before reuse. In case of fire: Use media other than water to extinguish. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation |
|--|
|--|

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | GHS US classification |
|--------------------|----------------------|--------|--|
| ALPHA PINENE | (CAS-No.) 7785-26-4 | >= 50 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 |
| BETA PINENE | (CAS-No.) 18172-67-3 | 5 - 10 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 |
| BETA CARYOPHYLLENE | (CAS-No.) 87-44-5 | 1 - 5 | Skin Sens. 1B, H317 Asp. Tox. 1, H304 |
| HEXEN-2-AL | (CAS-No.) 6728-26-3 | 1 - 5 | Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Eye Irrit. 2A, H319 Skin Sens. 1B, H317 |
| ISOBUTYL ALCOHOL | (CAS-No.) 78-83-1 | 1 - 5 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 STOT SE 3, H336 |

Full text of hazard classes and H-statements : see section 16

| SECTION 4: First-aid measures | |
|---------------------------------------|--|
| 4.1. Description of first aid measure | es |
| First-aid measures general | : Call a physician immediately. |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. |
| First-aid measures after skin contact | : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. |
| First-aid measures after eye contact | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| First-aid measures after ingestion | : Do not induce vomiting. Call a physician immediately. |
| 4.2. Most important symptoms and | effects (acute and delayed) |
| Symptoms/effects after skin contact | : Irritation. May cause an allergic skin reaction. |
| Symptoms/effects after eye contact | : Eye irritation. |
| Symptoms/effects after ingestion | : Risk of lung edema. |
| 4.3. Immediate medical attention ar | nd special treatment, if necessary |

Treat symptomatically.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| SECTION 5: Fire-fighting measures | |
|--|---|
| 5.1. Suitable (and unsuitable) extinguishin | g media |
| Suitable extinguishing media : | Water spray. Dry powder. Foam. Carbon dioxide. |
| 5.2. Specific hazards arising from the cher | nical |
| Fire hazard : | Flammable liquid and vapour. |
| Reactivity : | Flammable liquid and vapour. |
| 5.3. Special protective equipment and pred | cautions for fire-fighters |
| Protection during firefighting : | Do not attempt to take action without suitable protective equipment. Self-contained breathing |
| | apparatus. Complete protective clothing. |
| SECTION 6: Accidental release measu | Ires |
| 6.1. Personal precautions, protective equi | pment and emergency procedures |
| 6.1.1. For non-emergency personnel | |
| Emergency procedures : | Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin |
| | and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. |
| 6.1.2. For emergency responders | |
| Protective equipment : | Do not attempt to take action without suitable protective equipment. For further information |
| | refer to section 8: "Exposure controls/personal protection". |
| 6.2. Environmental precautions | |
| Avoid release to the environment. | |
| 6.3. Methods and material for containment | t and cleaning up |
| Methods for cleaning up : | Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. |
| Other information : | Dispose of materials or solid residues at an authorized site. |
| 6.4. Reference to other sections | |
| For further information refer to section 13. | |
| SECTION 7: Handling and storage | |
| 7.1. Precautions for safe handling | |
| Precautions for safe handling : | Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. |
| Hygiene measures : | Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. |
| 7.2. Conditions for safe storage, including | any incompatibilities |
| Technical measures : | Ground/bond container and receiving equipment. |
| Storage conditions : | Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up. |
| SECTION 8: Exposure controls/persor | nal protection |
| 8.1. Control parameters | |
| ALPHA PINENE (7785-26-4) | |
| Not applicable | |
| BETA PINENE (18172-67-3) | |
| Not applicable | |
| BETA CARYOPHYLLENE (87-44-5) | |
| Not applicable | |
| ISOBUTYL ALCOHOL (78-83-1) | |
| Not applicable | |
| | |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HEXEN-2-AL (6728-26-3)

Not applicable

8.2. Appropriate engineering controls

Appropriate engineering controls

Environmental exposure controls

: Ensure good ventilation of the work station.: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

| SECTION 9: Physical and chemical | properties |
|---|-------------------------|
| 9.1. Information on basic physical and | chemical properties |
| Physical state | : Liquid |
| | : COLORLESS TO YELLOW |
| Odor | : APPLE,TERPENES |
| Odor threshold | : No data available |
| рН | : No data available |
| Melting point | : Not applicable |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : 30 °C |
| Relative evaporation rate (butyl acetate=1) | : No data available |
| Flammability (solid, gas) | : Not applicable. |
| Vapor pressure | : No data available |
| Relative vapor density at 20 °C | : No data available |
| Relative density | : 0.859 (0.849 - 0.869) |
| Solubility | : Insoluble. |
| Log Pow | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosion limits | : No data available |
| Explosive properties | : No data available |
| Oxidizing properties | : No data available |
| 9.2. Other information | |
| Refractive index | : 1.461 (1.451 - 1.471) |
| SECTION 10: Stability and reactivity | y . |
| 10.1 Reactivity | |

10.1. Reactivity

Flammable liquid and vapour.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| 10.2. Chemical stability | |
|---|--|
| Stable under normal conditions. | |
| 10.3. Possibility of hazardous reactions | |
| No dangerous reactions known under normal con | ditions of use. |
| 10.4. Conditions to avoid | |
| Avoid contact with hot surfaces. Heat. No flames, | no sparks. Eliminate all sources of ignition. |
| 10.5. Incompatible materials | |
| No additional information available | |
| 10.6. Hazardous decomposition products | |
| Under normal conditions of storage and use, haza | ardous decomposition products should not be produced. |
| SECTION 11: Toxicological information | on |
| 11.1. Information on toxicological effects | |
| | |
| Acute toxicity | : Not classified |
| ALPHA PINENE (7785-26-4) | |
| ATE US (oral) | 3700 mg/kg body weight |
| HEXEN-2-AL (6728-26-3) | |
| ATE US (oral) | 900 mg/kg body weight |
| ATE US (dermal) | 600 mg/kg body weight |
| Skin corrosion/irritation | : Causes skin irritation. |
| Serious eye damage/irritation | : Causes serious eye irritation. |
| Respiratory or skin sensitization | : May cause an allergic skin reaction. |
| | : Not classified |
| Germ cell mutagenicity | |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| Specific target organ toxicity – single exposure | : Not classified |
| | |
| Specific target organ toxicity - repeated | : Not classified |
| exposure | |
| Aspiration hazard | : May be fatal if swallowed and enters airways. |
| | |
| Symptoms/effects after skin contact | : Irritation. May cause an allergic skin reaction. |
| Symptoms/effects after eye contact | : Eye irritation. |
| Symptoms/effects after ingestion | : Risk of lung edema. |
| SECTION 12: Ecological information | |
| 12.1. Toxicity | |
| Ecology - general | : The product is not considered harmful to aquatic organisms or to cause long-term adverse |
| | effects in the environment. |
| | |
| 12.2. Persistence and degradability | |
| No additional information available | |
| | |
| 12.3. Bioaccumulative potential | |
| No additional information available | |
| | |
| 12.4. Mobility in soil | |
| No additional information available | |
| | |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.5. Other adverse effects

No additional information available

| SECTION 13: Disposal consideration | IS |
|--|---|
| 13.1. Disposal methods | |
| Waste treatment methods | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| Additional information | : Flammable vapors may accumulate in the container. |
| SECTION 14: Transport information | |
| Department of Transportation (DOT) | |
| In accordance with DOT | |
| Transport document description | : UN1266 Perfumery products, 3, III |
| UN-No.(DOT) | : UN1266 |
| Proper Shipping Name (DOT) | : Perfumery products |
| Class (DOT) | : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120 |
| Packing group (DOT) | : III - Minor Danger |
| Hazard labels (DOT) | : 3 - Flammable liquid |
| | PLANARE E LOOT |
| DOT Packaging Non Bulk (49 CFR 173.xxx) | : 203 |
| DOT Packaging Bulk (49 CFR 173.xxx) | : 242 |
| DOT Special Provisions (49 CFR 172.102) | B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T2 - 1.5 178.274(d)(2) Normal |
| DOT Packaging Exceptions (49 CFR 173.xxx) | : 150 |
| DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) | : 60 L |
| DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) | : 220 L |
| DOT Vessel Stowage Location | : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel. |
| Emergency Response Guide (ERG) Number | : 127 |
| Other information | : No supplementary information available. |
| Transportation of Dangerous Goods Not applicable | |
| Transport by sea | |
| Transport document description (IMDG) | : UN 1266 PERFUMERY PRODUCTS, 3, III |
| UN-No. (IMDG) | : 1266 |
| Proper Shipping Name (IMDG) | : PERFUMERY PRODUCTS |
| Class (IMDG) | : 3 - Flammable liquids |
| Packing group (IMDG) | : III - substances presenting low danger |
| 08/21/2019 | EN (English US) 6/8 |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Limited quantities (IMDG)

: 5 L

Air transport

| Transport document description (IATA) | : UN 1266 Perfumery products, 3, III |
|---------------------------------------|--------------------------------------|
| UN-No. (IATA) | : 1266 |
| Proper Shipping Name (IATA) | : Perfumery products |
| Class (IATA) | : 3 - Flammable Liquids |
| Packing group (IATA) | : III - Minor Danger |

SECTION 15: Regulatory information

15.1. US Federal regulations

| ALPHA PINENE (7785-26-4) | | |
|--|----------------------------|--|
| Listed on the United States TSCA (Toxic Substan | ces Control Act) inventory | |
| BETA PINENE (18172-67-3) | | |
| Listed on the United States TSCA (Toxic Substan | ces Control Act) inventory | |
| BETA CARYOPHYLLENE (87-44-5) | | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | | |
| ISOBUTYL ALCOHOL (78-83-1) | | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory Not subject to reporting requirements of the United States SARA Section 313 | | |
| CERCLA RQ | 5000 lb | |
| HEXEN-2-AL (6728-26-3) | | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | | |

15.2. International regulations

CANADA

| ALPHA PINENE (7785-26-4) |
|--|
| Listed on the Canadian NDSL (Non-Domestic Substances List) |
| BETA PINENE (18172-67-3) |
| Listed on the Canadian DSL (Domestic Substances List) |
| BETA CARYOPHYLLENE (87-44-5) |
| Listed on the Canadian DSL (Domestic Substances List) |
| ISOBUTYL ALCOHOL (78-83-1) |
| Listed on the Canadian DSL (Domestic Substances List) |
| HEXEN-2-AL (6728-26-3) |
| Listed on the Canadian DSL (Domestic Substances List) |

EU-Regulations No additional information available

National regulations No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

| ISOBUTYL ALCOHOL (78-83-1) |
|--|
| U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) List |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information

Revision date

: 08/21/2019

SDS US (GHS HazCom 2012) - Extract Consultants

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product