

SAFETY DATA SHEET

Air Freshener (any scent)

Supersedes Revision: 11/13/2019

Page: 1 of 8

Printed: 03/16/2022

Revision: 03/16/2022

according to Regulation (EC) No. 1907/2006 as amended by (EC) No. 2020/878 and US OSHA HCS 2015

Section 1. Identification of the Substance/Mixture and of the Company/Undertaking

1.1 **Product Code:** LFGBS911

> **Product Name:** Air Freshener (any scent) RENEGADE PRODUCTS Trade Name:

Black Glacier, Twisted Cherry, New Car, Hawaiian Breeze, Strawberry Milkshake, **Part Number:**

Lemon Bar, Green Apple, Fresh Baby Powder, Pina Colada, Vanilla, Mountain Pine,

Jasmine, Bubble Gum

Relevant identified uses of the substance or mixture and uses advised against: 1.2

1.3 **Details of the Supplier of the Safety Data Sheet:**

> **Company Name:** Maverick Abrasives

> > 4340 E. Miraloma Ave

Anaheim, CA 92807 United States of America

Web site address: www.renegadeproductsusa.com cs@renegadeproductsusa.com **Email address:**

1.4 **Emergency telephone number:**

> **Emergency Contact: INFOTRAC** (800)535-5053

> > Contract #914-39

Section 2. Hazards Identification

2.1 **Classification of the Substance or Mixture:**

Flammable Liquids, Category 4

Serious Eye Damage/Eye Irritation, Category 2A

2.2 **Label Elements:**



GHS Signal Word: Warning

Hazard-determining components of labelling:

Alcohol ethoxylate

Isopropyl alcohol

GHS Hazard Phrases:

H227 - Combustible liquid.

H319 - Causes serious eye irritation.

GHS Precautionary Phrases:

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P264 - Wash hands thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

GHS Response Phrases:

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+313 - If eye irritation persists, get medical advice/attention.

GHS Storage and Disposal Phrases:

P501 - Dispose of contents/container to ...

Licensed to Maverick Abrasives: MIRS MSDS, (c) A V Systems, Inc.



Page: 2 of 8
Printed: 03/16/2022
Revision: 03/16/2022

Multi-region format

Supersedes Revision: 11/13/2019

UFI:

OSHA Regulatory Status: While this material is not classified as hazardous under OSHA regulations, this MSDS

contains valuable information critical to the safe handling and proper use of the product.

This MSDS should be retained and available for employees and other users of this

product.

2.3 Adverse Human Health Hazards not otherwise classified (HNOC) or not covered by GHS. Hazards not otherwise Effects and Symptoms: classified (HNOC) or not covered by GHS -none.

iects and Symptoms. Substitute (111100) of flot sovered by Cr

Chronic: None.

2.3.1 Inhalation: No hazard expected in normal industrial use.

2.3.2 Skin Contact: Non-irritating to the skin.2.3.3 Eye Contact: Non-irritating to the eyes.

2.3.4 Ingestion: No hazard expected in normal industrial use.

Section 3. Composition/Information on Ingredients

CAS#	Hazardous Components (Chemical Name)/ REACH Registration No.	Concentration	EC No./ EC Index No.	GHS Classification
68439-46-3	Alcohol ethoxylate 01-2119979533-26	~ 5.0 %	614-482-0 NA	Acute Tox.(O) 4: H302 Eye Damage 1: H318
NA	Fragrance	~ 2.5 %	NA NA	No data available.
67-63-0	Isopropyl alcohol 01-2119457558-25	~ 2.0 %	200-661-7 603-117-00-0	Flam. Liq. 2: H225 Eye Damage 2: H319 STOT (SE) 3: H335 H336
1300-72-7	Sodium xylenesulfonate	< 1.0 %	215-090-9 NA	Eye Damage 2: H319

Section 4. First Aid Measures

4.1 Description of First AidConsult a physician. Show this safety data sheet to the doctor in attendance. Move out of

Measures: dangerous area.

In Case of Inhalation: No specific treatment is necessary since this material is not likely to be hazardous by

inhalation. If breathed in, move person into fresh air. Consult a physician.

In Case of SkinNo specific treatment is necessary, since this material is not likely to be hazardous.

Contact: Wash off with soap and plenty of water. Consult a physician.

In Case of Eye

No specific treatment is necessary, since this material is not likely to be hazardous.

Contact:

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

In Case of Ingestion: No specific treatment is necessary, since this material is expected to be non-hazardous.

Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

Rinse mouth with water. Consult a physician.

4.2 Important Symptoms The most important known symptoms and effects are described in the labelling (see

and Effects, Both section 2.2) and/or in section 11

Acute and Delayed:

Note for the Doctor: Treat symptomatically and supportively.

4.3 Indication of any No data available.

immediate medical attention and special

Licensed to Maverick Abrasives: MIRS MSDS, (c) A V Systems, Inc.



Page: 3 of 8 Printed: 03/16/2022 Revision: 03/16/2022

Supersedes Revision: 11/13/2019

treatment needed:

Section 5. Fire Fighting Measures

5.1 Suitable Extinguishing Not available. Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam.

Media:

5.2 Flammable Properties Carbon oxides, Carbon oxides, Sulphur oxides.

and Hazards:

No data available.

Flash Pt: No data. Method Used: Estimate

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: No data.

5.3 Fire Fighting As in any fire, wear a self-contained breathing apparatus in pressure-demand,

Instructions: MSHA/NIOSH (approved or equivalent), and full protective gear. Material will not burn.

Wear self contained breathing apparatus for fire fighting if necessary.

Further information:

Section 6. Accidental Release Measures

6.1 Protective Precautions, Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure

Protective Equipment

adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.

and Emergency Procedures:

accumulate in low areas. For personal protection see section 8.

6.2 Environmental

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Beware of vapors accumulating to form explosive concentrations. Vapors can

Precautions:

6.3 Methods and Material

For Containment and

Cleaning Up:

Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place

in suitable container. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Pick up and arrange disposal without creating dust. Sweep

up and shovel. Keep in suitable, closed containers for disposal.

Section 7. Handling and Storage

7.1 Precautions To Be No special handling procedures are required. Avoid contact with skin and eyes. Avoid

Taken in Handling: inhalation of vapor or mist. Use explosion-proof equipment. Keep away from sources of

ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2. Avoid formation of dust and aerosols. Provide appropriate

exhaust ventilation at places where dust is formed.

7.2 Precautions To Be No special storage requirements. Keep container tightly closed in a dry and

Taken in Storing: well-ventilated place. Containers which are opened must be carefully resealed and kept

upright to prevent leakage. Handle and store under inert gas. Hygroscopic.

Other Precautions: Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

Section 8. Exposure Controls/Personal Protection

8.1 Exposure Parameters:

CAS#	Chemical Name	Jurisdiction	Recommended Exposure Limits	Notations
67-63-0	Isopropyl alcohol	ACGIH TLV	TLV: 200 ppm	
			STEL: 400 ppm	
		California, USA PELs	TWA: 980 mg/m3 (400 ppm)	
			STEL: 1225 mg/m3 (500 ppm)	
		NIOSH	TWA: 980 mg/m3 (400 ppm)	

Licensed to Maverick Abrasives: MIRS MSDS, (c) A V Systems, Inc.



Page: 4 of 8 Printed: 03/16/2022 Revision: 03/16/2022

Supersedes Revision: 11/13/2019

STEL: 1225 mg/m3 (500 ppm)

67-63-0 Isopropyl alcohol (continued)

OSHA PELs

PEL: 400 ppm

8.2 Exposure Controls:

8.2.1 Engineering Controls There are

There are no special ventilation requirements. Handle in accordance with good industrial

(Ventilation etc.): hygiene and safety practice. Wash hands before breaks and at the end of workday.

8.2.2 Personal protection equipment:

Personal Protective Equipment Symbols:

Eye Protection: Eye protection is not normally required. Face shield and safety glasses. Use equipment

for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses with side-shields conforming to EN166.

Protective Gloves: Protective garments not normally required. Handle with gloves. Gloves must be

inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and

dry hands. Full contact.

Material: Nitrile rubber, Minimum layer thickness: 0.4 mm, Break through time: 480 min. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed

as offering an approval for any specific use scenario.

Other Protective

Clothing:

Protective garments not normally required. Impervious clothing. Flame retardant antistatic protective clothing. The type of protective equipment must be selected

according to the concentration and amount of the dangerous substance at the specific

workplace.

Respiratory Equipment Respirator protection is not normally required. Where risk assessment shows

(Specify Type):

air-purifying respirators are appropriate use a full-face respirator with multi- purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level

protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator

cartridges.

Work/Hygienic/Mainten Handle in accordance with good industrial hygiene and safety practice. Wash hands

ance Practices: before breaks and at the end of workday.

8.2.3 Environmental Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Exposure Controls:

Exposure Scenarios: No data available.

Licensed to Maverick Abrasives: MIRS MSDS, (c) A V Systems, Inc.



SAFETY DATA SHEET

Air Freshener (any scent)

Printed: 03/16/2022 Revision: 03/16/2022

Page: 5 of 8

Supersedes Revision: 11/13/2019

Section 9. Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

> [] Gas [X] Liquid [] Solid **Physical States:**

Appearance: Liquid. Appearance and Odor:

pH:

NA -89.50 - 129.10 C (264.4 F) **Melting Point:**

82.00 C (179.6 F) **Boiling Point:**

Flash Pt: No data. Method Used: Estimate

No data. **Evaporation Rate: Saturated Vapor** No data.

Concentration:

Flammability (solid, gas): No data available.

Explosive Limits: LEL: No data. UEL: No data.

Vapor Pressure (vs. Air or

mm Hg):

No data. No data.

Vapor Density (vs. Air = 1): No data. Specific Gravity (Water = 1): No data.

Density: ~ 0.865 G/CM3

Solubility in Water: 100% **Octanol/Water Partition** No data.

Coefficient:

No data. **Autoignition Pt: Decomposition** No data.

Temperature:

No data. **Viscosity:**

No data available. **Explosive Properties:** No data available. **Oxidizing Properties:**

9.2 Other Information

9.2.1 Information with regard to physical hazard classes

Information with regard to primary physical hazard:

9.2.2 Other safety characteristics

Percent Volatile: 2.5 % by weight.

Section 10. Stability and Reactivity

10.1 Reactivity: No data available.

10.2 Stability: Unstable [] Stable [X]

10.3 Conditions To Avoid - Vapors may form explosive mixture with air. No data available.

Hazardous Reactions:

Possibility of Will occur [] Will not occur [X]

Hazardous Reactions:

10.4 Conditions To Avoid -Heat, flames and sparks. Extremes of temperature and direct sunlight. No data available.

Instability:

10.5 Incompatibility -None. Oxidizing agents, Acid anhydrides, Aluminum, Halogenated compounds, Acids.

Strong oxidizing agents. **Materials To Avoid:**

10.6 Hazardous None. Other decomposition products: No data available. In the event of fire: see section

Decomposition or 5.

Licensed to Maverick Abrasives: MIRS MSDS, (c) A V Systems, Inc. Multi-region format



Page: 6 of 8 Printed: 03/16/2022 Revision: 03/16/2022

Supersedes Revision: 11/13/2019

Byproducts:

Section 11. Toxicological Information

11.1 Information on Epidemiology: No data available.

Toxicological Effects: Teratogenicity: No data available.

Reproductive Effects: Mutagenicity: Neurotoxicity: Other Studies: Germ cell

mutagenicity: Reproductive toxicity. Aspiration hazard: Acute toxicity.

Hamster ovary. Result: negative.

Irritation or Corrosion: Skin corrosion/irritation. Provide adequate ventilation.

Result: Tumorigenic:Tumors at site or application. Serious eye damage/eye irritation:

Eyes - rabbit -

No skin irritation -24. Eyes: Rabbit.

Sensitization: No data available.

Chronic Toxicological

Specific target organ toxicity - single exposure: Inhalation. Oral. May cause drowsiness

Effects:

or dizziness.

Specific target organ toxicity - repeated exposure: Specific target organ toxicity -single

exposure (Globally Harmonized System) No data available.

Carcinogenicity/Other

Information:

CAS# 7732-18-5: Not listed by ACGIH, IARC, NTP, or CA Prop 65. This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC,

ACGIH, NTP, or EPA classification. IARC: 3 -Group 3: Not classifiable as to its

carcinogenicity to humans. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or

confirmed human carcinogen by IARC.

CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
68439-46-3	Alcohol ethoxylate	n.a.	n.a.	n.a.	n.a.
NA	Fragrance	n.a.	n.a.	n.a.	n.a.
67-63-0	Isopropyl alcohol	n.a.	3	A4	n.a.
1300-72-7	Sodium xylenesulfonate	n.a.	n.a.	n.a.	n.a.

Section 12. Ecological Information

12.1 Toxicity: No data available.

12.2 Persistence and Biodegradability: aerobic -Exposure time 28. Result: 83 -85 % Readily biodegradable.

Degradability:

12.3 Bioaccumulative No data available.

Potential:

12.4 Mobility in Soil: No data available.

12.5 Results of PBT and PBT/vPvB assessment not available as chemical safety assessment not required/not

vPvB assessment: conducted.

12.6 Other adverse effects: No data available.

Licensed to Maverick Abrasives: MIRS MSDS, (c) A V Systems, Inc.



reshener (any scent)

Printed: 03/16/2022

Revision: 03/16/2022

Supersedes Revision: 11/13/2019

Page: 7 of 8

Section 13. Disposal Considerations

13.1 Waste Disposal Method:

The generations of waste should be avoided or minimized wherever possible. Disposal of this product, solutions, and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incinerators or landfill should be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drain and sewers. See Section 8 for information on appropriate personal protective equipment.

Section 14. Transport Information

14.1 LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not regulated as a hazardous material as per 49 CFR 173.150. ISOPROPANOL.

DOT Hazard Class: UN/NA Number:

14.1 LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: No information available.

14.1 LAND TRANSPORT (European ADR/RID):

ADR/RID Shipping Name: Not regulated as a hazardous material as per 49 CFR 173.150. ISOPROPANOL.

UN Number: Hazard Class:

Section 15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
68439-46-3	Alcohol ethoxylate	No	No	No
NA	Fragrance	No	No	No
67-63-0	Isopropyl alcohol	No	No	Yes
1300-72-7	Sodium xylenesulfonate	No	No	No

This material meets the EPA 'Hazard Categories' defined for SARA Title III Sections 311/312 as indicated:

[] Yes [X] No	Explosive	[] Yes [X] No	Acute toxicity (any route of exposure)
[X] Yes [] No	Flammable (gases, aerosols, liquid, or solid)	[] Yes [X] No	Skin Corrosion or Irritation
[] Yes [X] No	Oxidizer (liquid, solid or gas)	[X] Yes [] No	Serious eye damage or eye irritation
[] Yes [X] No	Self-reactive	[] Yes [X] No	Respiratory or Skin Sensitization
[] Yes [X] No	Pyrophoric (liquid or solid)	[] Yes [X] No	Germ cell mutagenicity
[] Yes [X] No	Pyrophoric gas	[] Yes [X] No	Carcinogenicity
[] Yes [X] No	Self-heating	[] Yes [X] No	Reproductive toxicity
[] Yes [X] No	Organic peroxide	[] Yes [X] No	Specific target organ toxicity (single or repeated exposure)
[] Yes [X] No	Corrosive to metal	[] Yes [X] No	Aspiration Hazard
[] Yes [X] No	Gas under pressure (compressed gas)	[] Yes [X] No	Simple Asphyxiant
[] Yes [X] No	In contact with water emits flammable gas	[] Yes [X] No	(Health) Hazard Not Otherwise Classified (HNOC)
[] Yes [X] No	Combustible Dust		
[] Yes [X] No	(Physical) Hazard Not Otherwise Classified (HNOC)		

CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists
68439-46-3	Alcohol ethoxylate	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -
		Inventory; CA PROP.65: No; CA TAC, Title 8: No

Licensed to Maverick Abrasives: MIRS MSDS, (c) A V Systems, Inc. Multi-region format



Page: 8 of 8 Printed: 03/16/2022

Revision: 03/16/2022

Supersedes Revision: 11/13/2019

NA	Fragrance	CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No; CA TAC, Title 8: No
67-63-0	Isopropyl alcohol	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: TAC: Cat. Ilb, Title 8
1300-72-7	Sodium xylenesulfonate	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No

the EPA Hazardous Substances (Classification) Notice 2017

(NZ) HSNO Classifications:..... 3.1D, 6.4A

(NZ) HSNO Group Standard:..... Cleaning Products Subsidiary HSR002528.

Section 16. Other Information

Revision Date: 03/16/2022

Hazard Rating System:

HEALTH 1
FLAMMABILITY 1
PHYSICAL 0
PPE

HMIS:

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer: