

Page: 1 of 8 Printed: 03/28/2024

Revision: 03/25/2024

1. Product and Company Identification

Product Code: LFGRPCLRUC24

Product Name: Renegade Ultra Cut Metal Polish

Trade Name: Renegade Products
Company Name: Maverick Abrasives
4340 E. Miraloma Ave

Anaheim, CA 92807

Web site address:www.renegadeproductsusa.comEmail address:cs@renegadeproductsusa.com

Emergency Contact: INFOTRAC (800)535-5053

Contract #914-39

Part Number: LFGRPCLRPR24, LFGRPCLRPR1GAL

#### 2. Hazards Identification

Flammable Liquids, Category 4

Serious Eye Damage/Eye Irritation, Category 2A

Acute Toxicity: Oral, Category 4
Skin Corrosion/Irritation, Category 3
Acute Toxicity: Inhalation, Category 5



GHS Signal Word: Warning

GHS Hazard Phrases: H227 - Combustible liquid.

H303 - May be harmful if swallowed.H319 - Causes serious eye irritation.H313 - May be harmful in contact with skin.

H333 - May be harmful if inhaled.

GHS Precautionary Phrases: P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P264 - Wash hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

GHS Response Phrases: P301+312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel

unwell.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P330 - Rinse mouth.

P332+313 - If skin irritation occurs, get medical advice/attention. P337+313 - If eye irritation persists, get medical advice/attention.

**GHS Storage and Disposal** P403+235 - Store in cool/well-ventilated place.

Phrases: P501 - Dispose of contents/container to ...

**OSHA Regulatory Status:** This material is classified as not hazardous under OSHA regulations.



Page: 2 of 8 Printed: 03/28/2024

Revision: 03/25/2024

Potential Health Effects

Hazards not otherwise classified (HNOC) or not covered by GHS -none.

(Acute and Chronic):

Prolonged or repeated skin contact may cause dermatitis.

Chronic:

Inhalation: The toxicological properties of this substance have not been fully investigated. High

vapor/aerosol concentrations are irritating to the respiratory tract and may cause headaches, dizziness, anesthesia, drowsiness, unconsciousness, and other central

nervous system effects including death.

**Skin Contact:** Prolonged and/or repeated contact may cause irritation and/or dermatitis. Skin contact

may aggravate existing dermatitis.

**Eye Contact:** Not available. High vapor/aerosol concentrations are irritating to the eyes.

**Ingestion:** Aspiration hazard. May cause irritation of the digestive tract. The toxicological properties

of this substance have not been fully investigated. Low viscosity material-if swallowed

may enter the lungs and cause lung damage.

#### 3. Composition/Information on Ingredients

CAS#	Hazardous Components (Chemical Name)	Concentration
7732-18-5	Water	<=30.0 %
64742-47-8	Hydrotreated light distillate (petroleum)	<=30.0 %
1344-28-1	Aluminum oxide (Heavy Cut)	20.0 -40.0 %
68551-19-9	Alkanes, C12-14-iso-	<=15.0 %
57-11-4	Stearic acid	<=4.0 %
8015-91-6	Oils, cinnamon	<=0.01 %

#### 4. First Aid Measures

**Emergency and First Aid** 

Procedures:

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of

dangerous area.

In Case of Inhalation: If breathed in, move person into fresh air. Consult a physician. If inhaled, remove to fresh

air. If breathing is difficult, give oxygen. Get medical aid.

In Case of Skin Contact: Wash off with soap and plenty of water. Consult a physician. In case of contact, flush

skin with plenty of water. Remove contaminated clothing and shoes. Get medical aid if

irritation develops and persists. Wash clothing before reuse.

In Case of Eye Contact: Flush eyes with water as a precaution. In case of contact, immediately flush eyes with

plenty of water for at least 15 minutes. Get medical aid.

In Case of Ingestion: Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

Rinse mouth with water. Consult a physician. Get medical aid.

Signs and Symptoms Of

Exposure:

The most important known symptoms and effects are described in the labelling (see

section 2.2) and/or in section 11

Indication of any immediate medical attention and special

No data available.

treatment needed:

**Note to Physician:** Treat symptomatically and supportively.

Licensed to Maverick Abrasives: MIRS SDS, (c) A V Systems, Inc.

**GHS** format



Page: 3 of 8 ted: 03/28/2024

Printed: 03/28/2024 Revision: 03/25/2024

#### 5. Fire Fighting Measures

Flash Point: >= 95.00 C (203.0 F) Method Used: TAG Closed Cup

**Explosive Limits:** LEL: No data. UEL: No data.

Autoignition Pt: ND

Suitable Extinguishing Media:Use water spray, dry chemical, carbon dioxide, or appropriate foam.

Fire Fighting Instructions: Wear self contained breathing apparatus for fire fighting if necessary.

Further information: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Vapors can travel to a source of ignition and flash back. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Use water spray to keep fire-exposed containers cool. Flammable liquid and vapor. Vapors may be heavier than air. They can spread along the ground and collect in low or confined areas. May accumulate static electrical charges, and may cause ignition of its own vapors.

Runoff from fire control or dilution water may cause pollution.

Flammable Properties and

Hazards:

No data available.

**Hazardous Combustion** 

nazaraous combastioi

No data available.

**Products:** 

#### 6. Accidental Release Measures

Protective Precautions, Protective Equipment and Emergency Procedures: Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can

accumulate in low areas. For personal protection see section 8.

Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Discharge into the environment must be avoided.

Steps To Be Taken In Case Material Is Released Or Spilled: Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal. Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Avoid runoff into storm sewers and ditches which lead to waterways. Clean up spills immediately, observing precautions in the Protective Equipment section. Remove all sources of ignition. Use a spark-proof tool. Provide ventilation.

## 7. Handling and Storage

Precautions To Be Taken in Handling:

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2. Wash thoroughly after handling. Use with adequate ventilation. Ground and bond containers when transferring material. Use spark-proof tools and explosion proof equipment. Avoid contact with eyes, skin, and clothing. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep container tightly closed. Avoid ingestion and inhalation. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks or open flames. Keep away from heat, sparks and flame.

Precautions To Be Taken in Storing:

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class 510): Combustible liquids Non Combustible. Keep away from sources of ignition. Do not store in direct sunlight. Store in a tightly closed container. Store in a cool,



Page: 4 of 8

Printed: 03/28/2024 Revision: 03/25/2024

dry, well-ventilated area away from incompatible substances. Flammables-area.

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated. Other Precautions:

# 8. Exposure Controls/Personal Protection

CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
7732-18-5	Water	No data.	No data.	No data.
64742-47-8	Hydrotreated light distillate (petroleum)	No data.	No data.	No data.
1344-28-1	Aluminum oxide (Heavy Cut)	PEL: 15 (dust); 5 (resp.) mg/m3	TLV: 10 mg/m3 (E)	No data.
68551-19-9	Alkanes, C12-14-iso-	No data.	No data.	No data.
57-11-4	Stearic acid	No data.	No data.	No data.
8015-91-6	Oils, cinnamon	No data.	No data.	No data.

**Personal Protective Equipment Symbols:** 







Respiratory Equipment (Specify Type):

standards such as NIOSH (US) or CEN (EU). Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Use respirators and components tested and approved under appropriate government

Eye Protection:

Face shield and safety glasses. Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Protective Gloves:

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Wear appropriate protective gloves to prevent skin exposure.

Other Protective Clothing:

Complete suit protecting against chemicals. Wear appropriate protective clothing to

prevent skin exposure.

**Engineering Controls** (Ventilation etc.):

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate general or local explosion-proof ventilation to keep airborne levels to acceptable levels.

**Environmental Exposure** 

Controls:

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

	9. Physical and Chemical Properties
Physical States:	[ ] Gas [ X ] Liquid [ ] Solid
Appearance and Odor:	Appearance: White. Liquid. Odor: citrus-like odor.
pH:	6
Melting Point:	ND
Boiling Point:	>= 162.80 C (325.0 F) - 245.00 C (473.0 F)
Flash Point:	>= 95.00 C (203.0 F) TAG Closed Cup
Evaporation Rate:	Not determined
Flammability (solid, gas):	No data available.



Page: 5 of 8 Printed: 03/28/2024

Revision: 03/25/2024

UEL: No data. **Explosive Limits:** LEL: No data. Not determined Vapor Pressure: Not determined No data. Vapor Density (vs. Air=1): Specific Gravity (Water=1): ~ 1.304 at 25.0 C (77.0 F) Density: ~ 10.925 LB/GA at 25.0 C (77.0 F) Solubility in Water: Not determined Saturated Vapor No data. Concentration: Octanol/Water Partition No data. Coefficient: Autoignition Pt: ND Decomposition ND Temperature: Viscosity: ~ 50,000 cSt at 25.0 C (77.0 F) No data available. **Explosive Properties:** Information on other No data available. hazards:

#### 10. Stability and Reactivity

Reactivity: No data available.

Stability: Unstable [ ] Stable [ X ]

Conditions To Avoid -

Heat, flames and sparks. ignition sources, Excess heat.

Instability:

Incompatibility - Materials To Strong oxidizing agents.

Avoid:

Hazardous Decomposition or No data available. In the event of fire: see section 5. Product does not decompose at

**Byproducts:** ambient temperatures.

Possibility of Hazardous

Will occur [ ] Will not occur [ X ]

Reactions:

**Conditions To Avoid -** No data available.

**Hazardous Reactions:** 



Page: 6 of 8

Printed: 03/28/2024 Revision: 03/25/2024

## 11. Toxicological Information

**Toxicological Information:** No data available. Inhalation: Dermal. Genotoxicity in vitro - mouse - S.typhimurium:

Host-mediated assay. Result: negative.

Reproductive toxicity. Aspiration hazard: Epidemiology: No information found. Teratogenicity: No information available. Reproductive Effects: Mutagenicity:

Neurotoxicity:

Irritation or Corrosion: Skin corrosion/irritation.

Result: Tumorigenic: Tumors at site or application. No skin irritation -4. Serious eye

damage/eye irritation: Eyes: Rabbit.

Sensitization: Standard Draize Test. Species: Guinea pig. Result: Tumorigenic:Tumors at site or

application.

**Chronic Toxicological** 

Effects:

Specific target organ toxicity -single exposure (Globally Harmonized System) No data

available.

Specific target organ toxicity -repeated exposure: no data available.

Carcinogenicity/Other

IARC: Group 3: Not classifiable as to its carcinogenicity to humans 3.

Information:

NTP: No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. CAS# 64742-48-9: Not

listed by ACGIH, IARC, NTP, or CA Prop 65.

CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
7732-18-5	Water	n.a.	n.a.	n.a.	n.a.
64742-47-8	Hydrotreated light distillate (petroleum)	n.a.	n.a.	Unknown	n.a.
1344-28-1	Aluminum oxide (Heavy Cut)	n.a.	n.a.	Unknown	n.a.
68551-19-9	Alkanes, C12-14-iso-	n.a.	n.a.	n.a.	n.a.
57-11-4	Stearic acid	n.a.	n.a.	n.a.	n.a.
8015-91-6	Oils, cinnamon	n.a.	n.a.	n.a.	n.a.

# 12. Ecological Information

No data available.

Results of PBT and vPvB

assessment:

PBT/vPvB assessment not available as chemical safety assessment not required/not

conducted.

Persistence and

No data available.

Degradability:

Bioaccumulative Potential: No data available.

Mobility in Soil: No data available.

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or

disposal. Toxic to aquatic life. No data available.



Page: 7 of 8 : 03/28/2024

Printed: 03/28/2024 Revision: 03/25/2024

#### 13. Disposal Considerations

#### Waste Disposal Method:

Dispose of contents/container to ... The generations of waste should be avoided or minimized wherever possible. Disposal of this product, solutions, and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incinerators or landfill should be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drain and sewers. See Section 8 for information on appropriate personal protective equipment.

## 14. Transport Information

			RANSPORT (US DOT

**DOT Proper Shipping Name:** NOT REGULATED PER 49 CFR 173.150.

Non-regulated or transport: Non-hazardous for transport.

DOT Hazard Class: UN/NA Number:

LAND TRANSPORT (Canadian TDG):

**TDG Shipping Name:** No information available.

**UN Number:** 

Hazard Class: TDG Classification:

#### 15. Regulatory Information

#### EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
7732-18-5	Water	No	No	No
64742-47-8	Hydrotreated light distillate (petroleum)	No	No	No
1344-28-1	Aluminum oxide (Heavy Cut)	No	No	Yes
68551-19-9	Alkanes, C12-14-iso-	No	No	No
57-11-4	Stearic acid	No	No	No
8015-91-6	Oils, cinnamon	No	No	No

#### This material meets the EPA 'Hazard Categories' defined for SARA Title III Sections 311/312 as indicated:

[ ] Yes [X] No	Explosive	[X] Yes [ ] No	Acute toxicity (any route of exposure)
[X] Yes [ ] No	Flammable (gases, aerosols, liquid, or solid)	[X] Yes [ ] No	Skin Corrosion or Irritation
[ ] Yes [X] No	Oxidizer (liquid, solid or gas)	[X] Yes [ ] No	Serious eye damage or eye irritation
[ ] Yes [X] No	Self-reactive	[ ] Yes [X] No	Respiratory or Skin Sensitization
[ ] Yes [X] No	Pyrophoric (liquid or solid)	[ ] Yes [X] No	Germ cell mutagenicity
[ ] Yes [X] No	Pyrophoric gas	[ ] Yes [X] No	Carcinogenicity
[ ] Yes [X] No	Self-heating	[ ] Yes [X] No	Reproductive toxicity
[ ] Yes [X] No	Organic peroxide	[ ] Yes [X] No	Specific target organ toxicity (single or repeated exposure)
[ ] Yes [X] No	Corrosive to metal	[ ] Yes [X] No	Aspiration Hazard
[ ] Yes [X] No	Gas under pressure (compressed gas)	[ ] Yes [X] No	Simple Asphyxiant
[ ] Yes [X] No	In contact with water emits flammable gas	[ ] Yes [X] No	(Health) Hazard Not Otherwise Classified (HNOC)
[ ] Yes [X] No	Combustible Dust		
[ ] Yes [X] No	(Physical) Hazard Not Otherwise Classified (HNOC)		



Page: 8 of 8

Printed: 03/28/2024 Revision: 03/25/2024

CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists
7732-18-5	Water	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No
64742-47-8	Hydrotreated light distillate (petroleum)	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No
1344-28-1	Aluminum oxide (Heavy Cut)	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: TAC - Cat.
68551-19-9	Alkanes, C12-14-iso-	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No
57-11-4	Stearic acid	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No
8015-91-6	Oils, cinnamon	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No

the EPA Hazardous Substances (Classification) Notice 2017 (NZ) HSNO Classifications:...... 6.4A, 6.3B, 6.9B, 6.1E, 3.1D

(NZ) HSNO Group Standard:..... Cleaning Products Flammable HSR002528.

Regulatory Information

Statement:

#### 16. Other Information

**Revision Date:** 03/25/2024

**Hazard Rating System:** 



HMIS:

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer: