

#### 1. PRODUCT AND COMPANY IDENTIFICATION LFGWP90616 Product Code: Wicked Alumag Chrome Product Name: Wicked Products Trade Name: Maverick Abrasives **Phone Number:** Company Name: 4340 E. Miraloma Ave Office (714)854-9531 Anaheim, CA 92087 Web site address: www.wickedproducts.com **Emergency Contact:** INFOTRAC - 24 Hr. Emergency (800)535-5035 Information: Contract #914-39 LFGWP90605, LFGWP80640 Part Number: 2. HAZARDS IDENTIFICATION Serious Eye Damage/Eye Irritation, Category 2A Skin Corrosion/Irritation, Category 2 Specific Target Organ Toxicity (single exposure), Category 3 Acute Toxicity: Inhalation, Category 5 **GHS Signal Word:** Warning H315 - Causes skin irritation. GHS Hazard Phrases: H319 - Causes serious eye irritation. H333 - May be harmful if inhaled. H335 - May cause respiratory irritation. GHS Precautionary Phrases: P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. P264 - Wash hands thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P302+352 - IF ON SKIN: Wash with plenty of soap and water. GHS Response Phrases: P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 - Call a POISON CENTER or doctor/physician if you feel unwell. P321 - Specific treatment see ... on this label. P332+313 - If skin irritation occurs, get medical advice/attention. P337+313 - If eye irritation persists, get medical advice/attention. P362 - Take off contaminated clothing and wash before re-use. **GHS Storage and Disposal** P405 - Store locked up. Phrases: P501 - Dispose of contents/container to in accordance with all applicable local, state, and federal regulations. While this material is not classified as hazardous under OSHA regulations, this MSDS OSHA Regulatory Status: contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.



Potential Health Effects (Acute and Chronic):	Hazards not otherwise classified (HNOC) or not covered by GHS -none.			
,	Prolonged or repeated skin contact may cause dermatitis.			
	Chronic:			
Inhalation:	The toxicological properties of this substance have not been fully investigated. High vapor/aerosol concentrations are irritating to the respiratory tract and may cause headaches, dizziness, anesthesia, drowsiness, unconsciousness, and other central nervous system effects including death.			
Skin Contact:	Prolonged and/or repeated contact may cause irritation and/or dermatitis. Skin contact may aggravate existing dermatitis.			
Eye Contact:	Not available. High vapor/aerosol concentrations are irritating to the eyes.			
Ingestion:	Aspiration hazard. May cause irritation of the digestive tract. The toxicological properties of this substance have not been fully investigated. Low viscosity material-if swallowed may enter the lungs and cause lung damage.			

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

CAS #	Hazardous Components (Chemical Name)	Concentration		
1344-28-1	Aluminum oxide	50.0 -62.0 %		
64742-47-8	Hydrotreated light distillate (petroleum)	25.0 -35.0 %		
4 FIRST AID MEASURES				

	4. FIRST AID MEASURES
Emergency and First Aid Procedures:	Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.
In Case of Inhalation:	If breathed in, move person into fresh air. Consult a physician. If inhaled, remove to fresh air. If breathing is difficult, give oxygen. Get medical aid.
In Case of Skin Contact:	Wash off with soap and plenty of water. Consult a physician. In case of contact, flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical aid if irritation develops and persists. Wash clothing before reuse.
In Case of Eye Contact:	Flush eyes with water as a precaution. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical aid.
In Case of Ingestion:	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician. Get medical aid.
Signs and Symptoms Of Exposure:	The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
Indication of any immediate medical attention and special treatment needed:	No data available.
Note to Physician:	Treat symptomatically and supportively.



	5. FIRE FIGHTING MEASURES						
Flash Pt:	40.00 C (104.0 F) Method Used: Estimate						
Explosive Limits:	LEL: No data. UEL: No data.						
Autoignition Pt:	> 230.00 C (446.0 F)						
Suitable Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or appropriate foam.							
Fire Fighting Instructions:	<ul> <li>Wear self contained breathing apparatus for fire fighting if necessary.</li> <li>Further information: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.</li> <li>Vapors can travel to a source of ignition and flash back. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Use water spray to keep fire-exposed containers cool. Flammable liquid and vapor. Vapors may be heavier than air. They can spread along the ground and collect in low or confined areas.</li> <li>May accumulate static electrical charges, and may cause ignition of its own vapors.</li> <li>Runoff from fire control or dilution water may cause pollution.</li> </ul>						
Flammable Properties and Hazards:	No data available.						
Hazardous Combustion Products:	No data available.						
	6. ACCIDENTAL RELEASE MEASURES						
Protective Precautions,	Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure						
Protective Equipment and Emergency Procedures:	adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. For personal protection see section 8.						
Environmental Precautions:	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.						
Steps To Be Taken In Case Material Is Released Or Spilled:	Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal. Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Avoid runoff into storm sewers and ditches which lead to waterways. Clean up spills immediately, observing precautions in the Protective Equipment section. Remove all sources of ignition. Use a spark-proof tool. Provide ventilation.						
	7. HANDLING AND STORAGE						
Precautions To Be Taken in Handling:	Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2. Wash thoroughly after handling. Use with adequate ventilation. Ground and bond containers when transferring material. Use spark-proof tools and explosion proof equipment. Avoid contact with eyes, skin, and clothing. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep container tightly closed. Avoid ingestion and inhalation. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks or open flames. Keep away from heat, sparks and flame.						
Precautions To Be Taken in Storing:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Storage class 510): Combustible liquids Non Combustible. Keep away from sources of ignition. Do not store in direct sunlight. Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances. Flammables-area.						
Licensed to Maverick Abrasives: MIR	S MSDS, (c) A V Systems, Inc. GHS format						



	8. EXF	POSURE CON	TROLS/P	<b>ERSONA</b>	- PROTECTIO	N	
CAS #	Partial Chemical Name		OSHA TWA		ACGIH TWA	Other Limits	
1344-28-1	Aluminum oxide	luminum oxide		i); 5 (resp.)	TLV: 10 mg/m3 (E)	No data.	
64742-47-8 Hydrotreated light distillate (petroleum)		No data.		TLV: 200 mg/m3	No data.		
CAS #	Chemical Name	Jurisdiction	Recom	nmended Expos	ure Limits	Notations	
1344-28-1 A	luminum oxide	Ontario, CA	CA TWA: 1 ppm (Inhalable aerosol)				
		Québec, CA	TWA: 10	0 mg/m3			
		Mexico OEL	Mexico OEL TWA: 10 mg/m3 () STEL: ()				
Personal Pro Equipment S		❤ ₩					
European Standarirritation or other syEye Protection:Face shield and sa			0.134 or European Standard EN 149. Use a NIOSH/MSHA or EN 149 approved respirator if exposure limits are exceeded or if aptoms are experienced. ty glasses. Wear appropriate protective eyeglasses or chemical scribed by OSHA's eye and face protection regulations in 29 CFR				
Eye Protectio	on:	irritation or other s Face shield and s safety goggles as	ymptoms are afety glasses described by	experienced. Wear appropr OSHA's eye a	iate protective eyegla	asses or chemical	
-		irritation or other s Face shield and s safety goggles as 1910.133 or Europ Handle with glove technique (withour Dispose of contan	ymptoms are afety glasses, described by bean Standar s. Gloves mus touching glo hinated gloves	experienced. Wear appropr OSHA's eye and d EN166. st be inspected ve's outer surfa	iate protective eyegla	asses or chemical gulations in 29 CFF oper glove removal ntact with this produ cable laws and goo	
Protective G		irritation or other s Face shield and s safety goggles as 1910.133 or Europ Handle with glove technique (withou Dispose of contan laboratory practice skin exposure.	ymptoms are afety glasses, described by bean Standard s. Gloves mus touching glo hinated gloves es. Wash and tecting agains	experienced. Wear appropr OSHA's eye and d EN166. st be inspected ve's outer surfa s after use in and dry hands. We	iate protective eyegland face protection re prior to use. Use protection to use use protection re prior to avoid skin cor ccordance with appli	asses or chemical gulations in 29 CFF oper glove removal ntact with this produ cable laws and goo ctive gloves to prev	
Protective G	loves: tive Clothing: Controls	irritation or other s Face shield and s safety goggles as 1910.133 or Europ Handle with glove technique (withour Dispose of contan laboratory practice skin exposure. Complete suit pro- prevent skin expos Handle in accorda before breaks and be equipped with	ymptoms are afety glasses, described by bean Standard s. Gloves mus touching glo hinated gloves es. Wash and tecting agains sure. Ince with good at the end of an eyewash fi	experienced. Wear appropr OSHA's eye and d EN166. st be inspected ve's outer surfa s after use in and dry hands. We st chemicals. We d industrial hyg workday. Faci acility and a sa	iate protective eyegland face protection re- prior to use. Use protection to use use use protection face) to avoid skin cor ccordance with applicar appropriate protect	asses or chemical gulations in 29 CFF oper glove removal ntact with this produ cable laws and goo ctive gloves to prev ective clothing to tice. Wash hands ng this material sho equate general or lo	



٦

9.	PHYSICAL AND CHEMICAL PROPERTIES
Physical States:	[]Gas [X]Liquid []Solid
Appearance and Odor:	Opaque.
	Piña Colada Odor. Cherry Scent.
pH:	No data.
Melting Point:	-48.99 C (-56.2 F)
Boiling Point:	162.80 C (325.0 F) - 245.00 C (473.0 F)
Flash Pt:	40.00 C (104.0 F) Method Used: Estimate
Evaporation Rate:	No data.
Flammability (solid, gas):	No data available.
Explosive Limits:	LEL: No data. UEL: No data.
Vapor Pressure (vs. Air or	No data.
mm Hg):	
Vapor Density (vs. Air = 1):	No data.
Specific Gravity (Water = 1):	~ 0.95
Density:	~ 0.82 G/CM3
Solubility in Water:	No data.
Octanol/Water Partition	No data.
Coefficient:	
Autoignition Pt:	> 230.00 C (446.0 F)
Decomposition Temperature:	No data.
Viscosity:	No data.
	10. STABILITY AND REACTIVITY
Reactivity:	No data available.
Stability:	Unstable [ ] Stable [ X ]
Conditions To Avoid - Instability:	Heat, flames and sparks. ignition sources, Excess heat.
Incompatibility - Materials To	Strong oxidizing agents.
Avoid:	
	• No data available. In the event of fire: see section 5. Product does not decompose at
Byproducts:	ambient temperatures.
Possibility of Hazardous Reactions:	Will occur [ ] Will not occur [ X ]
Conditions To Avoid - Hazardous Reactions:	No data available.



		11. TOXICOLOGICAL IN	FORMAT	ION			
Toxicological Information:		No data available. Inhalation: Dermal. Genotoxicity in vitro - mouse - S.typhimurium: Host-mediated assay. Result: negative. Reproductive toxicity. Aspiration hazard: Epidemiology: No information found.					
		Teratogenicity: No information availal Neurotoxicity:	•	•••			
Irritation or C	orrosion:	Skin corrosion/irritation.					
		Result: Tumorigenic:Tumors at site or application. No skin irritation -4. Serious eye damage/eye irritation: Eyes: Rabbit.					
Sensitization: Standard Draize Test. Specie application.			ea pig. Resul	t: Tumoriger	nic:Tumors a	at site or	
Chronic Toxic Effects:	Chronic ToxicologicalSpecific target organ toxicity -single exampleEffects:available.Specific target organ toxicity -repeated			-	-	em) No data	
Carcinogenic	ity/Other	IARC: Group 3: Not classifiable as to	-				
Information:	-	NTP: No component of this product p	-	•		l to 0.1% is	
		identified as a known or anticipated c					
l		OSHA: No component of this product present at levels greater than or equal to 0.1% is					
		identified as a carcinogen or potential carcinogen by OSHA. CAS# 64742-48-9: Not listed by ACGIH, IARC, NTP, or CA Prop 65.					
CAS #	Hazardous Cor	nponents (Chemical Name)	NTP	IARC	ACGIH	OSHA	
1344-28-1	Aluminum oxide		n.a.	n.a.	A4	n.a.	
64742-47-8	Hydrotreated lig	ht distillate (petroleum)	n.a.	n.a.	A4	n.a.	
		12. ECOLOGICAL INFO		<b>N</b>			
		No data available.					
Results of PB	T and vPvB	PBT/vPvB assessment not available as chemical safety assessment not required/not					
assessment:		conducted.					
Persistence a Degradability		No data available.					
Bioaccumulat	tive Potential:	No data available.					
Mobility in So	oil:	No data available.					
Other adverse	e effects:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life. No data available.					
		13. DISPOSAL CONSID		NS			
Waste Dispos	al Method:	Dispose of contents/container to in ac			able local, st	ate, and	
		federal regulations. The generations of waste should be avoided or minimized wherever possible. Disposal of this product, solutions, and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regiona					
		local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the					
		sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incinerators or landfill should be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drain and sewers. See					
Licensed to Mave	rick Abrasives <sup>,</sup> MIF	S MSDS. (c) A V Systems. Inc.		-		GHS form	

Licensed to Maverick Abrasives: MIRS MSDS, (c) A V Systems, Inc.



Section 8 for information on appropriate personal protective equipment.						
14. TRANSPORT INFORMATION						
DOT Prope DOT Hazaro UN/NA Nun	nber:		R 49 CFR 173.150.			
	PORT (Canadian ing Name:	No information available.				
AIR TRANSPO	R TRANSPORT (ICAO/IATA):         ICAO/IATA Shipping Name:       Petroleum distillates, n.o.s. [or] Petroleum products, n.o.s.         UN Number:       1268         Packing Group:       III					
		15. REGULATOR		ION		
EPA SARA (Su	perfund Amendme	nts and Reauthorization Act	of 1986) Lists			
CAS #	Hazardous Compo	onents (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)	
1344-28-1	Aluminum oxide		No	No	Yes	
64742-47-8		listillate (petroleum) Iazard Categories' defined	No	No	No	
[]Yes [X] No O []Yes [X] No S []Yes [X] No P []Yes [X] No P []Yes [X] No S []Yes [X] No O []Yes [X] No C []Yes [X] No G []Yes [X] No In []Yes [X] No C	yrophoric (liquid or soli yrophoric gas elf-heating grganic peroxide corrosive to metal as under pressure (con a contact with water em combustible Dust	gas) d) mpressed gas)	[X] Yes [] NoSeriou[] Yes [X] NoRespir[] Yes [X] NoGerm[] Yes [X] NoCarcin[] Yes [X] NoRepro[X] Yes [] NoSpecif[] Yes [X] NoAspira[] Yes [X] NoSimple	corrosion or Irritation is eye damage or eye ir atory or Skin Sensitizat cell mutagenicity ogenicity ductive toxicity ic target organ toxicity ( tion Hazard e Asphyxiant h) Hazard Not Otherwis	ion single or repeated exposure)	
CAS #	Hazardous Compo	onents (Chemical Name)	Other US EPA or S			
1344-28-1	Aluminum oxide	liatillata (potroloum)		o; CWA NPDES: No		
64742-47-8	nyurureated light c	listillate (petroleum)		o; CWA NPDES: No	D, UA FRUF.05: NO	
16. OTHER INFORMATION						
Revision Date:       05/01/2019         Hazard Rating System:       HEALTH 1 FLAMMABILITY 0 PHYSICAL 1 PPE E         HMIS:       HMIS:         Additional Information About This Product:       No data available.         Company Policy or Disclaimer:       The information contained herein is based on data considered to be accurate. However, the information is provided without any warranty, expressed or implied, regarding its						
Disclaimer:	С	Ne information is provided v correctness. The conditions MSDS, (c) A V Systems, Inc.			• •	



beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with handling, storage, use or disposal of this product. The information contained herein is based on data considered to be accurate. However, the information is provided without any warranty, expressed or implied, regarding its correctness. The conditions of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with handling, storage, use or disposal of this product. The information contained herein is based on data considered to be accurate. However, the information is provided without any warranty, expressed or implied, regarding its correctness. The conditions of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with handling, storage, use or disposal of this product.