



WWW.ATIELECTRICAL.COM
CALL: 800-597-9311



























# **Product and Services Offering**

## **Power Distribution**

Temporary Power Products for Construction, Generator Rental and Emergency Power



TRANSFORMER CARTS



GENERATOR CONNECTION BOXES



COMPANY SWITCHES

## Wire and Cable

Wire and Cable for Medium Voltage, Entertainment and Everything in between!



TYPE SH CABLE



TYPE W CABLE



TYPE SOOW CABLE

## Cable Assemblies

Cable Assemblies for Camlock Connections, Spider Boxes, Entertainment and Medium Voltage



## Switchgear

Our Projects Group can Handle the Simplest to the Most Complicated Commercial and Industrial Projects



CAMLOCK



TYPE SC BANDED CABLE ASSEMBLIES



TYPE SH MV CABLE ASSEMBLIES



# **Product and Services Offering**

## **Motor Control**

From Variable Speed Drives, Starter and Contactors and UL508A Control Panels. We cover All Your Motor Control Needs



PUMP CONTROL PANELS



PUMP CONTROL PANELS



TYPE SOOW CABLE

## Connectors

We specialize In connectors for portable cord and generator cables



SERIES 16 CAMLOCK CONNECTORS



NEMA PLUGS, CONNECTORS, INLETS AND RECEPTACLES



PIN AND SLEEVE DEVICES

## **Electrical Accessories**

One stop shop for lugs, terminals fuses and ty-wraps and more



### Services

We Specialize in Design and Build, Value Added Engineering, Variable Speed Drive Start Up and Cable Assembly Repair



CLASS RK5 FUSES



COMPRESSION LUGS



GROUNDING CLAMPS



# **Power Distribution**

## TRANSFORMER CART

#### Features

- •1 1/2" Steel frame
- •GFCI components
- Industrial casters

#### Benefits

- •Frame protects cart on site and in shipping
- Outdoor rated
- Variety of input and output options

### **Applications**

- Trade shows
- Construction sites
- Live events





## **BEETLE BOX**

#### Features

- •Rubber enclosure
- ·Molded handle
- GFCI protected receptacles
- •50A twistlock or Camlock inputs
- Feed through input and output

#### Benefits

- ·More durable than metal boxes
- Rubber box insulates against ground faults
- Stackable

## **Applications**

- Construction sites
- ·Live events
- Tradeshows
- Anywhere portable power is needed







## **GENERATOR DOCKING STATION**

#### Features

- .400, 800, 1200 amp configurations
- •Wall mount enclosure
- •NEMA 4/12 watertight enclosure
- \*Series 16 CAM inputs
- ·Lockable

#### Benefits

- Easy access panel for quick connections
- Color coded cam inputs make matches phases easy
- Predrilled bussing allows for a variety of connections

## **Applications**

- ·Hospitals
- Data Centers
- ·Banks
- ·Gas Stations





## COMPANY SWITCH

#### Features

- .60, 100, 200, & 400 amp options
- to meet a wide variety of requirements
- Interlocking door mechanism to prevent opening top door
- ·While breaker is closed
- Industry standard series
   16 color-coded CAMS for
- ·Ease of use

#### Benefits

- Compact design for small footprint
- Convenient access to incoming camlocks
- Circuit breaker or fusible disconnect for safety

- Stages and theatres
- Arenas
- Convention centers







# Wire and Cable

### PORTABLE CORD

#### **Features**

- Thermoset rubber jacket
- Color coded conductors
- •-50 deg C to +105 deg C

#### **Benefits**

- ·Hot oil resistance
- Flexibility in low temperatures
- Abrasion resistance
- ·Sunlight resistant

### **Applications**

- Temporary power
- Industrial manufacturing
- Construction sites
- Mining operations



### MINING CABLE

#### Features

- •CV Cured or mold-cured
- Thermoset jacket
- •600V to 69KV
- --40 deg C to +105 deg C

#### **Benefits**

- Abrasion resistant
- Flexible standard design
- Indent printing for easy identification
- Rope lay stranding for added flexibility

## **Applications**

- Mining applications
- •Temporary power
- Construction sites



## MEDIUM VOLTAGE CABLE

#### **Features**

- •SH, MV-105, Mining Cable
- ·Open air or in conduit
- •All major manufacturers represented

#### Benefits

- Quality construction
- ·Made in the USA
- Wide variety of options

## **Applications**

- Portable substations
- Temporary power
- Commercial construction
- Industrial applications



## VARIABLE SPEED DRIVE CABLE

#### Features

- Flexible stranded conductors
- Overall tinned copper braided shield
- •Flame retardant, heat resistant jacket
- 2KV rated

#### **Benefits**

- •Reduces voltage imbalance
- •Reduced wave peak voltage magnitudes
- •2kV insulation resists electrical potential

- Industrial VFD applications
- ·Water and wastewater
- Pumps and fans





# Switchgear

### LOW VOLTAGE

#### Features

- •UL 891 rated draw out and I-line configuration
- Circuit breaker and fusible switch mains
- ·Powerlogic metering available
- Ecostruxure IoT ready

#### Benefits

- The most trusted name in switchboards and switchgear
- ·Made in the USA
- Wide range of standard configurations

### **Applications**

- Commercial construction
- Data centers
- ·Manufacturing
- -Water & wastewater





## **MEDIUM VOLTAGE**

#### Features

- Vacuum circuit breakers
- Fusible interrupter switches
- ·Metal -clad or metal-enclosed
- •4.76KV to 27KV
- •1200A to 3000A

### Benefits

- ·Easy maintenance
- ·Flexible standard design
- Fully compartmentalized for enhanced safety

## **Applications**

- Commercial construction
- ·Data centers
- Manufacturing
- Water & wastewater





## **UNINTERRUPTIBLE POWER SUPPLIES**

#### Features

- ·Single phase or three phase
- ·Parallel capability
- Output synchronization to second source
- ·Lithium ion battery

#### Benefits

- Can be synchronized with downstream devices
- ·Network management capable
- ·Fully rated power

## **Applications**

- ·Data centers
- Banks
- Commercial buildings
- ·Hospitals and nursing home





## **MOTOR CONTROL CENTERS**

#### Features

- 208VAC to 600VAC 3 phase or 3 phase 4 wire
- •Nema type 1, 1A, 12 or 3R
- ·Horizontal buss from 600A to 2500A
- Vertical buss rated 300A or 600A

#### Benefits

- Patented butterfly handles for easy racking
- Exclusive top rated horizontal bus allows for easy installation
- Wide range of standard configurations

- Industrial facilities
- \*Commercial construction
- ·Data centers







# Cable Assemblies

## **CAMLOCK ASSEMBLIES**

#### Features

- •True Type W cable
- .2000 volt rated
- \*2062 strands in 30 conductors
- ·Series 16 cams

#### Benefits

- ·Flexible in cold weather
- Abrasion resistant
- Nylon strap for easy handling

## **Applications**

- ·Generator hook up
- ·Live events
- Portable power





## **BANDED ASSEMBLIES**

#### Features

- ·Stage Cable with rubber jacket
- •600 volt rated
- Series 16 camlocks
- ·Bands placed every 24"
- ·Color coded for safety

#### Benefits

- ·Flexible in cold weather
- Abrasion resistant
- Nylon strap for easy handling
- ·Banding allows for higher ampacity

## **Applications**

- Construction sites
- ·Live events
- Tradeshows







## MEDIUM VOLTAGE ASSEMBLIES

#### Features

- •15KV rated SH cable
- Dead break or lugged connections
- ·Every assembly is High Pot tested
- \*Shielded insulation

#### Benefits

- ·Flexible in cold weather
- •500 strands mean extra flexible for easy placement
- ·Can be installed in tight places

## **Applications**

- Mobile substations
- Medium voltage generators
- Industrial facilities
- Mining operations



## SPIDER BOX ASSEMBLY

#### Features

- \*UL listed 600 volt 6/4 SO cord
- Leviton or Hubbell locking devices
- . Compatible with all California-standard 50A locking devices

#### Benefits

- ·Easy connection to spider boxes
- •Flexible cable for use in tight spaces
- ·Nylon strap provides easy portability

- ·Live events
- ·Arenas
- Convention centers







# **Motor Control**

### VARIABLE SPEED DRIVES

#### Features

- •37 KW to 2400KW
- ·Variable and constant torque
- ·Plain text graphic terminal
- -200V to 690V
- •150 available functions
- Integrated Modbus and CANopen communications

#### Benefits

- \*Easy programming
- Built in functions for a variety of applications

## **Applications**

- ·Packaging
- ·Material handling





### STARTERS AND CONTACTORS

#### Features

- \*IEC rated
- ·Variety of terminal connections
- Normally open and normally closed contacts
- Wide range of ampacities

#### Benefits

- ·Small space saving footprint
- ·Simple control systems
- Quiet operation

## **Applications**

- •Industrial
- \*Zones sensitive to noise
- Programmable controller outputs





## **UL508A CONTROL PANELS**

#### Features

- CAD drawings for submittals
- Clean wiring
- •Nema 3R, 12 or 4X stainless available
- Start up and programming optional

#### Benefits

- •UL listed
- ·Fast turnaround times
- Custom options

## **Applications**

- Pumps
- Industrial automation
- Building controls





## SOFT STARTS

#### Features

- •6 terminals for wiring
- ·Small footprint
- Built in motor protection

#### Benefits

- ·Detects and signals faults
- ·Easy to use navigation display
- ·Simplified wiring

- Pumps
- •Fans
- Compressors











# **Connectors**

## **CAMLOCKS**

#### Features

- •16 Series 400A 600VAC and DC rated
- •Nema 3R rated
- •NEMA 4/12 watertight enclosure
- ·Series 16 CAM inputs
- Leviton, Hubbell, Marinco and Crouse Hinds

#### Benefits

- Twist to lock
- . Color coded for easy phase identification
- Thermoplastic nylon screws resists bending and breaking

### Applications

- Entertainment
- ·Generator cable assemblies
- Mining operations
- Construction sites





### STRAIGHT BLADE & TWISTLOCKS

#### Features

- Color coded terminal screws
- Super tough Nylon housing
- Speed drive screws for faster assembly
- \*Dead front construction
- ·Solid brass blades
- ·Leviton, Hubbell and Marinco

#### Benefits

- Fast wire installation
- ·Housing resists damage from impact
- Flash resistant chambers help to prevent arcing

## **Applications**

- •Entertainment
- Generator cable assemblies
- Construction sites







## PIN AND SLEEVE

#### Features

- •IP 69K Certified
- Impact resistant thermoplastic body
- ·Nickel plated pins
- ·Standard mounting footprint

#### Benefits

- ·Ideal for harsh environments
- ·Interchangeable with major brands
- Long pin life with corrosion protection

## **Applications**

- Entertainment
- ·Generator cable assemblies
- Mining operations
- •Construction sites





## **MEDIUM VOLTAGE**

#### Features

- ·Made from silicone rubber
- Moisture and UV resistant
- •Meet IEEE 48 requirements
- Load break, dead break and lugged options

#### Benefits

- ·Ideal for substation jumper cable
- ·Simple to install
- Available from 5KV to 145KV

- Substation jumpers
- Medium voltage generators
- Mining operations
- Industrial, government and utilities







# ATI Electrical Services

## CABLES ASSEMBLY REPAIR

- Jacket cleaned
- ·Cable jacket tested for breaks
- Connector repair and replacement
- ·Tested and UL labeled
- Inventory bins and containers
- Scrap cable credited to customer account





## SWITCHGEAR MODIFICATION

- Interior cabling
- Custom frames
- •Camlocks and pin and sleeve connectors added
- Custom bussing
- ·Control wiring



## CONTROL PANEL TROUBLESHOOT AND TESTING

- Point to point connection testing
- Component replacement
- Enclosure modifications
- Control wiring
- •Tested and UL508A listed





## VARIABLE SPEED DRIVE START UP

- Initial programming
- ·Fault checking
- Control wiring
- Torque settings
- Communication testing
- •Trouble shooting





# Camlock Panels

## Pre-Assembled CAM Panels





#### **Features**

- Aluminum panel
- · Armortek coating
- · Waterjet holes with smooth edges
- Nema 3R gasketed
- · Clear flip covers or cap and lanyard
- Leviton, Cooper, Marinco or Hubbell series 16 camlocks
- Threaded stud or double set screw cable connection
- 400A to 3200A

#### **Benefits**

- · Saves time and money from drilling multiple holes
- · Easily retrofit power distribution equipment
- Clean professional look
- · Safe access to connectors
- Easy to install

## **Applications**

- Generators
- Generator connection boxes
- Transformer carts
- Switchgear retrofits
- Automatic transfer switches



Powder Coated Aluminum
45 °and 90°CAM Type
Threaded Post and Double Set Screw Termination Type
Clear Snap Back and Cap & Lanyard Covers
Custom Designs and Configurations



# Banded Cable Assemblies

## Banded Stage Cable Assemblies with Camlocks



#### Features

- ·Stage Cable with rubber jacket
- •600 volt rated
- ·Series 16 camlocks
- ·Bands placed every 24"
- ·Color coded for safety

#### Benefits

- ·Flexible in cold weather
- ·Abrasion resistant
- ·Nylon strap for easy handling
- ·Banding allows for higher ampacity
- ·Easy to manage
- Greater flexibility than cables under one jacket

# Applications

- ·Construction sites
- ·Live events
- •Tradeshows



Stage cable with thermoset jacket
Flexible to -40 deg C
Fully annealed stranded bare copper
90 deg C EPDM insulation



# Generator Cable Assemblies

## Type W, Rubber Jacketed, Flexible Generator Cable Assemblies





#### Features

- •True Type W cable
- •2000 volt rated
- \*2062 strands in 30 conductors
- ·Series 16 cams
- ·Available in a variety of colors

#### Benefits

- ·Flexible in cold weather
- ·Abrasion resistant for extended life
- ·Heat and direct flame resistant
- Nylon strap for easy handling

# Applications

- ·Generator hook up
- ·Live events
- •Portable power







Thermoset Jacket
Flexible to -40 deg C
MSHA Approved
Fully annealed stranded bare copper
90 deg C EPDM insulation
Polyester braid reinforcement between the insulation and jacket



# Spider Box Cable Assemblies

## For Use with all 50A Twistlock Connectors on Spider Boxes



#### Features

- \*UL listed 600 volt 6/4 SO cord
- ·Leviton or Hubbell locking devices
- Compatible with all California-standard 50A locking devices

#### Benefits

- ·Easy connection to spider boxes
- ·Flexible cable for use in tight spaces
- Nylon strap provides easy portability
- ·Abrasion resistant for extended life

# Applications

- ·Live events
- ·Arenas
- Convention centers





Stage cable with thermoset jacket
Flexible to -40 deg C
Fully annealed stranded bare copper
90 deg C EPDM insulation



# **Beetle Box**

## A Safer, Lighter and More Durable Spider Box







### Features

- •Non-metallic enclosure
- •Industry standard Nema and non-Nema devices
- •GFCI protected 20A circuits
- ·Molded carrying handle
- •UL 1640 listed

### Benefits

- •More durable than metal spider boxes
- ·Stackable for added space savings
- ·Handle provides easy carrying
- Molded non-metallic feet resist bending and breaking

- ·Convention centers
- Entertainment
- •Constructions sites
- \*Live events





PART NUMBER	VOLTAGE	IMPUT	OUTPUT
BB-101	120/250V, 2P + N + G	50A inlet CS6375	(1) 50A CS6369, (6) 20A duplex receptacles
BB-102	120/250V, 2P + N + G		(1) 50A CS6369, (2) 30A L60-30R, (6) 20A Duplex GFCI receptacles
BB-201	120/250V, 3P + N + G	Series 16 camlock color coded	(5) 50A CS6369



# Pig Pen™

## A Great Way to Store and Protect Your Camlock Pigtails







#### Features

- Armortek<sup>™</sup> coating
- •Holds up to 600 5' pigtails (see chart below)
- Fork lift pockets
- ·Swing arm to hold pigtails in place
- ·Patented design

### Benefits

- ·Protects pigtails from damage
- ·Easily sort pigtails by gender and color
- Space savings provided by compact design
- •Protects from damage during shipping
- •Fast and easy way to ship pigtails with generator

- ·Generator rental companies
- Job site storage
- Construction site containers



PART NUMBER	DESCRIPTION			
PIGPEN2X4	Pig Pen 2' x 4', Holds Approximately 170 Pigtails			
PIGPEN4X4	Pig Pen 4' x 4', Holds Approximately 200 Pigtails			
PIGPEN4X8	Pig Pen 4' x 8', Holds Approximately 600 Pigtails			



# **Transformer Cart**

## Portable Power Transformer Cart







#### Features

- Steel frame with Armortek<sup>™</sup> coating
- •Industry standard Nema and non-Nema devices
- •GFCI protected 20A circuits
- •Nema 3R rated with foam gasket
- ·Industrial casters

#### Benefits

- •Common voltages available as standard
- ·Custom design available
- •Fork lift pockets and casters allow for easy transport
- •Frame provides protection during shipping and movement on the job site

- ·Convention centers
- ·Constructions sites
- Live Events





PART NUMBER	PHASE	KVA	PRIMARY	SECONDARY	INPUT	OUTPUT
TC-1P25A3	1	25	480	120/240	60A Pin & Sleeve	(2) CS8269, (2) L6-30R, (4) 20A duplex
TC-3P15A3	3	15	480	120/208	20A Nema Locking	(2) L6-30R, (6) 20A duplex
TC-3P45A3	3	45	480	120/208	60A Pin & Sleeve	(4) CS6369, (2) L6-30R, (4) 20A duplex