



Distributed by:
Reduction Revolution Pty Ltd
www.reductionrevolution.com.au/LED

LED PAR38

13PAR38/S/120W/927 40D E27 ND/G/110-277V



Product data

General information	
Cap-Base	E27 [E27]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	15000 h
Switching Cycle	50000X

Light technical	
Color Code	927 [CCT of 2700K]
Beam Angle (Nom)	40 °
Luminous Flux (Nom)	1200 lm
Luminous Intensity (Nom)	2231 cd
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	92.00 lm/W
Color Consistency	<4
Color Rendering Index (Nom)	90
LLMF At End Of Nominal Lifetime (Nom)	70 %

Operating and electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	13 W
Lamp Current (Max)	116 mA
Lamp Current (Min)	48 mA
Wattage Equivalent	120 W

Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.7
Voltage (Nom)	110-277 V

Temperature	
T-Case Maximum (Nom)	65 °C

Controls and dimming	
Dimmable	No

Mechanical and housing	
Bulb Finish	Frosted
Bulb Shape	PAR38

Approval and application	
Suitable For Accent Lighting	Yes


Product data	
Full product code	871951440693300
Order product name	13PAR38/S/120W/927 40D E27 ND/G/ 110-277V
EAN/UPC - Product	8719514406933
Order code	929003134407

LED PAR38

Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	6
Material Nr. (12NC)	929003134407

Copy Net Weight (Piece)	0.310 kg
-------------------------	----------


Dimensional drawing




13PAR38/S/120W/927 40D E27 ND/G/110-277V

Product
13PAR38/S/120W/927 40D E27 ND/G/110-277V


Photometric data



LEDspots GM 1 13W PAR38 E27 927 40D-LDD



LEDspots GM 1 13W PAR38 E27 927 40D-ADL



LEDspots GM 1 13W PAR38 E27 927 40D-POC