

LED Filament

LED Filament 4.3-40W E27 WW ST64 ND 1PF AU

Featuring a classic heritage design, LED Deco Classic delivers beautiful, decorative warm-white light while saving around 90% on energy costs.

Product data

• General Information

Cap-Base	E27
Bulb Shape	ST64
Nominal Lifetime (Nom)	15000 h
Switching Cycle	20000X
Technical Type	4.3-40W

• Light Technical

Color Code	827 [CCT of 2700K]
Luminous Flux (Nom)	470 lm
Luminous Flux (Rated) (Nom)	470 lm
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	110 lm/W
Color Consistency	6 steps
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %

• Operating and Electrical

Input Frequency	50 to 60 Hz
Power (Rated) (Nom)	4.3 W
Lamp Current (Nom)	36 mA
Wattage Equivalent	40 W
Starting Time (Max)	0.5 s
Warm Up Time To 60% Light (Nom)	instant full light

Power Factor (Nom)	0.5
Voltage (Nom)	220-240 V

• Temperature

T-Case Maximum (Nom)	65 °C
----------------------	-------

• Controls and Dimming

Dimmable	No
----------	----

• Mechanical and Housing

Bulb Finish	Clear
-------------	-------

• Approval and Application

Suitable For Accent Lighting	No
Energy Efficiency Label (EEL)	A++
Energy Consumption kWh/1000 h	5 kWh

• Product Data


Full product code	871869652535700
Order product name	LED Filament 4.3-40W E27 WW ST64 ND 1PF AU
EAN/UPC - Product	8718696525357
Order code	929001190419
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	6
Material Nr. (12NC)	929001190419

PHILIPS

LED Filament

Net Weight (Piece) 0.048 kg

Dimensional drawing




E27 ST64

LED 4.3-40W E27 WW ST64 CL ND

Product	D	C
LED Filament 4.3-40W E27 WW ST64 ND 1PF AU	64 mm	140 mm



Photometric data



© 2016 Philips Lighting Holding B.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2016, March 11
data subject to change