



Distributed by: Reduction Revolution Pty Ltd www.reductionrevolution.com.au/LED

# A familiar beam meets an innovative design

This Mains voltage LED capsule provides bright, all around, white light.

#### High quality light

Designed for the comfort of your eyes

#### Choose a simple replacement for your old bulbs

• Similar shape and size as halogen capsules

#### Choose for a sustainable solution

Long life bulbs - Lasts up to 15 years

### 8719514303713

## Highlights

#### Gentle LEDs, easy on the eyes



It's easy to see how harsh lighting can strain the eyes. Too bright, and you get the glare. Too soft and you experience flicker. Now you can gently light up your world with LEDs designed to go easy on the eyes, and create the perfect ambience for your home.

#### Replaces halogen capsules



With its beautifully shaped design and familiar dimensions, this is a contemporary lighting, LED capsule. The perfect sustainable replacement for traditional halogen capsules.

#### 15,000-hour rated average life



With a lifetime of up to 15,000 hours, you can reduce the hassle of frequently replacing your light bulbs, and enjoy a perfect lighting solution for over 15 years.

### Specifications

#### **Bulb characteristics**

- Dimmable: No
- Intended use: Indoor
- · Lamp shape: Non directional globe
- Socket: G9
- Technology: LED
- Type of glass: Clear
- Bulb Finish: Clear

#### **Bulb dimensions**

- Height: 4.8 cm
- Weight: 0.004 kg
- Width: 1.5 cm

#### Durability

- Average life (at 2.7 hrs/day): 15 year(s)
- Lumen maintenance factor: 70%
- Nominal lifetime: 15,000 h
- Number of switch cycles: 8,000
- Ambient temperature range: -20 to +40 °C

#### **Light characteristics**

- Color consistency: 6SDCM
- Color rendering index (CRI): 80
- Color temperature: 3000 K
- Light Color Category: White
- Nominal luminous flux: 220 lumen
- Starting time: <0.5 s
- Warm-up time to 60% light: 0.5 s
- Color Code: 830 | CCT of 3000K
- Correlated Color Temperature (Nom): 3000 K
- Luminous Efficacy (rated) (Nom): 110 lm/W
- Luminous Flux: 220 lumen
- Stroboscopic effect value (SVM): 0.4

#### Miscellaneous

EyeComfort: Yes

#### **Other characteristics**

- · Lamp current: 20 mA
- Efficacy: 110 lm/W
- EU RoHS compliant: Yes

#### **Packaging information**

- EAN: 8719514303713
- EOC: 871951430371300
- Product title: LED 25W G9 WH ND SRT6

#### Power

Power Factor (Fraction): 0.4

#### **Power consumption**

- Power factor: 0.4
- Voltage: 220-240 V
- Wattage: 2 W
- Wattage equivalent: 25 W
- Energy Efficiency Label (EEL): E
- Power Consumption: 2 W

#### Product dimensions and weight

• Length: 4.8 cm

#### **Rated values**

- Rated beam angle: 300 degree(s)
- Rated lifetime: 15,000 h
- Rated luminous flux: 220 lumen
- Rated power: 2 W

#### **Technical specifications**

- Frequency: 50-60 Hz
- EPREL Registration Number: 453188
- Flux measurement reference: Sphere
- Dimmable: No
- Flickering value (PstLM): 1.0
- Cap-Base: G9 | G9

#### The bulb

Color consistency: 6

#### Packaging dimensions & weight

- EAN/UPC product: 8719514303713
- Net weight: 0 kg
- Gross weight: 0.01 kg
- Height: 12.7 cm
- Length: 2.5 cm
- Width: 6.3 cm
- Material number (12NC): 929002495301



© 2023 Signify Holding. All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N V

www.lighting.philips.com