
fermliving.com

Wall Lamp Bracket

Assembly manual





General Instructions

PLEASE READ BEFORE INSTALLATION

WARNING:

The safety of this fitting can only be guaranteed if the following instructions are observed during both installation and use. Please retain these instructions safely after installation.

PLEASE OBSERVE THE FOLLOWING GUIDELINES:

- Ensure that the power supply has been switched off prior to installation or removal of the product.
- Never undertake an electrical installation without the proper know ledge or training. If not familiar with electrical wiring, contact a qualified electrician.
- The product may in no way be modified or tampered with. Any modification may compromise safety
 and make the product itself dangerous to use. FERM LIVING does not accept any responsibility for
 products that have been modified.
- Any modification must be performed only by qualified personnel to avoid any danger
- This product is meant for indoor use only.
- This appliance should not be disposed in a domestic trash receptacle and should instead be recycled appropriately.

CLEANING INSTRUCTIONS:

Use only a soft cloth to clean the product. Dampen the cloth with water and soap or a mild cleanser
if needed.

MORE INFORMATION:

To access further information such as product overview and material descriptions, please visit our

at www.fermliving.com. If you have any questions or comments, please do not hesitate to contact us at info@fermliving.com.

Technical Specifications

WALL LAMP BRACKET

Voltage: 220-240V - 50Hz


Dimmable: No


Certification: CE, UKCA, IP20, Class II

Socket: E14 socket base

Recommended light source: Bulb max 25w incandescent or max 12w LED

Box Content






2


Assembly Process

Assembly Process

1



2




Unscrew the 4 wall screws on and remove the wall mount

Use the wall mount to mark the two holes with a pencil. Drill two holes in the wall with a Ø5 drill

Assembly Process


3



Set up the wall mount with two wall screws and two rawplugs.

Assembly Process

4



Mount the lamp on the wall mount and screw in 4 wall screws

into the key holes.

5

