HAZE SIDEBOARD

ASSEMBLY MANUAL





BOX CONTENTS



1 x hex key 5 mm

1 x hex key 3 mm

2 x wall-safety set (M6 16 mm screws x 2)

NEEDED IN ORDER TO ASSEMBLE



Min. two people



Spirit level







Screws and rawlplugs are not inlcuded, as different kinds of walls require different rawlplugs/screws.



Screwdriver

Pencil





1

Please mount the cabinet to the legs using the screws indicated above.



M6 16 mm screws x 2 Use 4 mm hex key

2

We recommend mounting the sideboard against a wall with the incuded wall safety set.

Mount the wall safety set onto the sideboard and place it against the wall. Screw the wall safety onto the cabinet. Do not tighten screws yet.

3

Remember to level the sideboard with the adjustable feet to avoid the sideboard becoming crooked.

> If needed, pre-drill holes and insert rawlplugs.

Screw the wall safety into the wall. Finally, tighten the screws into the cabinet.





4

Insert the u-formed stabiliser inside the cabinet so that it faces downwards. Place it upon the pre-drilled holes at the bottom of the cabinet, then use the hex key to fasten the two screws from underneath.



5

Add the two rubber pads on top of the u-form to prevent friction between the parts. Then place the metal shelf inside the cabinet and lower it down, so that it ends up resting upon the u-form as well as the support in the four corners. fermliving.com