


## SICLA 4 star aluminium base

5040-4STP

Design Claus Breinholt



### BASE

BASE

BASE

Polished aluminium 4 star base. Support polished die casting aluminium

Base 4 razze in alluminio lucido. Supporto in alluminio pressofuso lucido.

Base de aluminio pulido de 4 radios Soporte de aluminio fundido a presión pulido



00L



30



31

### SHELL

SCOCCA

CARCASA

Polypropylene + Glass fiber

Polipropilene + Fibra di vetro

Polipropileno + Fibra de vidrio.



S020



R8022



S514



S503



S513



S011

### FINISHING

FINITURA

ACABADO

Base and support painted with epoxy-polyester powder with average thickness of 50  $\mu$ .

Base e supporto verniciati a polvere epossi-poliestere con spessore medio di 50  $\mu$ .

Base y soporte con recubrimiento en polvo epoxi-poliéster con 50  $\mu$  de espesor medio.

### FEET

PIEDINI

PIES DE APOYO

Polypropylene.


Polipropilene

Polipropileno

## SICLA aluminium base upholstered seat panel

5040-4STS

Design Claus Breinholt



### BASE

BASE

BASE

Polished aluminium 4 star base. Support polished die casting aluminium

Base 4 razze in alluminio lucido. Supporto in alluminio pressofuso lucido.

Base de aluminio pulido de 4 radios Soporte de aluminio fundido a presión pulido



00L



30



31

### SHELL

SCocca

CARCASA

Polypropylene + Glass fiber

Polipropilene + Fibra di vetro

Polipropileno + Fibra de vidrio



S020



R8022



S514



S503



S513



S011

### UPHOLSTERY

TAPPEZZERIA

TAPIZADOS

- A Space
- B Eco Leather
- C Step, Step Melange, Nuvole
- D Reflect
- E Field, Oceanic , Yoredale
- F Steelcut Quartet, Canvas2
- G Divina3, Divina Melange, Fiord
- H Full Leather

### FINISHING

FINITURA

ACABADO

Base and support painted with epoxy-polyester powder with average thickness of 50  $\mu$ .

Base e supporto verniciati a polvere epossipoliesteri con spessore medio di 50  $\mu$ .

Base y soporte con recubrimiento en polvo epxi-poliéster con 50  $\mu$  de espesor medio.

### FEET

PIEDINI

PIES DE APOYO

Polypropylene


Polipropilene

Polipropileno

## SICLA aluminium base full upholstered panel

5040-4STT

Design Claus Breinholt



### BASE

BASE  
BASE

Polished aluminium 4 star base. Support polished die casting aluminium

Base 4 razze in alluminio lucido. Supporto in alluminio pressofuso lucido.

Base de aluminio pulido de 4 radios Soporte de aluminio fundido a presión pulido



00L

30

31

### SHELL

SCOCCA  
CARCASA

Polypropylene + Glass fiber

Polipropilene + Fibra di vetro

Polipropileno + Fibra de vidrio



S020

R8022

S514

S503

S513

S011

### UPHOLSTERY

TAPPEZZERIA  
TAPIZADOS

- A Space
- B Eco Leather
- C Step, Step Melange, Nuvole
- D Reflect
- E Field, Oceanic , Yoredale
- F Steelcut Quartet, Canvas2
- G Divina3, Divina Melange, Fiord
- H Full Leather

### FINISHING

FINITURA  
ACABADO

Base and support painted with epoxy-polyester powder with average thickness of 50  $\mu$ .

Base e supporto verniciati a polvere epossipoliesteri con spessore medio di 50  $\mu$ .

Base y soporte con recubrimiento en polvo epoxi-poliéster con 50  $\mu$  de espesor medio.

### FEET

PIEDINI  
PIES DE APOYO

Polypropylene.

Polipropilene

Polipropileno