



Certificate of Analysis

R & D LABORATORIES LIMITED

Date: 15/03/2021
Product Code: T20EP.02.P
Customer Code:
Order No: 092589
Customer No: PO4084
Batch Number: E621158119
Product Name: SURFACARE T20EP
Quantity: 1 DRUM

Unit U , Enkalon Industrial Estate
25 , Randalstown Road
Antrim
BT41 4LJ
UNITED KINGDOM

Picking List No: 093717

Analysis Parameters	Type	Limit 1	Limit 2	Result
Appearance (oily yellow/brownish liquid)	=	conforms		conforms
Solubility- as per EP	=	conforms		conforms
Identification A,B,C,D,E	=	conforms		conforms
Water Content (%) (EP.2.5.12)	<		3.0	2.7
Hydroxyl Value (mgKOH/g) (EP.2.5.3 Method A)	R	96	108	101.5
Heavy Metals (<10.0 ppm)(EP.2.4.8)	=	conforms		conforms
Total Ash(0.25% max) (EP.2.4.16)	=	conforms		conforms
Free Ethylene Oxide (1.0ppm max) (EP.2.4.25 Method A)	=	conforms		conforms
Free Dioxane (ppm) (EP.2.4.25 Method A)	<		10	5
Peroxide Number (mVAL O2/kg)	<		10	3.0
C-Distribution C 6 (<1.0%)	=	conforms		conforms
C-Distribution C 8 (<10.0%)	=	conforms		conforms
C-Distribution C 10 (<10.0%)	=	conforms		conforms
C-Distribution C 12 (40.0-60.0%)	=	conforms		conforms
C-Distribution C 14 (14-25%)	=	conforms		conforms
C-Distribution C 16 (7-15%)	=	conforms		conforms
C-Distribution C 18 (<7.0%)	=	conforms		conforms
C-Distribution C 18/1 (<11.0%)	=	conforms		conforms
C-Distribution C 18/2 (<3.0%)	=	conforms		conforms
Acid Value (mgKOH/g)(EP.2.5.1)	<		2.0	1.20
Saponification Value (mgKOH/g)(EP.2.5.6)	R	40	50	44.0



Certificate of Analysis

R & D LABORATORIES LIMITED

Date of manufacture	D	DD/MM/YYYY		23/02/2021
Recommended retest date	D	DD/MM/YYYY		13/02/2023
This product conforms to the current EP	T			

We confirm that this material conforms to the agreed specification. This certificate is computer generated and therefore does not require a signature.

Key

>: Greater than or equal to

<: Less than or equal to

=: Equals

R: Range

D: Date

T: Text