

# **Soda Ash Dense**

#### **Technical Data Sheet**

#### Dense Ash

098-0140 / 99000101

#### Characteristics

Tata Chemicals' dense soda ash, or sodium carbonate (CAS name: disodium carbonate), is a white, granular, alkaline material.

#### Properties\*

Chemical Formula	Na₂CO₃
Molecular Weight	105.99
Absolute Density, g/cm³ @ 25°C	2.533
Melting Point, °C	851
Solubility, max % @ 35.4°C	33.2
pH of 1% solution @ 25°C	11.34

<sup>\*</sup>Properties of pure sodium carbonate

### Physical Properties | Typical Specification

Sodium Carbonate (Na <sub>2</sub> CO <sub>3</sub> ) %	99.9	99.5 Min
Bulk Density: lb./ft.³	64.4	62.4 - 68.6
GPL	1034	1000 - 1100

#### Screen Analysis | Cumulative Weight Percent

On US30 (600 μm)	1.2	4 Max
US100 (150 μm)	92.3	85 Minimum
Thru US200 (75 μm)	1.0	2 Max

# **Chemical Properties**

NaCl Weight %	0.0066	0.02 Max
SiO2 %	0.012	0.02 Max
Organic Matter as C %	0.0038	0.02 Max

<sup>\*\*</sup>See graph for solubility at other temperatures



#### **Product Markets & Usage**

Glass

Chemical Intermediates
Soap and Detergent Formulations
Water Treatment
Flue Gas Desulfurization
Pulp and Paper

#### **Meets Product Requirements**

AWWA B201-08
ANSI/ASTM 0458-85 (1998)
Federal Spec. O-S-571G (11/13/97)
NSF Standard 60 (Plant Certified 9/90)
NF19
HAUAL
Kosher
ISO 9001:2008

# Grades, Forms, and Shipping Containers (Dense Ash\*)

Bulk hopper cars and trucks 50 lb. (22.7 kg) bags One-ton Super Sacks

### **Production/Shipping Location**


Green River, Wyoming

# **Shipping Regulations**

Not Regulated

<sup>\*</sup>Suitable for water treatment in accordance with AWWA Standard 0201-92 for soda ash

#### Solubility in Water



#### **Product Safety Information**

Soda ash may cause eye injury and skin irritation. May be harmful if swallowed.

As with any chemical, soda ash requires care in handling. Anyone responsible for the procurement, use or disposal of this product should familiarize himself and those handling it with the appropriate safety and handling precautions. This Information is available in the Material Safety Data Sheet, which may be obtained by contacting our Customer Service or Technical Service groups (see information below).

In the event of an emergency with this product, call the 24-hour Tata Chemicals emergency number: (800) 819-8568.

### **Product Safety Information**

To obtain additional information\*, place an order, obtain samples or pricing, or check on availability, call us toll-free at (800)819-8568, or send written inquiries to our address below.

\*soda ash Product Bulletin (NO. GC100DP)



#### Disclaimer

All information, statements, data, advice and/or recommendations, Including, without limitation, those relating to storage, loading/unloading, piping and transportation (collectively referred to herein as "information") are believed to be accurate and reliable. However, no representative or warranty, express or implied, is made as to its completeness, accuracy, fitness for a particular purpose or any other matter including without limitation, that the practice or application of any such information is free of patent infringement or other intellectual property misappropriation. Tata Chemicals is not engaged in the business of providing technical, operational engineering or safety information for a fee, and, therefore, any such provided herein has been furnished as an accommodation and without charge. All Information provided herein is intended for use by persons having requisite knowledge, skill and experience in the chemical industry. Tata Chemicals shall not be responsible or liable for the use, application or Implementation of the Information provided herein, and all such information is to be used at the risk, and in the sole judgment and discretion, of such persons, their employees, advisors and agents.