FERRO-CONCEPTS



Frag Bag™ | Table of Contents

Product Overview	1
Frag Bag™ Fitment	2-4
Frag Bag™ Installation - Direct Mount	5-8
Drop Panel - Mounting the Frag Bag™	9-11
Drop Panel - Installation on Belt	12-14
Drop Panel - Installation on Cummerbund	15-16



Frag Bag™ with Drop Panel (Front)



Frag Bag™ | Product Overview

The Frag BagTM was designed specifically for the M67 frag grenade with the intention of mounting it upside down on the included drop panel. This allows the frag to be located below other belt mounted pouches and gives the capability to double stack your Frag BagTM with one facing up and one facing down. The cupped hood offers ample security while allowing a smooth downward draw. The buckle seems backwards? That's because it is, keeping it in the direction it needs to be for closing it back up with ease. For those of you that don't have frags on hand, you can stow a couple cans of Zyn or handcuffs if you're freaky like that.

Features:

- •Can be directly mounted right-side up or upside down onto The Bora Belt or any MOLLE platform
- Included Drop Panel allows for double stacking or mounting below other items such as the Double Elastic Pistol, The Single Elastic Pistol, or the 3" Assault Cummerbund
- Buckle closure with 3/4" webbing for hood adjustment
- Cupped hood offers ample security while allowing smooth downward draw
- Fits M67 frag grenade, NAMMO scalable offensive hand grenade, MPU5 battery, foldable handcuffs, Zyn cans x2, and more
- 1x2 MOLLE
- Made in USA

Components:

- The Frag Bag™
- Drop Panel



Frag Bag™ with Drop Panel (Front)



Frag Bag™ (Back)

Frag Bag™ | Fitment

Fitting and Securing item





1. The Frag BagTM was designed to fit the M67 frag grenade, but can accomodate other items such as a NAMMO scalable offensive hand grenade, MPU5 battery, foldable handcuffs, and nicotine cans x2.

2. To open the pouch release the front buckle. The Frag Bag $^{\text{TM}}$ features interior spoon retention loops on both sides.

Frag Bag™ | Fitment

Fitting and Securing item





3. When placing M67 frag grenade into the Frag Bag $^{\text{TM}}$, be sure that the spoon is fully seated around the spoon retention flap.

4. The Frag Bag[™] was designed with an interior tuck tab. Make sure that the tuck tab is in the vertical position after the item has been inserted. This ensures proper fitment.

Frag Bag™ | Fitment

Fitting and Securing item



5. After item is inserted into the Frag Bag $^{\text{TM}}$, secure front buckle. For further hood adjustments use 3/4" webbing located on the buckle.







1. The Frag Bag[™] can be mounted onto any MOLLE compatible platform using the 1x2 MOLLE system on the back. For belt mounting, start by passing the strap through the top webbing on the belt.

2. Pass the strap through the first row on the Frag Bag TM .





3. Pass strap through bottom webbing on the belt.

4. Insert tuck tab fully into last row on the Frag Bag™.





5. Make sure tuck tab has been fully passed through and seated on the interior of the Frag Bag $^{\text{TM}}$.

6. Insert item once the Frag Bag $^{\text{TM}}$ has been securely mounted to the belt.



7. The Frag Bag $^{\text{\tiny{M}}}$ can be directly mounted to any MOLLE compatible area.



Mounting the Frag Bag[™] onto the Drop Panel






1. The Frag Bag[™] includes a Drop Panel that can be used for lower mounting and double stacking the Frag Bag[™]. It is ideal to mount the Frag Bag[™] upside down when using the Drop Panel.

2. Start by passing the strap on the Frag Bag™ through the bottom slot on the Drop Panel. Make sure the loop Velcro side is facing toward you for Belt mounting. For mounting to the 3" Assault Cummerbund you will mount with the Velcro hook side facing toward you.

Mounting the Frag Bag[™] onto the Drop Panel





3. Pass the strap through the top row on the Frag Bag $^{\text{TM}}$.

4. Turn the Drop Panel over and pass the strap through the top slot of the Drop Panel.

Mounting the Frag Bag $^{\text{\tiny TM}}$ onto the Drop Panel



5. Make sure tuck tab has been fully passed through and seated on the interior of the Frag Bag $^{\text{TM}}$.



Drop Panel Installation on Belt





1. Crease the top tab on the Drop Panel towards the Frag Bag $^{\text{TM}}$.

2. Insert the creased tuck tab of the Drop Panel in the top webbing on the belt.

Drop Panel Installation on Belt





3. Press the loop Velcro of the Drop Panel onto the hook Velcro side of the belt.

4. Place item into the Frag Bag $^{\text{TM}}$, make sure the interior tuck tab is in the vertical position for proper fitment.

Drop Panel Installation on Belt





5. Mounting below another Frag Bag $^{\text{TM}}$ that is mounted directly to the belt will allow for double stacking.

6. Alternatively, the Drop Panel can also be mounted below other products such as the Double Elastic Pistol and the Single Elastic Pistol.

Drop Panel Installation on Cummerbund





1. The Drop Panel can be installed onto the 3" Assault Cummerbund. Mount the Frag Bag $^{\text{TM}}$ on the hook Velcro side of the Drop Panel and crease the top tab towards the Frag Bag $^{\text{TM}}$.

2. Insert the Drop Panel top tab into the top webbing on the 3" Assault Cummerbund.

Drop Panel Installation on Cummerbund





3. Place the hook Velcro side of the Drop Panel onto the loop Velcro side of the 3" Assault Cummerbund.

4. Once Drop Panel is properly installed on the 3" Assault Cummerbund place item into Frag Bag $^{\text{TM}}$.