

ADHESIVES AND ACCESSORIES



1032

BONDLOC
Adhesives & Sealants



1036

LOCTITE
Adhesives & Sealants



1037

AMBERSIL
Cleaners, Lubricants &
Metalworking Products



1046

RUST-OLEUM
Paints & Coatings



1049


PARKAIR
Oils & Sundries



1050

PARKAIR
Cable Ties

ADHESIVES AND ACCESSORIES



1051

PARKAIR
PVC Tape



1051

PARKAIR
Heat Shrink &
Protective Sleeve Dispensers



1052

PARKAIR
Cutters



1053

REDASHE
Rechargeable LED Lights



1054

PARKAIR & 3M
Personal Protective Equipment

ANAEROBICS

B222 SCREWLOC

Ideal for low-strength threadlocking of adjusting screws, countersunk head screws and set screws, very good on low strength metals which could break during disassembly e.g. aluminium or brass.

SPECIFICATIONS

Strength	Low
Breakaway torque M10 bolts	6 Nm
Service temperature range	-55°C to +150°C
Viscosity Brookfield	1200 cps
Colour	Purple
Gap fill	0.5 mm



3010

B270 STUDLOC

B270 Studlocker is a permanent, green coloured, general purpose adhesive for permanent threaded assemblies. B270 locks studs up to 1", sealing against leakage and corrosion. It is chemical resistant, resisting fuels, lubricants and most industrial liquids and gases.

SPECIFICATIONS

Strength	High
Breakaway torque M10 bolts	40 Nm
Service temperature range	-55°C to +150°C
Viscosity Brookfield	500 cps
Colour	Green
Gap fill	0.25 mm



3010

B222 SCREWLOC

PART NUMBER	SIZE	PRICE
BL-B222-10ML	10 ml	£8.32
BL-B222/25ML	25 ml	£17.77
BL-B222C-25ML	25 ml CLAM	£20.16
BL-B222/50ML	50 ml	£35.65
BL-B222C-50ML	50 ml CLAM	£38.04
BL-B222-250ML	250 ml	£143.27

B270 STUDLOC

PART NUMBER	SIZE	PRICE
BL-B270-10ML	10 ml	£8.32
BL-B270/25ML	25 ml	£17.77
BL-B270C-25ML	25 ml CLAM	£20.16
BL-B270/50ML	50 ml	£35.65
BL-B270C-50ML	50 ml CLAM	£38.04
BL-B270-250ML	250 ml	£163.09

B243 NUTLOC

B243 is an anaerobic formulation, designed to be used on parts in an "as received" condition, such as those with protective films (oils), etc.

SPECIFICATIONS

Strength	Medium
Breakaway torque M10 bolts	16Nm
Service temperature range	-55°C to +150°C
Viscosity Brookfield	1200-1800 cps
Colour	Blue
Gap fill	0.1 mm



3010

B542 HYDRAULIC SEAL

B542 Hydraulic Seal is a thixotropic liquid, which cures anaerobically to form a tough, high pressure seal on all types of threaded couplings used on low, medium and high pressure lines.

SPECIFICATIONS

Strength	Medium
Breakaway torque M10 bolts	15Nm
Service temperature range	-55°C to +150°C
Viscosity Brookfield	400-800 cps
Colour	Brown
Gap fill	0.05 mm to 0.25 mm



3010

B243 NUTLOC

PART NUMBER	SIZE	PRICE
BL-B243-10ML	10 ml	£8.32
BL-B243/25ML	25 ml	£17.77
BL-B243C-25ML	25 ml CLAM	£20.16
BL-B243/50ML	50 ml	£35.65
BL-B243C-50ML	50 ml CLAM	£38.04
BL-B243-250ML	250 ml	£163.09

B542 HYDRAULIC SEAL

PART NUMBER	SIZE	PRICE
BL-B542/25ML	25 ml	£17.73
BL-B542C-25ML	25 ml CLAM	£20.10
BL-B542/50ML	50 ml	£35.49
BL-B542C-50ML	50 ml CLAM	£37.87
BL-B542/250ML	250 ml	£155.69

B574 INSTANT GASKET

B574 is an instant gasket material that forms in place, making almost any size and shape, replacing paper, cork, etc. It eliminates relaxation and loads loss. The assembled parts are usually suitable for immediate low pressure (6 bar) service and once cured, can resist 350 bar pressure, depending on gap size.

SPECIFICATIONS

Strength	Medium
Service temperature range	-55°C to +150°C
Viscosity Brookfield	50000 cps
Colour	Orange
Gap fill	0.5 mm



3010

B603 RETAINER

B603 is an oil tolerant retainer and is designed for direct application onto parts where a light oily film exists or where surrounding parts' contamination is a problem in maintenance.

SPECIFICATIONS

Strength	High
Static shear strength	28 Nm
Service temperature range	-55°C to +150°C
Viscosity Brookfield	125 cps
Colour	Green
Gap fill	0.1 mm



3010

B574 INSTANT GASKET

PART NUMBER	SIZE	PRICE
BL-B574/50ML	50 ml	£23.00
BL-B574C-50ML	50 ml CLAM	£25.38
BL-B574/250ML	250 ml	£145.01

B603 RETAINER

PART NUMBER	SIZE	PRICE
BL-B603/50ML	50 ml	£35.54
BL-B603/250ML	250 ml	£169.26

ANAEROBICS

B577 PIPE SEAL

B577 Pipe Seal is a high viscosity thixotropic gel paste, which cures rapidly, sealing instantly to 10 bar through its anaerobic cure system when in contact with metals in the absence of air (oxygen). When fully cured, it resists pressure up to 350 bar. B577 is not suitable for oxygen systems. Good chemical/solvent resistance to ethanol, motor oil, unleaded petrol, acetone and brake fluid.

SPECIFICATIONS

Strength	Low
Breakaway torque M10 bolts	6 Nm
Service temperature range	-55°C to +150°C
Viscosity Brookfield	50000 cps
Colour	Yellow
Gap fill	0.5 mm



3010

B641 BEARING FIT

Bearing Fit B641 is a single part anaerobic securing compound, designed for fitting cylindrical metal assemblies and cures when confined between the parts. B641 will secure all types and sizes of bearings, shafts and cylindrical parts which will require disassembly in the future. B641 is of medium strength and is colour coded yellow for job identification.

SPECIFICATIONS

Strength	Medium
Static shear strength	12 N/mm ²
Service temperature range	-55°C to +150°C
Viscosity Brookfield	400-800 cps
Colour	Yellow
Gap fill	0.2 mm



3010

B577 PIPE SEAL

PART NUMBER	SIZE	PRICE
BL-B577/50ML	50 ml	£23.82
BL-B577C-50ML	50 ml CLAM	£26.20
BL-B577/250ML	250 ml	£118.34

B641 BEARING FIT

PART NUMBER	SIZE	PRICE
BL-B641/25ML	25 ml	£17.75
BL-B641C-25ML	25 ml CLAM	£20.13
BL-B641/50ML	50 ml	£35.54
BL-B641/250ML	250 ml	£169.26

B648 RETAINER

B648 is recommended for high strength securing where continuous working temperature is rated up to 180°C. B648 is a medium viscosity retainer of high strength dealing with gaps of 0.15 mm. B648 is used for securing all types of cylindrical parts, such as bearings, gears, splines, pulleys, keyways and set screws suitable for press fits or slip fits. B648 reduces fatigue life by eliminating stresses in the assembly.

SPECIFICATIONS

Strength	High
Static shear strength	25 N/mm ²
Service temperature range	-55°C to +175°C
Viscosity Brookfield	500 cps
Colour	Green
Gap fill	0.15 mm



3010

B7649 ANAEROBIC ACTIVATOR

B7649 speeds cure of all anaerobic fluids and pastes and extends cure through volume. B7649 helps fixture time and reduces ultimate cure time. Use B7649 when materials are inactive (plastics or passivated metals) or where temperature is under 15°C.

- Activates anaerobic adhesives
- Accelerates cure time
- Recommended for passive metals or inert surfaces

SPECIFICATIONS

Colour	Yellow to amber
Solvent	Heptane based



3010

B648 RETAINER

PART NUMBER	SIZE	PRICE
BL-B648/50ML	50 ml	£35.54
BL-B648/250ML	250 ml	£162.88

B7649 ANAEROBIC ACTIVATOR

PART NUMBER	SIZE	PRICE
BL-B7649/200ML	200 ml	£13.26

STRUCTURAL ADHESIVES

B2001 METAL EPOXY STICK

Repairing tanks and drums, patching holes in pipes, stopping leaks and repairing porosity holes in castings.

SPECIFICATIONS

Temperature resistance	Wet +49°C, Dry +121°C
Viscosity Brookfield	Putty
Colour	Black turns to grey after mixing



3015

B2003 PLASTIC EPOXY STICK

After proper mixing, the Plastic Epoxy Stick moulds like clay and may be used to permanently patch dents, scratches, cuts, gouges and holes in fibreglass, bumper plastic, white goods, such as typewriters and fax housings and all types of repairs to mouldings and injection type shapes. It is ideal for making emergency repairs. The unused portion will remain stable for years if protected from direct contact with the air, in cool conditions.

SPECIFICATIONS

Temperature resistance	+120°C
Viscosity Brookfield	Putty
Colour	Light blue



3015

B2001 METAL EPOXY STICK

PART NUMBER	SIZE	PRICE
BL-B2001/50GM	50 g	£5.61
BL-B2001C-50G	50 g CLAM	£6.51
BL-B2001/114G	114 g	£14.94

B2003 PLASTIC EPOXY STICK

PART NUMBER	SIZE	PRICE
BL-B2003/114G	114 g	£14.94

STRUCTURAL ADHESIVES

B2002 ALUMINIUM EPOXY STICK

After proper mixing, the Aluminium Epoxy Stick moulds like clay and may be used to permanently patch dents, scratches, cuts, gouges and holes in items, such as housings and all types of repairs to mouldings and injection type shapes. Aluminium Stick is ideal for making emergency repairs to reforming, rebuilding and patching anything made out of aluminium, such as HVAC parts, refrigeration units, air conditioning units, machine parts, alu-roofing and siding, flagpoles, shelving, platforms, walkways, campers, road vehicles, canopies, gutters, truck and trailer bodies, wheels, manifolds, stripped threads, marine hardware and casings.

SPECIFICATIONS

Temperature resistance	+120°C
Viscosity Brookfield	Putty
Colour	Light silver



3015

B2002 ALUMINIUM EPOXY STICK

PART NUMBER	SIZE	PRICE
BL-B2002/114G	114 g	£14.94



3015

MIXER GUN

PART NUMBER	DESCRIPTION	PRICE
BL-GUN/50ML	2 Part 1:1 Manual Gun	£32.64

For use with Epoxy Resin B2001 and B2012 - 50 ml size only.

B2011 EPOXY RESIN

B2011 reacts within a few minutes to give a tough, resilient bond on a wide variety of surfaces, including steel, aluminium, and galvanised iron.

SPECIFICATIONS

Mix ratio	1:1
Viscosity Brookfield	Viscous liquid
Colour	Clear



3015

B2011 EPOXY RESIN 1 HOUR CURE

PART NUMBER	SIZE	PRICE
BL-B2011/25ML	25 ml	£3.98
*BL-B2011/50ML	50 ml	£12.28

For use with BL-GUN/50ML mixer gun.

B2012 EPOXY RESIN

B2012 is a two part, rapid cold curing epoxy adhesive.

SPECIFICATIONS

Mix ratio	1:1
Viscosity Brookfield	Viscous liquid
Colour	Clear



3015

B2012 EPOXY RESIN 5 MINUTE CURE

PART NUMBER	SIZE	PRICE
BL-B2012/25ML	25 ml	£4.41
*BL-B2012/50ML	50 ml	£12.28

For use with BL-GUN/50 ml mixer gun.

B3294 PLASTIC WELD

A toughened structural adhesive formulated for bonding dissimilar substrates as well as unprepared metals, ceramics, wood, concrete and standard thermoset plastics. The final adhesive bond is designed to be load bearing and resistant to weathering, humidity and wide temperature variations.

SPECIFICATIONS

Viscosity Brookfield	55000 cps
Colour	Off white
Thixotropic/non-sagging	Plastic weld
Working time	5 minutes



3015

B3294 PLASTIC WELD

PART NUMBER	SIZE	PRICE
BL-B3294/25ML	25 ml	£5.90
BL-B3294C-25ML	25 ml CLAM	£6.29

SEALANTS

B5299 HIGH TEMP RTV

B5299 RTV is a single component, high modulus, acetoxy curing silicone sealant / adhesive that vulcanises at room temperature to provide a permanently flexible seal and bond.

SPECIFICATIONS

Base	Acetoxy
Service temperature range	-40°C to +350°C
Colour	Red
Viscosity	Paste



3010

B5299 HIGH TEMP RTV

PART NUMBER	SIZE	PRICE
BL-B5299/310ML	310 ml	£14.95

CYANOACRYLATES

B415 INSTANT ADHESIVE

B415 bonds metals, plastics, wood, ceramics, rubber, leather, card, glass and many other materials.

SPECIFICATIONS

Ester base	Ethyl-2-cyanoacrylate
Appearance	Clear, colourless
Flash point	>81°C
Density	1.06
Shelf life	12 months
Viscosity Brookfield at 25°C	1200-1800 cps



3010

B415 INSTANT ADHESIVE

PART NUMBER	SIZE	PRICE
BL-B415/20GM	20 g	£27.25
BL-B415C-20G	20 g CLAM	£29.64
BL-B415/50G	50 g	£66.64

B454 INSTANT ADHESIVE

B454 bonds metals, plastics, wood, ceramics, rubber, leather, card, glass and many other materials.

SPECIFICATIONS

Ester base	Ethyl-2-cyanoacrylate
Appearance	Clear, colourless
Flash point	>85°C
Density	1.1
Shelf life	12 months
Viscosity Brookfield at 25°C	Gel



3010

B454 INSTANT ADHESIVE

PART NUMBER	SIZE	PRICE
BL-B454C-20G	20 g CLAM	£30.05

B480 INSTANT ADHESIVE

B480 bonds metals, plastics, wood, ceramics, rubber, leather, card, glass and many other materials.

SPECIFICATIONS

Ester base	Ethyl-2-cyanoacrylate
Appearance	Black
Flash point	>85°C
Density	1.06
Shelf life	12 months
Viscosity Brookfield at 25°C	350-450 cps



3010

B480 INSTANT ADHESIVE

PART NUMBER	SIZE	PRICE
BL-B480/20GM	20 g	£27.25
BL-B480/50GM	50 g	£66.64

B7455 CYANOACRYLATE ACTIVATOR

B7455 activator is used for the fast curing of cyanoacrylates, depositing a correct balance of neutralising ions on the surface, stimulating attraction for the adhesive and preparing the surface for bonding.

SPECIFICATIONS

Colour	Slightly off white/amber
Cure speed	<10 secs
Max operating temp.	-5°C to +25°C
Shelf life	12 months
Viscosity Brookfield at 25°C	<10 cps



3010

B7455 CYANOACRYLATE ACTIVATOR

PART NUMBER	SIZE	PRICE
BL-B7455/200ML	200 ml	£13.29

B401 INSTANT ADHESIVE

B401 is suitable for difficult to bond surfaces, including metals, plastics, wood, ceramics, rubber, leather, card, glass and many other materials.

SPECIFICATIONS

Ester base	Ethyl-2-cyanoacrylate
Appearance	Clear, colourless
Flash point	>85°C
Density	1.06
Shelf life	12 months
Viscosity Brookfield at 25°C	90-120 cps



3010

B401 INSTANT ADHESIVE

PART NUMBER	SIZE	PRICE
BL-B401/20GM	20 g	£23.64
BL-B401C-20G	20 g CLAM	£26.03
BL-B401-50G	50 g	£54.85

B406 INSTANT ADHESIVE

B406 is an excellent rubber and plastic bonder that will also bond metals, plastics, wood, ceramics, rubber, leather, card, glass and many other materials.

SPECIFICATIONS

Ester base	Ethyl-2-cyanoacrylate
Appearance	Clear, colourless
Flash point	>85°C
Density	1.06
Shelf life	12 months
Viscosity Brookfield at 25°C	25-35 cps



3010

B406 INSTANT ADHESIVE

PART NUMBER	SIZE	PRICE
BL-B406/20GM	20 g	£23.64
BL-B406C-20G	20 g CLAM	£26.03
BL-B406/50G	50 g	£54.85

PIPE AND THREAD SEALING – SEALING OF THREADED COMPONENTS

FEATURES & BENEFITS

- Provides a high pressure seal for all types of pipe connections
- Will not creep, shrink or block systems (including filters) by shredding
- Disassembly can be achieved easily with normal tools
- Replaces all tapes and hemp/paste combinations

55 SERIES

Maximum Thread Size	Tested to 4"
Temperature Resistance	+130°C
Substrate To Be Sealed	Metal, plastic or both
Instant Low Pressure Seal	Yes (full pressure) on taper/parallel fittings



3000

55 SERIES

50 M

PART NUMBER	SIZE	DISASSEMBLY STRENGTH	PRICE
LT55-50	50 m	Low	£5.63

542 SERIES – HYDRAULIC & PNEUMATIC

Maximum Thread Size	3/4"
Temperature Resistance	+150°C
Substrate To Be Sealed	Metal
Instant Low Pressure Seal	No



3000

542 SERIES HYDRAULIC & PNEUMATIC

50 ML

PART NUMBER	SIZE	DISASSEMBLY STRENGTH	PRICE
LT542-5	50 ml	Medium	£51.24

572 SERIES – SLOW CURE

Maximum Thread Size	3"
Temperature Resistance	+150°C
Substrate To Be Sealed	Metal
Instant Low Pressure Seal	Yes on taper / parallel fittings



3000

572 SERIES SLOW CURE

50 ML

PART NUMBER	SIZE	DISASSEMBLY STRENGTH	PRICE
LT572-5	50 ml	Medium	£27.59

577 SERIES – GENERAL PURPOSE

Maximum Thread Size	3"
Temperature Resistance	+180°C
Substrate To Be Sealed	Metal
Instant Low Pressure Seal	Yes



3000

New Additions

577 SERIES GENERAL PURPOSE

50 ML

PART NUMBER	SIZE	DISASSEMBLY STRENGTH	PRICE
LT577-5	50 ml	Medium	£35.49
LT577-250	250 ml	Medium	£129.27

SILICONE SEALANT

DESCRIPTION

- LOCTITE® 5366™ becomes tack free on exposure to atmospheric moisture within 5 minutes at 23±2°C / 50±5%RH.

5366 SERIES

Chemical type	Acetoxy silicone
Appearance (uncured)	Clear paste
Components	One component - requires no mixing
Cure	Room temperature vulcanising (RTV)
Application	Bonding or sealing

New

5366 SERIES

50 M



3000

PART NUMBER	SIZE	PRICE
LT5366	310 ml	£18.85

HYBRID ADHESIVE

DESCRIPTION

- LOCTITE® HY4070™ is a two component, hybrid adhesive that provides a fast fixture at room temperature in bond gaps up to 5 mm (0.2")
- Excellent bonding characteristics to a variety of substrates, including some plastics, rubbers, and metals

5366 SERIES

Chemical type	Part A: Cyanoacrylate Part B: Methacrylate
Appearance	Part A: Transparent, cloudy, colourless to pale yellow Part B: Clear, colourless to slightly yellow liquid
Components	Two components – requires mixing
Cure	Two component cure after mixing
Application	Bonding

New

4070 SERIES

11 G



3000

PART NUMBER	SIZE	PRICE
LT4070-11G	11 g	£28.64

AMBERCLENS FG

- NSF A1 registered (N° 137995)
- Stable, non-dripping foam
- Foaming action helps break down soiling for effective cleaning
- Cleans equipment, metal parts and machinery
- Biodegradable



AMBERCLENS FG NSF A1 FOAM CLEANER

3020

PART NUMBER	SIZE	PRICE
AMB-30241-AA-500ML	500 ml	£9.18

EPP DEGREASER

- An environmentally preferred product that is a water based, non-flammable degreaser
- Removes tough and stubborn soiling, such as heavy oil, grease, grime, silicone, wax, and old lubricants
- Safe on most plastics, rubber and painted surfaces
- Ideal for removing swarf sludge from CNC and automated metal working machines
- Contains a highly effective corrosion inhibitor to help prevent flash rusting



EPP DEGREASER BIODEGRADABLE CLEANER / DEGREASER

3020

PART NUMBER	SIZE	PRICE
AMB-31464-AA-750ML	750 ml	£15.48

DEGREASER FG

- NSF A1 registered (N°137997)
- Readily biodegradable and non-flammable
- Effective in both cold and warm water
- Use on gearboxes, hydraulic systems, open gears, chains and pumps to remove a variety of heavy soiling types
- Concentrated for convenience and economy
- Formerly known as "Aquasafe FG"



DEGREASER FG NSF A1 WATER BASED DEGREASER

3020

PART NUMBER	SIZE	PRICE
AMB-30243-AA-750ML	750 ml	£16.41

AMBERKLENE LO30

- Highly effective cleaner / degreaser
- Fast evaporating, leaving surfaces clean and dry and will not stress-crack acrylic
- Safe for use on metals and painted surfaces
- Listed in British Airways' standard practice manual
- Ultra low conductivity
- Meets US Federal Spec. TT-N-95Bv Type II
- Automotive approval: Ford Tox No.: 166741



AMBERKLENE LO30 LOWER ODOUR SOLVENT

3020

PART NUMBER	SIZE	PRICE
AMB-31555-AA-400ML	400 ml	£12.03

STAINLESS STEEL CLEANER FG

- NSF A7 and C1 registered (N°138212) for use in the food industry
- Ideal post-maintenance cleaner for polishing metal panels
- Cleans and inhibits re-staining of stainless steel in one application
- The controlled, dense foaming action limits over application and allows use on vertical surfaces
- Leaves an invisible, non-greasy film for lasting shine



STAINLESS STEEL CLEANER FG NSF A7 & C1 STAINLESS STEEL CLEANER

3020

PART NUMBER	SIZE	PRICE
AMB-30249-AA-500ML	500 ml	£12.59

AMBERKLENE FG

- NSF A8 and C1 registered (N° 137996 and 140261)
- Higher flash point of +40°C for application safety
- Penetrates quickly and removes dirt and moisture
- Does not leave a residue
- Also removes carbon deposits



AMBERKLENE FG NSF A8 & C1 BIODEGRADABLE CLEANER / DEGREASER

3020

PART NUMBER	SIZE	PRICE
AMB-30242-AA-500ML	500 ml	£13.59

AMBERKLENE FE10

- A fast and effective solvent degreaser
- Powerful flushing action, rapidly removes contaminants
- Safe for use on ferrous and non-ferrous metals and most plastics
- Does not leave a residue
- Meets military specification
- Ideal surface preparation solvent to ensure all residues are removed prior to coating, adhesion or painting



AMBERKLENE FE10 FAST DRYING SOLVENT

3020

PART NUMBER	SIZE	PRICE
AMB-31553-AA-400ML	400 ml	£11.53

BA40 SOLVENT

- Extremely fast evaporating solvent degreaser
- Removes many stubborn residues, such as uncured polysulphides, adhesives, inks, resins, varnishes and lacquers
- Low pressure spray provides even coverage and prevents splash back in use




BA40 SOLVENT WATER SOLUBLE SOLVENT

3020

PART NUMBER	SIZE	PRICE
AMB-31556-AA-400ML	400 ml	£10.97

AMBERKLENE ME20

- Heavy duty cleaner for extra stubborn stains and soiling
- Removes heavy deposits of oil and grease, waxes and silicones
- Superior wetting properties ensure extended contact time with soiling
- Higher flash point of +41°C
- Leaves a clean, dry surface



AMBERKLENE ME20 HEAVY DUTY SOLVENT

3020

PART NUMBER	SIZE	PRICE
AMB-31554-AA-400ML	400 ml	£11.74

LEC-KLENE

- Powerful solvent degreaser that removes oil, grease, grime, wax and tar
- Suitable for use where higher flash point is required
- Use where DEF STAN 68-148 is specified
- No detrimental effect on painted surfaces, ferrous and non-ferrous metals, and epoxy based composites, acrylic sheet, plastics and rubbers
- Meets military and industrial specifications
- Excellent electrical contact cleaner



LEC-KLENE HIGH FLASH POINT SOLVENT

3020

PART NUMBER	SIZE	PRICE
AMB-31557-AA-400ML	400 ml	£13.78

INDUSTRIAL DEGREASER FG

- NSF A8 and K1 registered (N° 140255 and 140250) for use in the food industry
- Cuts through dirt and grease
- Easy "in place" cleaning with minimal odour
- Use for degreasing and over hauling electric motors
- Can also be used to remove adhesives
- Non-corrosive and non-staining



INDUSTRIAL DEGREASER FG NSF A8 & K1 REGISTERED HEAVY DUTY DEGREASER

3020

PART NUMBER	SIZE	PRICE
AMB-30251-AA-500ML	500 ml	£12.53

AIR DUSTER / 2

- Dry 'air' blast for removing loose, dry contamination from electronics
- Non-ozone depleting, does not contain CFCs or HCFCs
- Safe on all surfaces, including delicate sensors and electronics
- Non-flammable
- Zero odour in use



AIR DUSTER / 2 FOR ELECTRONICS

3020

PART NUMBER	SIZE	PRICE
AMB-33181-AA-400ML	400 ml	£27.88

New

INVERTIBLE AIR DUSTER / 2

- Non-ozone depleting, does not contain CFCs or HCFCs
- Safe on all surfaces, including delicate sensors and electronics
- Powerful blast easily removes loose dirt and dust
- 360° Spray system for all angle use in difficult to access areas
- Non-flammable




3020

INVERTIBLE AIR DUSTER / 2

PART NUMBER	SIZE	PRICE
AMB-33183-AA-200ML	200 ml	£19.57

LABEL & ADHESIVE REMOVER FG

- NSF K3 registered (N° 140259) for use in the food industry
- Removes adhesives and paper labels in 3 minutes
- Good material compatibility (always test prior to application)
- Reduces the need for scraping and the potential damage caused
- Improves packaging line efficiency by reducing jamming caused by label and adhesive build-up
- Use Ambersil Silicone FG to minimise re-adhesion of labels



3020

**LABEL & ADHESIVE REMOVER FG
NSF K3 REGISTERED LABEL
& ADHESIVE REMOVER**

PART NUMBER	SIZE	PRICE
AMB-30254-AA-200ML	200 ml	£9.37

ANTI-STATIC SPRAY

- Rapidly reduces electrostatic charges
- Quick and easy to use
- Allows longer periods between cleaning
- Particularly useful in the paper and textile industries and anywhere with a dusty atmosphere e.g. flour mills
- Non-toxic & biodegradable



3020

ANTI-STATIC SPRAY

PART NUMBER	SIZE	PRICE
AMB-31561-AA-400ML	400 ml	£8.97

FREEZER / 2

- Reduces component temperature to -50°C
- Non-flammable, low toxicity and odourless in use
- Cools thermally sensitive parts during soldering or calibration



3020

**FREEZER / 2
FAULT DETECTION
FOR ELECTRONICS**

PART NUMBER	SIZE	PRICE
AMB-33182-AA-400ML	400 ml	£28.92

UNIVERSAL SCREEN CLEANER FG

- Excellent material compatibility that won't damage delicate screens
- Can be used on most screen types, including LCD, TFT and Plasma
- Stable foam clings to vertical surfaces
- Use a low lint cloth to wipe screen to a smear free finish
- Very economical in use



3020

**UNIVERSAL SCREEN CLEANER FG
FOR VDUS**

PART NUMBER	SIZE	PRICE
AMB-30236-AA-400ML	400 ml	£9.41

AMBERTRON

- Ultra pure formulation for maintenance of critical electronics
- Very fast evaporation
- Excellent material compatibility. Safe for use on metals, glass, plastics and rubber
- Non conductive
- Quick and efficient cleaning
- Automotive approval: Ford Tox N° 166300



AMBERTRON CONTACT CLEANER

3020

PART NUMBER	SIZE	PRICE
AMB-31552-AA-400ML	400 ml	£14.84

FLUX REMOVER

- Removes all organic and inorganic fluxes and residues from PCBs and electronic components
- Excellent material compatibility (test prior to use)
- Fast evaporation with zero residue



FLUX REMOVER REMOVES FLUX RESIDUE

3020

PART NUMBER	SIZE	PRICE
AMB-30216-AB-400ML	400 ml	£12.20

IPA SOLVENT

- Gentle, yet highly effective alcohol based cleaner
- Excellent material compatibility, safe to use on plastics and rubber
- Conforms to BS 1595, ASTM D770 and DIN 53245
- Particularly effective on production line optical devices. Also removes moisture
- Evaporates to leave a clean, dry surface



IPA SOLVENT ISOPROPYL ALCOHOL ELECTRONIC CLEANING SOLVENT

3020

PART NUMBER	SIZE	PRICE
AMB-31569-AA-400ML	400 ml	£11.59

ACRYLIC CONFORMAL COATING

- Colourless conformal coating
- Insulates and seals out moisture and dust
- Flexible lacquer will not crack or chip
- Ideal protective for marine electronics
- Can be soldered through



ACRYLIC CONFORMAL COATING PROTECTION FOR PCBs

3020

PART NUMBER	SIZE	PRICE
AMB-30235-AA-400ML	400 ml	£12.61

PCB CLEANER

- Excellent material compatibility for modern, delicate electronics
- Ideal for use on PCBs that are subject to grime accumulation
- Fast evaporation with zero residue



PCB CLEANER RESIDUE FREE SOLVENT CLEANER

3020

PART NUMBER	SIZE	PRICE
AMB-31560-AA-400ML	400 ml	£12.92

SOLVENT CLEANER FG

- Powerful, low-odour solvent cleaner / degreaser, developed for rapid removal of mould tool anti-corrosion coatings and release agent build-up
- NSF K1 registered
- Evaporates to leave a clean, dry surface, ideal as a pre-release agent surface treatment
- Specially developed for the food and beverage market
- Recommended for use on packaging and moulding machines where proven risk reduction is required
- Extremely flammable




SOLVENT CLEANER FG LOW ODOUR SOLVENT CLEANER

3020

PART NUMBER	SIZE	PRICE
AMB-32448-400ML	400 ml	£9.72

40+

- An engineer's essential "cure-all" product
- Quickly frees seized nuts and bolts and reduces wear
- High corrosion protection and water displacement properties – passes IP178, Methods A & B
- Non-conductive film
- Safe on most paints, rubbers and plastics
- Operational temperature range: -20°C to +115°C
- No Silicone
- Multiple Approvals: Rolls Royce Aerospace, British Rail, Ford Motor Company, Swift Caravans



3020

**40+
MULTI-PURPOSE, INDUSTRIAL
PROTECTIVE LUBRICANT**

PART NUMBER	SIZE	PRICE
AMB-31563-AA-400ML	400 ml	£6.98

PENETRATING OIL

- Frees seized components rapidly
- Lubricates fine and close tolerance threads
- Contains MoS2
- Facilitates easier reassembly
- Softens rust and carbon deposits



3020

**PENETRATING OIL
PENETRANT FOR SEIZED PARTS**

PART NUMBER	SIZE	PRICE
AMB-30240-AA-400ML	400 ml	£9.72

MACHINE OIL FG

- NSF H1 registered (N°137999 & 140249)
- Formulated using only food grade acceptable components
- Creates a highly effective lubricating and anti-friction film
- Can be used as an anti-corrosion coating for metal parts in high humidity conditions
- Operational temperature range: -18°C to +120°C



3020

**MACHINE OIL FG
NSF H1 GENERAL PURPOSE
LUBRICANT**

PART NUMBER	SIZE	PRICE
AMB-30247-AA-400ML	400 ml	£15.12

PENETRATING OIL FG

- NSF H1 registered (N° 140260) for use in the food industry
- Very fast and deep penetration of threaded fasteners
- Assists quick disassembly of mechanical components, fittings and close tolerance fasteners



3020

**PENETRATING OIL FG
NSF REGISTERED PENETRANT
FOR SEIZED PARTS**

PART NUMBER	SIZE	PRICE
AMB-30256-AA-400ML	400 ml	£10.49

AGL 1

- Provides precision lubrication with its thin, high dielectric strength, lubricating film
- Cleans, lubricates, protects, penetrates and loosens corrosion
- Ideal for renovating water-damaged equipment and motors



3020

**AGL 1
LUBRICANT FOR ELECTRICAL
EQUIPMENT**

PART NUMBER	SIZE	PRICE
AMB-31567-AA-400ML	400 ml	£10.39

RUST FLASH

- Utilises the laws of thermo-dynamics to shock rust down to -40°C
- Rust is shock-cooled, causing it to crack and allow penetrating oils to work
- Very fast acting for rapid job turnaround



3020

**RUST FLASH
RUST LOOSENER WITH FREEZE
SHOCK EFFECT**

PART NUMBER	SIZE	PRICE
AMB-31578-AA-500ML	500 ml	£9.23

SILICONE ANTI-STICK

- Lubricant is odourless, tasteless, colourless and chemically inert
- Ideal for use where high standards of purity are essential
- Helps prevent line jams, inhibits adhesive build up on blades and sealers
- WRAS Approved Product: 08/0507
- Operational temperature range: -50°C to +200°C



SILICONE ANTI-STICK CONCENTRATED SILICONE LUBRICANT

3020

PART NUMBER	SIZE	PRICE
AMB-31572-AA-400ML	400 ml	£20.28

COPPER ANTI-SEIZE PASTE

- Formulated with micro-ionised copper and anti-oxidant additives
- Reduces friction and wear
- Good corrosion protection even in highly corrosive environments
- Lead & Nickel free
- Operational temperature range: -30°C to +1100°C
- Aerosol version is ideal for precision application and minimising unwanted transfer



COPPER ANTI-SEIZE PASTE HIGH TEMPERATURE ANTI-SEIZE

3020

PART NUMBER	SIZE	PRICE
AMB-30239-AA-500G	500 g	£24.10

SILICONE FG

- NSF H1 registered (N°138000) for use in the food and beverage industry
- Excellent general lubricating properties with a relatively dry film
- Highly water-resistant and repels water from treated areas
- Eliminates squeaking, binding and sticking
- Operational temperature range: -40°C to +200°C
- Use on high-speed bagging lines and on chutes/slides



SILICONE FG NSF H1 REGISTERED SILICONE LUBRICANT

3020

PART NUMBER	SIZE	PRICE
AMB-30248-AA-400ML	400 ml	£12.31

ASSEMBLY PASTE FG

- NSF H1 registered (N°138266 & 139900)
- Resists water wash-out, extending re-lubrication intervals when used as a service lubricant
- Prevents seizure of threaded components, quick and easy dismantling
- Operational temperature range: -30°C to +1100°C



ASSEMBLY PASTE FG ASSEMBLY LUBRICANT & ANTI-SEIZE COMPOUND

3020

PART NUMBER	SIZE	PRICE
AMB-31586-AA-500G	500 g	£31.52
AMB-31587-AA-400ML	400 ml	£13.64

DRY MOLY

- Tough and long-lasting
- Use as a lubricant for guides and joints on the wheel bearings of kiln carts or lubrication of open gears.
- Operational temperature range: -150°C to +400°C



DRY MOLY DRY MOLYBDENUM DISULPHIDE LUBRICANT

3020

PART NUMBER	SIZE	PRICE
AMB-31576-AA-400ML	400 ml	£20.84

GEAR & WIRE ROPE LUBRICANT

- Deep penetration for internal protection of wire ropes
- Forms a dry, non-peeling film that overcomes the limitations of grease lubrication and pressure cushions
- Can be applied to gears in motion and is suitable for all running speeds
- Use as a treatment for internal corrosion protection and lubrication of 'highways' central reservation wire barriers
- Operational temperature range: -25°C to +100°C



GEAR & WIRE ROPE LUBRICANT HEAVY DUTY LUBRICANT

3020

PART NUMBER	SIZE	PRICE
AMB-31583-AA-400ML	400 ml	£17.70

AMBERGREASE EXL

- Suitable for use on all types of antifriction sliding surfaces and plain bearings
- Exceptional load carrying capacity: 4-ball weld load $< \rightarrow > 800$ kg
- Mean Hertz load: 125 kg, Timken OK load: 25 kg
- Highly visible red, NLGI type 2 grease, lithium-calcium complex thickened
- Operational temperature range: -30°C to $+150^{\circ}\text{C}$




**AMBERGREASE EXL
EXTENDED LIFE,
HIGH PERFORMANCE BEARING GREASE**

3020

PART NUMBER	SIZE	PRICE
AMB-30304-AB-400G	400 g	£11.39

TUFCUT SPRAY

- The original Tufcut liquid, in an easy to use aerosol
- Allows heavier close tolerance cuts
- Apply directly to drill bits or work pieces
- Improves heat dissipation and prevents chip welding
- NSF H2 registered (N°147110)




**TUFCUT SPRAY
METAL CUTTING LUBRICANT**

3020

PART NUMBER	SIZE	PRICE
AMB-31579-AA-400ML	400 ml	£19.16

AMBERGREASE FG1

- NSF H1 registered (N°138264)
- White, NLGI type 2, aluminium complex grease
- Very good extreme pressure performance: Four ball weld load: $< \rightarrow > 200$ kg
- Use in areas subjected to moist or wet operating conditions: FG1 has a very low water wash-out ($< \rightarrow > 1\%$)
- Operational temperature range: -50°C to $+165^{\circ}\text{C}$



**AMBERGREASE FG1
PERFORMANCE GREASE
FOR FOOD PROCESSING EQUIPMENT**

3020

PART NUMBER	SIZE	PRICE
AMB-31584-AA-400G	400 g	£23.12

TUFCUT FOAM

- Proven Tufcut liquid in a foam that clings to vertical surfaces
- Particularly effective for in-place maintenance of turbine blades
- Minimal smoking / fumes in use
- Practically zero staining on bright metals



**TUFCUT FOAM
FOAMING METAL CUTTING
LUBRICANT**

3020

PART NUMBER	SIZE	PRICE
AMB-31582-AA-300ML	300 ml	£20.94

AMBERGREASE FG2

- NSF H1 registered (N°138265)
- Translucent white NLGI type 2 silicone grease
- Dynamic corrosion resistance (EMCOR) (IP 220) - 0:0
- Shell four ball weld load (IP 239): 180 kg
- Operational temperature range: -20°C to $+220^{\circ}\text{C}$



**AMBERGREASE FG2
HIGH TEMPERATURE BEARING GREASE**

3020

PART NUMBER	SIZE	PRICE
AMB-31585-AA-400G	400 g	£38.71

TUFCUT COMPOUND

- A traditional metal cutting paste that has all the performance of the rest of the Tufcut range
- Pleasant mild pine fragrance
- Ready-to-use straight from the tin




**TUFCUT COMPOUND
METAL CUTTING LUBRICANT**

3020

PART NUMBER	SIZE	PRICE
AMB-31581-AA-500G	500 g	£16.60

CHAINSPRAY

- Offers maximum adhesion to chain links, with excellent penetration
- Resists "water wash off" and dust absorption
- High temperature resistance up to +200°C (300°C intermittent)
- Separate version specifically developed for Fork Lift Trucks (500 ml)



CHAINSPRAY CHAIN & DRIVE LUBRICANT

3020

PART NUMBER	SIZE	PRICE
AMB-31575-AA-400ML	400 ml	£16.93

BELT DRESSING FG

- Belt Dressing FG is NSF H1 registered (N° 140257)
- Works on all types of belt: vee, flat, toothed, rubber, leather and fabric
- Protects belts from deterioration through oxidation and heat



BELT DRESSING FG ADHESIVE BELT LUBRICANT

3020

PART NUMBER	SIZE	PRICE
AMB-30257-AA-400ML	400 ml	£12.36

CHAIN LUBE FG

- NSF H1 registered (N°137998)
- Excellent penetration and lubrication properties
- Can be used as a general, heavy duty PTFE lubricant
- Leaves a tenacious, long lasting, lubricating film
- Operational temperature range: -15°C to +175°C



CHAIN LUBE FG NSF H1 CHAIN LUBRICANT WITH PTFE

3020

PART NUMBER	SIZE	PRICE
AMB-30245-AA-400ML	400 ml	£20.76

AMS4 SILICONE GREASE

- Insulates high voltage parts against leaking or arcing
- Waterproofs electronics in damp or humid conditions
- Meets military and aviation specification Def Stan 68-69/1



AMS4 SILICONE GREASE MULTI-PURPOSE SILICONE GREASE

3020

PART NUMBER	SIZE	PRICE
AMB-31566-AA-400ML	400 ml	£18.12

PAINTS

FIBRE TIPPED MARKER PEN

- Fast drying acrylic paint with easy, accurate application
- Able to write on almost any surface and on any substrate colour
- High opacity, even on dark surfaces, ensures outstanding colour vibrancy and visibility
- Advanced pigment technology delivers long lasting, zero fade performance
- Resin binds paint to the writing surface, reducing problems associated with accidental rub-off and will not wash off with water / rain
- Easily removed with a solvent, such as Amberklene FE10
- Durable tip with valve action to prevent excess paint flow
- Suitable for most industrial marking requirements



FIBRE TIPPED MARKER PEN

3020

PART NUMBER	COLOUR	PRICE
AMB-20394-3MM	White	£4.98
AMB-20379-3MM	Green	£4.98
AMB-20399-3MM	Yellow	£4.98
AMB-20368-3MM	Blue	£4.98
AMB-20387-3MM	Red	£4.98
AMB-20383-3MM	Orange	£4.98
AMB-20364-3MM	Black	£4.98

METAL WORKING

TUFCUT LIQUID

- Original Tufcut liquid available in 350 ml bottle or bulk
- Improves heat dissipation and prevents chip welding
- Approved by Augusta Westland for machining composite materials (N° LIS 6045)



TUFCUT LIQUID METAL CUTTING LUBRICANT


3020

PART NUMBER	SIZE	PRICE
AMB-31580-AA-350ML	350 ml	£21.03

POLYMER PROCESSING

HD-SIL RELEASE

- Ideal for use where a clean, colourless lubricant is required
- Wet, heavy duty, silicone film delivers effective release
- Operational up to +200°C
- Incredibly versatile – can be used in practically any polymer processing application
- Easily removed with solvent cleaners e.g. Ambersil Mould Solv



3020

HD-SIL RELEASE
HEAVY DUTY SILICONE
LUBRICANT

PART NUMBER	SIZE	PRICE
AMB-32353-AA-500ML	500 ml	£5.12

NO-SIL RELEASE

- Allows decorative treatment (e.g. painting, plating) of the moulded part
- For use in injection moulding, vacuum forming and many other moulding and forming processes
- Operational up to +170°C



3020

NO-SIL RELEASE
HEAVY DUTY NON-SILICONE
RELEASE AGENT

PART NUMBER	SIZE	PRICE
AMB-31971-AA-500ML	500 ml	£5.46

ANTI-CORROSION

MOULD PROTECTIVE

- Repels and displaces moisture, leaving a durable, non-greasy, protective film
- Will not harden or crack
- Protective film allows handling and will resist acid finger marks
- Light yellow film allows coverage to be monitored
- Cured film will not stain moulds



3020

MOULD PROTECTIVE
MOULD CORROSION INHIBITOR

PART NUMBER	SIZE	PRICE
AMB-31545-AA-400ML	400 ml	£16.39

TOOL GUARD

- Easy identification with total coverage assured
- Will not penetrate or creep into the mould tool
- Resists the effects of high humidity and acid finger marking
- Easy to apply with good wetting properties
- Excellent corrosion protection



3020

TOOL GUARD
LIGHT GREEN, MOULD TOOL
PROTECTIVE COATING

PART NUMBER	SIZE	PRICE
AMB-31972-AA-500ML	500 ml	£7.50

CLEAR MOULD PROTECTIVE

- Repels and displaces moisture, leaving a durable, clear, protective film
- Will not stain or mark the moulding, recommended for use with clear or white polymers
- Easily "moulded off" when production recommences
- Protective film allows handling and will resist acid finger marks



3020

CLEAR MOULD PROTECTIVE
TRANSPARENT CORROSION
INHIBITOR

PART NUMBER	SIZE	PRICE
AMB-31547-AA-400ML	400 ml	£18.64

MOULD SOLV

- Highly effective, low odour, degreasing agent
- Efficiently cleans plastics, ferrous and non-ferrous metals
- Evaporates to leave a clean, dry surface
- Excellent material compatibility



3020

MOULD SOLV
CLEANER FOR MOULDS
& TOOLS

PART NUMBER	SIZE	PRICE
AMB-31970-AA-500ML	500 ml	£6.14

HARD HAT® GALVANISING
GALVA ZINC

- Cathodic protection of bare and galvanised steel
- Resists 500 hours of salt spray testing (DIN 50021 SS)
- To recoat within 1 hour, brush after 4 hours
- Recoat with Hard Hat® metallic sprays



6000

GALVA ZINC-ALUMINIUM

- Zinc coating with sparkling aluminium particles
- The best compromise between a zinc spray and an aluminium spray
- Resists 340 hours of salt spray testing (DIN 50021 SS)



6000

GALVA ZINC

PART NUMBER	DESCRIPTION	PRICE
RUST2185	500 ml Aerosol	£15.82
RUST1085.1	1 kg Can	£19.49

GALVA ZINC-ALUMINIUM

PART NUMBER	DESCRIPTION	PRICE
RUST2117	500 ml Aerosol	£15.82
RUST1017.1	1 kg Can	£19.49

GALVA PLUS

- Appearance similar to new galvanised metal
- For touching-up new and damaged galvanised metal
- Resists 310 hours of salt spray testing (DIN 50021 SS)
- Lower zinc content, more aluminium



6000

GALVA EXPRESSE

- The super-fast zinc primer
- Tack free after just 5 minutes, to handle after 10 minutes
- Ideal for production and construction environments
- Resists 400 hours of salt spray testing (DIN 50021 SS)



6000

**GALVA PLUS
500 ML AEROSOL**

PART NUMBER	DESCRIPTION	PRICE
RUST2120	Silver Galva Plus	£14.28

**GALVA EXPRESSE
500 ML AEROSOL**

PART NUMBER	DESCRIPTION	PRICE
RUST2180	Galva Expresse	£14.28

ANTI-SLIP

- Adheres to metal, wood, concrete, tile floors and parquet
- Very quick drying (5 to 10 minutes)
- For use on floors, steps, thresholds, etc.
- Makes every surface non-skid in seconds



6000

STAIN BLOCKER

- Matt white finish, best possible hiding power
- Masks stains from nicotine, soot, moisture, etc.
- For use on ceilings, walls, wood, etc.
- Non-yellowing and odourless
- To recoat with standard wall paints



6000

**ANTI-SLIP
500 ML AEROSOL**

PART NUMBER	DESCRIPTION	PRICE
RUST2410	Transparent	£19.75
RUST2444	Safety Yellow	£19.75
RUST2479	Black	£19.75

**STAIN BLOCKER
500 ML AEROSOL**

PART NUMBER	DESCRIPTION	PRICE
RUST2990	Matt White	£9.14

HARD HAT® PRIMERS

ADHESION PRIMER

- A durable adhesion on galvanised, stainless steel, aluminium, copper, hard PVC, glass and ceramics
- Ready to recoat after just 30 minutes
- Unique coverage: 5.5m² per aerosol
- To recoat with Hard Hat® top coats



6000

ANTI-RUST PRIMER

- The quick anti-rust protector
- Ready to recoat after just 10 minutes, handle after 30 minutes
- For new or slightly rusty surfaces
- Penetrates deeply into the surface and does not give rust a chance
- Lead and chromate free



6000

ADHESION PRIMER 500 ML AEROSOL

PART NUMBER	DESCRIPTION	PRICE
RUST2102	Adhesion Primer	£12.12

ANTI-RUST PRIMER 500 ML AEROSOL

PART NUMBER	DESCRIPTION	PRICE
RUST2169	Red brown	£13.98
RUST2182	Grey	£13.98

HARD HAT® TOP COATS

HEAT RESISTANT TOP COAT

- For use on engines, heat cannons, steam pipes, boilers, radiators, vents, barbecues and stoves
- 750°C maximum temperature for short periods



6000

FLUORESCENT TOP COAT

- Ideal for stencils, safety markings and colour coding



6000

HEAT RESISTANT TOP COAT

PART NUMBER	DESCRIPTION	PRICE
RUST7778	Black, 500 ml Aerosol	£14.90
RUST1078.0.75	Black, 750 ml Can	£29.94
RUST1078.2.5	Black, 2.5 ltr Can	£60.66
RUST7715	Aluminium, 500 ml Aerosol	£14.90
RUST1015.0.75	Aluminium, 750 ml Can	£29.94
RUST1015.2.5	Aluminium, 2.5 ltr Can	£60.66

FLUORESCENT TOP COAT 500 ML AEROSOL

PART NUMBER	DESCRIPTION	PRICE
RUST2222	Fluorescent Blue	£16.43
RUST2233	Fluorescent Green	£16.43
RUST2242	Fluorescent Yellow	£16.43
RUST2255	Fluorescent Orange	£16.43
RUST2264	Fluorescent Red	£16.43

TIP: For maximum efficiency of fluorescent colours, spray over matt white and finish with Hard Hat® clear coat.

TOP COAT – RAL COLOURS

- More paint in the can, resulting in a higher coverage: 3-4 m²
- One Hard Hat® aerosol equals up to 2-3 standard aerosols
- A higher film build without drips or runs



6000

TOP COAT – RAL COLOURS 500 ML AEROSOL

PART NUMBER	DESCRIPTION	RAL CODE	PRICE
RUST2114	White Aluminium	RAL 9006	£13.52
RUST2123	Light Blue	RAL 5012	£13.52
RUST2126	Gentian Blue	RAL 5010	£13.52
RUST2133	Yellow Green	RAL 6018	£13.52
RUST2134	Signal Green	RAL 6032	£13.52
RUST2136	Emerald Green	RAL 6001	£13.52
RUST2138	Grass Green	RAL 6010	£13.52
RUST2143	Light Yellow	RAL 1018	£13.52
RUST2145	Melon Yellow	RAL 1028	£13.52
RUST2148	Safety Yellow	RAL 1007	£13.52
RUST2149	Golden Yellow	RAL 1004	£13.52
RUST2152	International Orange	RAL 2002	£13.52
RUST2154	Yellow Orange	RAL 2000	£13.52
RUST2163	Red Lilac	RAL 4001	£13.52
RUST2165	Bright Red	RAL 3000	£13.52
RUST2173	Ochre Brown	RAL 8001	£13.52
RUST2179	Black	RAL 9005	£13.52
RUST2186	Marine Grey	RAL 7005	£13.52

2114 RAL 9006	2123 RAL 5012	2126 RAL 5010	2133 RAL 6018	2134 RAL 6032	2136 RAL 6001
2138 RAL 6010	2143 RAL 1018	2145 RAL 1028	2148 RAL 1007	2149 RAL 1004	2152 RAL 2002
2154 RAL 2000	2163 RAL 4001	2165 RAL 3000	2173 RAL 8001	2179 RAL 9005	2186 RAL 7005

▲ Safety Colours

- 2126 Fresh water
- 2134 Safe Place, escape routes, showers, exits
- 2143 Danger
- 2148 Take care/warning of danger, poison, explosion, radio-active radiation
- 2165 Stop/forbidden/fire extinguisher

● Identification Colours

- 2114 Steam
- 2123 Air
- 2138 Water
- 2149 Gas
- 2163 Acids
- 2173 Liquid spirits
- 2179 Other liquids

■ Machine Colours

- 2126 Ford Blue, agricultural machinery
- 2133 Deutz Green, agricultural machinery
- 2136 John Deere Green, agricultural machinery
- 2143 John Deere Yellow, agricultural machinery
- 2145 Caterpillar Orange, excavators, dredging cranes
- 2148 JCB excavators
- 2152 Linde Orange, excavators
- 2154 STILL Orange, fork-lift trucks
- 2165 Massey Ferguson and New Holland Red, agricultural machinery
- 2186 Deutz Grey, agricultural machinery

HARD HAT® TOP COATS

METALLIC TOP COAT

- For use on bare metal, galvanised, zinc primers or anti-rust primers
- Gloss or sparkling metallic appearance
- To restore the metallic appearance



6000

METALLIC TOP COAT DURABLE PROTECTION 500 ML AEROSOL

PART NUMBER	DESCRIPTION	PRICE
RUST2111	Sparkling Aluminium	£15.51
RUST2115	Bright Aluminium	£15.51

X1 TECH SPRAYS

CHAIN AND DRIVE SPRAY

- Good adhesion
- Resists detergent washing
- H1 compliant for incidental food contact
- Temperature range: -35°C to +180°C
- Extreme pressure additives give long term protection and reduce wear under extreme loads



6000

CHAIN AND DRIVE SPRAY

PART NUMBER	DESCRIPTION	PRICE
RUST1612	500 ml Aerosol	£11.29

METALLIC TOP COAT

- Greater abrasion resistance
- Better anti-corrosion properties than other metallics
- Excellent UV resistance (does not discolour)
- Resists acids, chemicals and alkalis



6000

METALLIC TOP COAT STAINLESS STEEL COATING 500 ML AEROSOL

PART NUMBER	DESCRIPTION	PRICE
RUST2116	Stainless Steel	£15.51

WHITE GREASE SPRAY

- Stops squeaking
- Water repellent
- Corrosion preventive
- Suitable for vertical surfaces, will not run
- White colour gives visual confirmation of lubrication
- Temperature range: -50°C to +170°C
- Non-silicon, body shop safe



6000

WHITE GREASE SPRAY

PART NUMBER	DESCRIPTION	PRICE
RUST1617	500 ml Aerosol	£8.47

TRANSPARENT TOP COAT

- Protects copper, chrome, silver, bronze, nickel, aluminium
- Provides extra durability to metallic and fluorescent coatings
- Non-yellowing (UV resistant)
- Quick drying
- Gloss repair of old coatings



6000

TRANSPARENT TOP COAT 500 ML AEROSOL

PART NUMBER	DESCRIPTION	PRICE
RUST2500	Transparent	£14.90

ELECTRICAL CLEANER

- Leaves no residue
- Fast to evaporate
- Low odour
- Removes dirt, oil, wax, etc.



6000

ELECTRICAL CLEANER

PART NUMBER	DESCRIPTION	PRICE
RUST1632	500 ml Aerosol	£9.64



BOSS LEAK DETECTOR

9110

PART NUMBER	DESCRIPTION	PRICE
Q84636019	400 ml	£27.60

New Additions

**LUBRICATING OIL
GRADE 22 HM TYPE**



9110

PART NUMBER	DESCRIPTION	PRICE
H01LL	1 litre	£7.40
H05LL	5 litre	£25.60
H20LL	20 litre	£90.40

New Additions

**HYDRAULIC OIL
GRADE 32 HM TYPE**



9110

PART NUMBER	DESCRIPTION	PRICE
H01L	1 litre drum	£5.04
H05L	5 litre drum	£20.00
H20L	20 litre drum	£70.40



**WD-40
MULTI-USE PRODUCT**

6620

PART NUMBER	DESCRIPTION	PRICE
Q44101	100 ml Aerosol	£2.70
Q44204	400 ml Aerosol	£7.98
Q44105	5 ltr liquid container and spray app.	£37.98



2900

**THREAD SEALING TAPE
PTFE**

PART NUMBER	DESCRIPTION	PRICE
PTFE TAPE	12 m x 12 mm x 0.075	£0.99

WRAS Approval No. 130750. Suitable for potable water and oxygen BS7786:2006 Grade L.



O-RING SEAL KITS

7200

PART NUMBER	DESCRIPTION	PRICE
D400 999001	Imperial 382 Assorted Types	£47.25
D400 999002	Metric 404 Assorted Types	£47.25



**BONDED WASHERS
IMPERIAL**

7200

PART NUMBER	TO FIT MALE BSPP	INSIDE DIA	PRICE
D400 020 02	1/8"	10.37 mm	£0.40
D400 021 04	1/4"	13.74 mm	£0.40
D400 023 06	3/8"	17.28 mm	£0.40
D400 025 08	1/2"	21.54 mm	£0.61
D400 026 10	5/8"	23.49 mm	£1.05
D400 027 12	3/4"	27.05 mm	£0.71
D400 030 16	1"	33.89 mm	£1.80
D400 032 20	1 1/4"	42.93 mm	£2.00
D400 033 24	1 1/2"	48.44 mm	£2.75
D400 036 32	2"	60.58 mm	£3.68

**BONDED WASHERS
METRIC**

7200

PART NUMBER	THREAD SIZE	PRICE
D400 002 02	4 mm	£0.69
D400 003 02	5 mm	£0.69
D400 004 02	6 mm	£0.64
D400 007 02	8 mm	£0.69
D400 008 02	10 mm	£0.63
D400 021 02	12 mm	£0.56
D400 009 02	14 mm	£0.61
D400 011 02	16 mm	£0.68
D400 012 02	18 mm	£0.76
D400 025 02	20 mm	£0.87
D400 028 02	22 mm	£0.98
D400 031 02	24 mm	£1.20
D400 035 02	26 mm	£1.71



**BONDED WASHER KITS
90 ASSORTED TYPES PER KIT**

7200

PART NUMBER	DESCRIPTION	PRICE
D400 999003	Metric 10 mm to 24 mm	£79.80
D400 999005	Imperial 1/8" to 1"	£79.80



**CABLE TIES
NATURAL**

9135


PART NUMBER	SIZE	QUANTITY	PRICE
TIE-CT100	100 x 2.5 mm	100	£0.84
TIE-CT120	120 x 2.5 mm	100	£1.00
TIE-CT140	142 x 3.2 mm	100	£1.60
TIE-CT160	160 x 4.8 mm	100	£2.20
TIE-CT200	200 x 4.8 mm	100	£3.44
TIE-CT250	250 x 4.8 mm	100	£3.88
TIE-CT300	300 x 4.8 mm	100	£4.72
TIE-CT370	368 x 4.8 mm	100	£7.72
TIE-CT430	450 x 4.8 mm	100	£8.44
TIE-CT500	500 x 4.8 mm	100	£10.52
TIE-CT540	550 x 8.0 mm	100	£26.08
TIE-CT550	550 x 4.8 mm	100	£12.16
TIE-CT610	610 x 9.0 mm	100	£23.00
TIE-CT685	685 x 9.0 mm	100	£30.88
TIE-CT780	762 x 9.0 mm	100	£38.24



**CABLE TIES
BLACK**

9135

PART NUMBER	SIZE	QUANTITY	PRICE
TIE-CT100BL	100 x 2.5 mm	100	£0.76
TIE-CT120BL	120 x 2.5 mm	100	£1.00
TIE-CT140BL	142 x 3.2 mm	100	£1.76
TIE-CT160BL	160 x 4.8 mm	100	£2.20
TIE-CT200BL	200 x 4.8 mm	100	£3.44
TIE-CT250BL	250 x 4.8 mm	100	£4.00
TIE-CT300BL	300 x 4.8 mm	100	£4.08
TIE-CT370BL	368 x 4.8 mm	100	£7.72
TIE-CT430BL	450 x 4.8 mm	100	£8.44
TIE-CT500BL	500 x 4.8 mm	100	£10.52
TIE-CT540BL	550 x 8.0 mm	100	£26.08
TIE-CT550BL	550 x 4.8 mm	100	£12.16
TIE-CT610BL	610 x 9.0 mm	100	£27.96
TIE-CT685BL	685 x 9.0 mm	100	£30.88
TIE-CT780BL	762 x 9.0 mm	100	£38.24
TIE-CT1000BL	1030 x 12.7 mm	100	£81.64



**CABLE TIES
YELLOW**

9135

PART NUMBER	SIZE	QUANTITY	PRICE
TIE-CT100Y	100 x 2.5 mm	100	£0.88
TIE-CT140Y	140 x 3.2 mm	100	£1.72
TIE-CT300Y	300 x 4.8 mm	100	£7.72
TIE-CT370Y	368 x 4.8 mm	100	£11.72



**CABLE TIES
RED**

9135

PART NUMBER	SIZE	QUANTITY	PRICE
TIE-CT100R	100 x 2.5 mm	100	£0.88
TIE-CT140R	142 x 3.2 mm	100	£1.72
TIE-CT300R	300 x 4.8 mm	100	£7.72
TIE-CT370R	368 x 4.8 mm	100	£11.72



New

**CABLE TIES
4.6 mm WIDTH
STAINLESS STEEL**

9135

PART NUMBER	SIZE	QUANTITY	PRICE
TIE-CT150SS	150 x 4.6 mm	100	£32.40
TIE-CT200SS	200 x 4.6 mm	100	£34.88
TIE-CT260SS	260 x 4.6 mm	100	£37.88
TIE-CT300SS	300 x 4.6 mm	100	£38.40
TIE-CT360SS	360 x 4.6 mm	100	£42.88
TIE-CT520SS	520 x 4.6 mm	100	£51.60
TIE-CT620SS	620 x 4.6 mm	100	£61.80



New

**CABLE TIES
7.6 mm WIDTH
STAINLESS STEEL**

9135

PART NUMBER	SIZE	QUANTITY	PRICE
TIE-CT200SSW	200 x 7.6 mm	100	£34.88
TIE-CT300SSW	300 x 7.6 mm	100	£38.40
TIE-CT360SSW	360 x 7.6 mm	100	£42.88
TIE-CT520SSW	520 x 7.6 mm	100	£51.60
TIE-CT620SSW	620 x 7.6 mm	100	£61.80

HEAT SHRINK & PROTECTIVE SLEEVE DISPENSERS

DESCRIPTION

A range of heat shrink tubing available in a conveniently packaged dispenser. It is specially designed to meet the requirements of wholesalers, distributors, repair shops or electrical workshops. Contains 2:1 ratio, 125°C flexible, flame retardant, irradiated polyolefin, heat shrink tubing with adhesive.



**HEAT SHRINK MINI BOX
BLACK 2 TO 1**

9135

PART NUMBER	AS SUPPLIED				AFTER RECOVERY				PRICE
	mm	mm	mm	mtrs	mm	mm	mm	mtrs	
GMB552116B	1.6	0.8	0.36	15					£17.80
GMB552124B	2.4	1.2	0.43	15					£18.68
GMB552132B	3.2	1.6	0.43	15					£22.40
GMB552148B	4.8	2.4	0.43	12					£23.48
GMB552164B	6.4	3.2	0.56	12					£26.20
GMB552196B	9.5	4.8	0.56	8					£24.80
GMB5521127B	12.7	6.4	0.56	8					£28.08
GMB5521191B	19.1	9.5	0.69	5					£36.20
GMB5521254B	25.4	12.7	0.76	5					£41.28

DESCRIPTION

A range of expandable braided sleeves, available in conveniently packaged dispensers. Specially designed to meet the requirements of wholesalers, distributors, repair shops and electrical workshops. Self-extinguishing, halogen free, polyester, 0.22 mm monofilament, expandable braided sleeve.




**PROTECTIVE BRAIDED SLEEVE
MINI BOX
EXPANDABLE POLYESTER
SLEEVE IN A DISPENSER**

9135

PART NUMBER	RANGE OF USE	LENGTH	PRICE
GMBPET-3	1 – 4 mm	20 m	£31.88
GMBPET-5	3 – 7 mm	20 m	£37.40
GMBPET-8	6 – 11 mm	15 m	£40.20
GMBPET-10	7 – 14 mm	15 m	£47.08
GMBPET-12	8 – 16 mm	10 m	£40.88
GMBPET-20	15 – 25 mm	10 m	£54.60


PVC TAPE



**PVC TAPE
20 METRE**

9135

PART NUMBER	SIZE	COLOUR	PRICE
TAPE-19x20-BLACK	19 mm x 20 m	Black	£1.00
TAPE-19x20-WHITE	19 mm x 20 m	White	£1.00
TAPE-19x20-RED	19 mm x 20 m	Red	£1.00
TAPE-19x20-BLUE	19 mm x 20 m	Blue	£1.00
TAPE-19x20-GREEN	19 mm x 20 m	Green	£1.00
TAPE-19x20-YELLOW	19 mm x 20 m	Yellow	£1.00
TAPE-19x20-BROWN	19 mm x 20 m	Brown	£1.00
TAPE-19x20-GREY	19 mm x 20 m	Grey	£1.00
TAPE-19x20-YEL/GREEN	19 mm x 20 m	Yellow/Green	£1.00



**PVC TAPE
33 METRE**

9135

PART NUMBER	SIZE	COLOUR	PRICE
TAPE-19x33-BLACK	19 mm x 33 m	Black	£1.80
TAPE-19x33-WHITE	19 mm x 33 m	White	£1.80
TAPE-19x33-RED	19 mm x 33 m	Red	£1.80
TAPE-19x33-BLUE	19 mm x 33 m	Blue	£1.80
TAPE-19x33-GREEN	19 mm x 33 m	Green	£1.80
TAPE-19x33-YELLOW	19 mm x 33 m	Yellow	£1.80
TAPE-19x33-BROWN	19 mm x 33 m	Brown	£1.80
TAPE-19x33-GREY	19 mm x 33 m	Grey	£1.80
TAPE-19x33-YEL/GREEN	19 mm x 33 m	Yellow/Green	£1.80



TUBE CUTTERS

4630

PART NUMBER	DESCRIPTION	PRICE
D-TC14	Cuts up to 9/16" (14 mm) tubing	£4.10



TUBE CUTTERS

PLIER TYPE

9140

PART NUMBER	DESCRIPTION	PRICE
ZPNZ12	Tube Cutter	£26.20
ZPNZ25	Tube Cutter	£28.56
ZTC2BLADES	Replacement Blade for ZPNZ-12	£7.30
ZTC3BLADES	Replacement Blade for ZPNZ-25	£10.84



TUBE CUTTERS

ROTHENBURGER CDS

9140


PART NUMBER	DESCRIPTION	PRICE
RR70027	6 mm to 35 mm	£56.20



HOSE CUTTERS

9140

PART NUMBER	DESCRIPTION	PRICE
PXC098R	Hose Cutter	£26.38
PXC099	Replacement Blade	£7.59



TUBE CUTTERS

ROTHENBURGER CDS

9140

PART NUMBER	DESCRIPTION	PRICE
RR70001	3 mm to 16 mm	£21.78

TUBE CUTTERS

- Telescopic pipe cutter
- For copper, brass, aluminium, thin walled steel pipes and plastic coated pipes
- Retractable internal deburrer and spare cutter wheel in handle
- Monoblock design
- Quick adjustment with the ratchet telescopic guide, with automatic spring driven release
- Self-clamping prevents release due to quick adjustment during the cutting process



TUBE CUTTERS

ROTHENBURGER AUTOMATIC

9140

PART NUMBER	DESCRIPTION	PRICE
RR70030	Suitable for 6 – 67 mm OD tube	£138.96

RECHARGEABLE HAND WORKLIGHTS

FEATURES

- Innovative optical lens produces an exceptional 90° floodlit work area
- Lithium-ion rechargeable battery ensures longevity of battery life
- 3 powerful magnets, 2 on the back and 1 in the base, allowing for hands free operation
- 6 position positive cam allows the lamp to bend through 180°
- Two 360° hanging hooks for use when alternatives to the magnetic function are required
- Robust, impact resistant and ergonomically designed lamp housing with wrist lanyard
- Supplied with 240 V and USB charging leads
- Built in automatic charging cut off

SPECIFICATIONS

Materials	Primarily ABS plastic
Charging time	5 hours
Operation time	3 – 7 hours
Lux	Main light: 350 lumens End torch: 80 lumens



4010

New Additions

USB RECHARGEABLE SMD HAND WORKLIGHT

PART NUMBER	DESCRIPTION	PRICE
J1800-6 SMD	Black housing, 6 SMDs complete with 1 W flashlight / torch end light	£42.66
J1800 RED	Red housing, 6 SMDs complete with 1 W flashlight / torch end light	£34.80

FEATURES

- Light head rotates 180° and pivots 120° to direct light to work area
- Lithium-ion rechargeable battery for longer life and consistent power
- Super strong magnetic base
- 360° rotating top hook
- Automatic shut-off and overcharge protection for optimum battery life
- Tough, impact resistant, ergonomic housing
- Versatile 2-in-1 charging system
- Charge from 120 V AC with included USB wall power plug
- Charge from USB charging port with included USB cord

SPECIFICATIONS

Materials	Impact resistant thermoplastic case with heat dissipating aluminium back shell
Battery	3.7 V 2200 mAh
Charging system:	
Input	100 – 240 V 50 – 60 Hz
Output	5 V 1A
Charging time	3 – 4 hours
Operation time	2.5 – 3.5 hours
Lux:	
Front COB	240 – 260 lumens
Top light	160 – 170 lumens



4010

RECHARGEABLE COB FOLDABLE LIGHT

PART NUMBER	DESCRIPTION	PRICE
J2500-HLI	3 W single strip COB LED complete with 2.4 W SMD LED top light	£72.07

FEATURES

- High capacity lithium-ion rechargeable battery for longer life and consistent power
- Strong polycarbonate lens and rubberised housing and grip
- Strong light output - around 300 lumens
- 360° rotating top hook
- Desk / wall mountable charger
- Highly polished reflector for increased light spread
- Ergonomically designed body for a comfortable grip
- Shock, water and oil resistant
- Easy to use switch even with gloves on
- In Vehicle 12 V charging lead
- IP65 (water and dust resistant)

SPECIFICATIONS

Materials	Durable, impact, shock and weather resistant thermoplastic elastomer case, hi-transparency polycarbonate lens
Battery	4400 mAh
Charging system:	
Input	100 – 240 V AC
Output	5 V DC
Charging time	4 hours
Operation time	4.5 hours after full charge
Lux	300 lumens



4010

RECHARGEABLE COB INSPECTION LAMP

PART NUMBER	DESCRIPTION	PRICE
J2000-DS02	3 W COB main light complete with 1 W end light	£75.01

FEATURES

- High capacity lithium-ion rechargeable battery for long work life
- Strong impact resistant hi-clarity polycarbonate lens
- Ergonomically designed body for a comfortable grip
- Desk charger
- Powerful magnet in the back
- Shock, water and oil resistant
- Easy to operate switch even when wearing gloves
- 150° fold away from frame

SPECIFICATIONS

Materials	Aluminium / thermoplastic elastomer case
Battery	2000 mAh
Charging system:	
Input	200 – 240 V AC 50 – 60 Hz
Output	5V / 1A DC
Charging time	3.5 hours
Operation time	3 hours minimum after full charge
Lux	200 lumens



4010

RECHARGEABLE COB FOLDABLE WORKLIGHT

PART NUMBER	DESCRIPTION	PRICE
J3000-DF05B	3 W COB main light complete with 1 W end light	£67.97

SAFETY HEADWEAR

ECONOMY FEATURES & BENEFITS

- ABS shell
- Vents to crown
- Plastic harness c/w sweatband
- Slots for attachments
- Conforms to EN397
- Lightweight

PREMIUM ADDITIONAL FEATURES & BENEFITS

- 6 point webbing harness
- Slip-ratchet headband adjustment
- Complete with terry towelling sweatband



ECONOMY VENTED SAFETY HELMET

8920

PART NUMBER	COLOUR	SIZE	PRICE
BTBBEVSHY	Yellow	One size – adjustable	£9.05
BTBBEVSHW	White	One size – adjustable	£9.05



PREMIUM VENTED SAFETY HELMET

8920

PART NUMBER	COLOUR	SIZE	PRICE
BTBBVSHY	Yellow	One size – adjustable	£16.25
BTBBVSHW	White	One size – adjustable	£16.25

FEATURES & BENEFITS

Stylish safety baseball cap with ventilation holes. Fitted over a plastic shell, providing lightweight head protection. Conforms to EN812-1997.



SAFETY BASEBALL CAP

8920

PART NUMBER	COLOUR	SIZE	PRICE
BTBBSBCR	Royal blue	One size – adjustable	£14.75
BTBBSBCN	Navy blue	One size – adjustable	£14.75
BTBBSBCBL	Black	One size – adjustable	£14.75

For E.M.C Pneumatic Products, see section 6.



HIGH VISIBILITY WORKWEAR

FEATURES & BENEFITS

- EN471 class 2
- 100% polyester
- Velcro fastening
- Reflective material



HIGH VISIBILITY WAISTCOAT SATURN YELLOW

8920

PART NUMBER	SIZE	PRICE
BTWCENGM	Medium	£4.77
BTWCENGL	Large	£4.77
BTWCENGXL	XL	£4.77
BTWCENGXXL	XXL	£4.77

FEATURES & BENEFITS

- EN471 class 2
- Polyester
- Front zip fastening
- Retro reflective bands & braces
- Two large front pockets with flaps
- Mobile phone pocket with velcro fastening flap
- Pen and pencil pockets
- Transparent ID pouch pocket
- Radio loop



EXECUTIVE WAISTCOAT SATURN YELLOW

8920

PART NUMBER	SIZE	PRICE
BTWCENGEXECL	Medium	£16.09
BTWCENGEXEL	Large	£16.09
BTWCENGEXECL	XL	£16.09
BTWCENGEXECL	XXL	£16.09

FEATURES & BENEFITS

- 30 mm attachment posts
- Airing and park positions
- Impact resistant ABS ear cups
- Suitable for working with electricity (Dielectric)
- Approved to global hearing protection standards (CE, ANSI, AUS/NZ)
- CE certified to EN352-3-2002
- SNR rating 27
- Maintains optimum and even cushion pressure
- Twin stirrup design maintains stability and attenuation performance
- Low profile reduces snagging risk
- Lightweight design
- Simple head size adjustment



8920

**ZONE 1
HELMET MOUNTED MUFF
BLACK**

PART NUMBER	SIZE	PRICE
BTZ1HME	One size – adjustable	£42.43

Helmet not included - Fits safety helmet on page 1054.

FEATURES & BENEFITS

- Adjustable headband
- SNR 27
- Conforms to EN352
- Lightweight, robust design



8920

ECONOMY EAR DEFENDERS

PART NUMBER	SIZE	PRICE
BTBBED	One size – adjustable	£6.97

FEATURES & BENEFITS

- Adjustable, fold-away headband
- Self aligned earcups
- SNR 30db
- Conforms to EN352
- Will fit into a pocket



8920

FOLDING EAR DEFENDERS

PART NUMBER	SIZE	PRICE
BTBBFED	One size – adjustable	£13.71

FEATURES & BENEFITS

- Foam disposable ear plugs
- SNR 37db
- Tested by Inspec in accordance with EN352-2:1993
- It is found to be in conformity with council directive 89/686/EEC relating to PPE




8920

**STANDARD EAR PLUGS
BOX OF 200**

PART NUMBER	SIZE	PRICE
BTBBEP	H-36 M-34 L-33	£46.20

FEATURES & BENEFITS

- Soft, absorbent foam caps
- Can be worn under the chin or behind the neck
- SNR 21
- Conforms to EN352-2
- Extremely light
- Comfortable to wear



8920

BANDED EAR PLUGS

PART NUMBER	SIZE	PRICE
BTBBBEP	H-25 M-17 L-14	£2.77

SPARE PODS

BTBBEPOD	1 x bag of 10 pairs	£21.10
----------	---------------------	--------

FEATURES & BENEFITS

- Corded foam ear plugs, disposable
- Tested by Inspec in accordance with EN352-2:1993
- It is found to be in conformity with council directive 89/686/EEC relating to PPE
- SNR 37db



8920

**STANDARD CORDED
EAR PLUGS
BOX OF 200**

PART NUMBER	SIZE	PRICE
BTBBCEP	H-36, M-34, L-33	£107.80

FEATURES & BENEFITS

- 8 curve optically correct lens
- Fully adjustable side arms with temple ratchet
- Complete with unique neck clip and cord
- Conforms to EN166 1.F
- Anti-static and scratch resistant
- Super tough nylon frame
- Anti-fog single lens and side shields
- Low impact and 99.9% UV protected



UTAH SAFETY SPECTACLES

8920

PART NUMBER	LENS COLOUR	FRAME COLOUR	PRICE
BTBBUTSBF	Clear	Blue	£6.81
BTBBUTSS2Y	Shade 2 yellow	Shade 2 grey	£6.81
BTBBUTSS2GY	Shade 2 grey	Shade 2 grey	£6.81

FEATURES & BENEFITS

- Wrap-around design
- Sleek, contoured shape
- Polycarbonate (PC lens)
- EN 166 1.F
- Ultra-lightweight
- Can be worn over prescription spectacles
- Low impact and 99.99% UV protected



VEGAS SAFETY SPECTACLES

8920

PART NUMBER	COLOUR	PRICE
BTBBVS	Clear	£3.43
BTBBVSS2Y	Yellow	£3.43
BTBBVSS2GY	Grey	£3.43

FEATURES & BENEFITS

- 10 curve single polycarbonate lens
- Fully adjustable side arms with temple ratchet
- Adjustable neck cord
- Conforms to EN166 1.F
- Lightweight with ultra soft nose bridge
- Scratch resistant lens



NEVADA SAFETY SPECTACLES

8920

PART NUMBER	LENS COLOUR	FRAME COLOUR	PRICE
BTHW1032175	Clear	Blue	£5.64
BTHW1032177	Shade 2 yellow	Blue	£5.95
BTHW1032176	Shade 2 grey	Blue	£5.64

FEATURES & BENEFITS

- 8 curve lenses
- Lightweight at just 21 g
- EN 166
- EN 170
- Stylish and comfortable
- Adjustable, non-slip bridge
- Non-slip, tip grip temples
- Anti-static



BOLLE CONTOUR SAFETY SPECTACLES

8920

PART NUMBER	LENS COLOUR	FRAME COLOUR	PRICE
BTBOCONTPSI	Clear	Bronze / Black	£18.33
BTBOCONTPSF	Smoke	Black	£20.60

FEATURES & BENEFITS

- Wrap-around design
- Sleek, contoured shape
- Polycarbonate (PC lens)
- EN 166 1.F
- Ultra-lightweight
- Non-slip, coloured, rubber tips
- Low impact and 99.99% UV protected



BOSTON SAFETY SPECTACLES

8920

PART NUMBER	LENS COLOUR	FRAME COLOUR	PRICE
BTBBBS	Clear	Clear	£2.96

For CDC push-in fittings, see section 11.



FEATURES & BENEFITS

- Durable, collapse resistant inner shell
- Yellow, colour coded straps for denoting FFP1 protection level
- Reliable, effective protection against fine particulates
- Excellent fit over a wide range of face sizes, provided by convex shape, nose clip and twin strap design
- Improved weld pattern for stronger attachment of head strap
- Comfortable, lightweight, off-the-face design

SPECIFICATIONS

Standard	EN149:2001 FFP1
Approval	CE Marked
Maximum use level	Assigned
Protection factor	4 x WEL (Nominal Protection Factor 4 x WEL)



CUP-SHAPED RESPIRATOR
PACK OF 20

8910

PART NUMBER	SIZE	PRICE
BT8710	One size – adjustable	£52.80

Sold in a sealed box to ensure optimum hygiene levels.

FEATURES & BENEFITS

- 3M Cool Flow valve reduces heat build up to offer comfortable protection, particularly in hot and humid conditions
- Durable, collapse resistant inner shell
- Yellow, colour coded straps denoting FFP1 protection level
- Reliable, effective protection against fine particulates
- Excellent fit over a wide range of face sizes, provided by convex shape, nose clip and twin strap design
- Comfortable, lightweight, off-the-face design

SPECIFICATIONS

Standard	EN149:2001 FFP1
Approval	CE Marked
Maximum use level	Assigned Protection
Factor	4 x WEL (Nominal Protection Factor 4 x WEL)



VALVED CUP-SHAPED RESPIRATOR
PACK OF 10

8910

PART NUMBER	SIZE	PRICE
BT8812	One size – adjustable	£44.00

Sold in a sealed box to ensure optimum hygiene levels.

FEATURES & BENEFITS

- Low breathing resistance filter technology gives effective filtration with low breathing resistance for consistent high quality performance
- Yellow, colour coded straps denoting FFP1 protection level
- Fold-flat, easy to store, proprietary 3 panel design accommodates facial movement for wearer comfort
- Individual hygienic packaging helps protect the respirator from contamination before use
- Smooth inner cover web and large, soft nose foam for greater comfort against the skin
- Even tensioned straps relieve pressure for a comfortable and secure fit

SPECIFICATIONS

Standard	EN149:2001 FFP1 NR D
Approval	CE Marked
Assigned Protection Factor	4



FLAT-FOLD PARTICULATE RESPIRATOR
PACK OF 20

8910

PART NUMBER	SIZE	PRICE
BT9310PLUS	One size – adjustable	£70.40

Sold in a sealed box to ensure optimum hygiene levels.

FEATURES & BENEFITS

- Low breathing resistance filter technology gives effective filtration with low breathing resistance for consistent high quality performance
- 3M Cool Flow exhalation valve offers improved comfort in hot and/or humid environments and where work is physically demanding
- Yellow, colour coded straps denoting FFP1 protection level
- Fold flat, easy to store, proprietary 3 panel design accommodates facial movement for wearer comfort
- Individual hygienic packaging helps protect the respirator from contamination before use
- Smooth inner cover web and large, soft nose foam for greater comfort against the skin
- Even tensioned straps relieve pressure for a comfortable and secure fit

SPECIFICATIONS

Standard	EN149:2001 FFP1 NR D
Approval	CE Marked
Assigned Protection Factor	4



VALVED FLAT-FOLD PARTICULATE RESPIRATOR
PACK OF 10

8910

PART NUMBER	SIZE	PRICE
BT9312PLUS	One size – adjustable	£55.00

Sold in a sealed box to ensure optimum hygiene levels.

FEATURES & BENEFITS

- Polypropylene (P.P) outer layer provides smooth lining and avoids loose fibres
- Latex free, synthetic rubber head strap
- EN149:2001
- Embossed fringe seal avoids fluffy open layers around the edges
- Contour design ensures the compatibility of glasses / goggles and reduces fogging
- Soft, close-cell nose foam and adjustable nosepiece ensure custom shape and increase the worker comfort and acceptance



P2 MASK
PACK OF 20

8910

PART NUMBER	SIZE	PRICE
BTBBP2	One size – adjustable	£37.84

Sold in a sealed box to ensure optimum hygiene levels.

FEATURES & BENEFITS

- Polypropylene (P.P) outer layer provides smooth lining and avoids loose fibres
- Latex free, synthetic rubber head strap
- EN149:2001
- For hazard types: Toxic dusts, fumes and water-based mists
Example: Working with hardwood, glass fibres and plastic (non PVC), metalworking and welding. Protection level FFP2S with exhalation valve MUJ/OEL 10xOEL
- Embossed fringe seal avoids fluffy open layers around the edges
- Contour design ensures the compatibility of glasses / goggles and reduces fogging
- Soft, close-cell nose foam and adjustable nosepiece ensure custom shape and increase the worker comfort and acceptance



P2 VALVED MASK
PACK OF 10

8910

PART NUMBER	SIZE	PRICE
BTBBP2V	One size – adjustable	£21.12

Sold in a sealed box to ensure optimum hygiene levels.

FEATURES & BENEFITS

- Pre-assembled ready mask c/w A1P2 filters
- Face piece produced from soft, non-allergic type material
- Provides excellent fit to aid protection
- Low profile design offers improved field of vision



TWIN FILTER
A1P2 READY MASK
C/W FILTERS

8910

PART NUMBER	SIZE	PRICE
BTBB3020	One size – adjustable	£38.50

Sold in a sealed box to ensure optimum hygiene levels.

FEATURES & BENEFITS

- Provides excellent fit to aid protection
- Low profile design offers improved field of vision
- Pre-assembled ready mask c/w ABEK filters
- Face piece produced from soft non-allergic type material
- For protection against organic gases and vapours with boiling point >65°C, inorganic gases and vapours, sulphur dioxide ammonia and organic ammonia derivatives
- EN140
- EN14387



TWIN FILTER
ABEK READY MASK
C/W FILTERS

8910

PART NUMBER	SIZE	PRICE
BTBB3030	One size – adjustable	£48.18

Sold in a sealed box to ensure optimum hygiene levels.

FEATURES & BENEFITS

- Unique "Big Eye" design provides very low breathing resistance due to the increased filtration area
- Polypropylene (P.P) outer layer provides smooth lining and avoids loose fibres
- Adjustable head strap ensures the best facial seal with minimum leakage
- Full facial close-cell foam and adjustable nosepiece to ensure custom shape and increase the worker comfort and acceptance
- Protection level FFP3 with exhalation valve
- EN149:2001
- Embossed fringe seal avoids fluffy open layers around the edges
- Contour design ensures the compatibility of glasses / goggles and reduces fogging
- Soft, close-cell nose foam and adjustable nosepiece ensure custom shape and increase the worker comfort and acceptance



P3 VALVED MASK
PACK OF 5

8910

PART NUMBER	SIZE	PRICE
BTBBP3V	One size – adjustable	£22.44

Sold in a sealed box to ensure optimum hygiene levels.

FEATURES & BENEFITS

- Allows touch sensitive work to be carried out with ease.
- EN44-1 (ALQ - 1.5)



**WHITE LATEX
DISPOSABLE GLOVES
BOX OF 100**

8900

PART NUMBER	SIZE	PRICE
BTLEGM/100	08 / Medium	£11.94
BTLEGL/100	09 / Large	£11.94
BTLEGXL/100	10 / XL	£12.74

FEATURES & BENEFITS

- Natural rubber coated palm
- Knitted area on back of glove to aid breathability and comfort
- EN388 2-2-4-3



**MULTI-PURPOSE GLOVES
BLACK**

8900

PART NUMBER	SIZE	PRICE
BTMP1BLM	08 / Medium	£2.99
BTMP1BLL	09 / Large	£2.99
BTMP1BLXL	10 / XL	£2.99

FEATURES & BENEFITS

- Conforms to Department of Health Standard. Allows touch sensitive work to be carried out with ease.



**WHITE LATEX POWDER FREE
DISPOSABLE GLOVES
BOX OF 100**

8900

PART NUMBER	SIZE	PRICE
BTLEGPM/100	08 / Medium	£12.74
BTLEGPL/100	09 / Large	£12.74
BTLEGPXL/100	10 / XL	£12.74

FEATURES & BENEFITS

- Natural rubber coated palm
- Knitted area on back of glove to aid breathability and comfort
- EN388 2-2-4-3



**MULTI-PURPOSE GLOVES
GREEN**

8900

PART NUMBER	SIZE	PRICE
BTMP1GM	08 / Medium	£2.99
BTMP1GL	09 / Large	£2.99
BTMP1GXL	10 / XL	£2.99

FEATURES & BENEFITS

- High quality, disposable product
- Liquid proof
- Ideal for general lightweight handling, including foodstuffs



**BLUE NITRILE POWDER FREE
DISPOSABLE GLOVES
BOX OF 100**

8900

PART NUMBER	SIZE	PRICE
BTNDGPFM/100	08 / Medium	£12.71
BTNDGPFL/100	09 / Large	£12.71
BTNDGPFXL/100	10 / XL	£12.71

FEATURES & BENEFITS

- Natural rubber coated palm
- Knitted area on back of glove to aid breathability and comfort
- EN388 2-2-4-3



**MULTI-PURPOSE GLOVES
ORANGE**

8900

PART NUMBER	SIZE	PRICE
BTMP1ORM	08 / Medium	£2.99
BTMP1ORL	09 / Large	£2.99
BTMP1ORXL	10 / XL	£2.99

FEATURES & BENEFITS

- 100% Nylon seamless shell with nitrile coated palm and fingers
- Ventilated back
- Lightweight for maximum dexterity and comfort with sensitivity
- Suitable for general assembly handling and engineering applications
- Conforms to EN388 2-1-2-1



NITE STAR BLACK GLOVES
BLACK

8900

PART NUMBER	SIZE	PRICE
BTNDGBL08	08 / Medium	£2.64
BTNDGBL09	09 / Large	£2.64
BTNDGBL10	10 / XL	£2.64

FEATURES & BENEFITS

- Chrome palm, thumb, index finger & knuckle strip
- Drill back
- Rubberised cuff
- Lined palm & fingers
- CE Minimal Risk



CANADIAN CHROME
HIGH QUALITY
RED / CHROME

8900

PART NUMBER	SIZE	PRICE
BTCANCHQ	10 / XL	£4.40

FEATURES & BENEFITS

- Heavy duty coated glove, offering excellent protection in the more aggressive industrial applications
- The soft jersey liner keeps the hand comfortable, while the rugged Nitrile coating resists puncture cuts and abrasions
- Cat II EN388 4-2-2-1



NITRILE FULLY COATED
KNITWRIST HEAVY WEIGHT
BLUE

8900

PART NUMBER	SIZE	PRICE
BTNKWFCHW10	10 / XL	£5.46

FEATURES & BENEFITS

For those heavy jobs where added protection is essential. Two layers of well tanned, contrast coloured leather combine where it is most needed - across the palm, around the forefinger and across the thumb face to give tough, yet supple support.

Generously sized and superbly comfortable, with a highly visible coloured back/safety cuff. Conforms to EN388 4-2-3-4



CANADIAN DOUBLE PALM
HIGH QUALITY RIGGER
GOLD / CHROME

8900

PART NUMBER	SIZE	PRICE
BTCANDPP	One Size	£7.66

FEATURES & BENEFITS

- Nylon fibre knitted glove
- Comfort fit
- Offering excellent dexterity
- PVC Dots to palm area for added grip
- Cat II EN388 2-1-4-2



TRONIX BLUE DOT GLOVES
WHITE / BLUE

8900

PART NUMBER	SIZE	PRICE
BTTBDM	08 / Medium	£2.20
BTTBDL	09 / Large	£2.20

FEATURES & BENEFITS

- Conforms to EN388 3-5-4-4 Mechanical Hazards:
- 3-Abrasion
- 5-Cut Resistance
- 4-Tear Resistance
- 4-Puncture



KEVLAR LATEX GLOVES
BLUE

8900

PART NUMBER	SIZE	PRICE
BTKLGL	09 / Large	£19.71

FEATURES & BENEFITS

- Knitted base
- PVC criss cross coating
- Multi-purpose glove, offering excellent grip
- Cat II EN388 1-1-3-1



CRISS CROSS GLOVES
ORANGE

8900

PART NUMBER	SIZE	PRICE
BTXX	10 / XL	£2.42

FEATURES & BENEFITS

- Fully coated PVC glove
- Stockinette liner
- Elasticated cuff
- Cat II EN388 4-1-1-1



**PVC FULLY COATED KNITWRIST
RED**

8900

PART NUMBER	SIZE	PRICE
BTPVCFCKWR10	10 / XL	£2.42

FEATURES & BENEFITS

- Cut resistant liner
- Micro foam and nitrile coating
- EN388 4-5-4-2



**MICRO FOAM NITRILE CUT
LEVEL 5
BLACK**

8900

PART NUMBER	SIZE	PRICE
BTKS5L	09 / Large	£14.21

FEATURES & BENEFITS

- CAT 2 EN388 4-1-2-1



**PVC
GAUNTLET
RED**

8900

PART NUMBER	LENGTH	SIZE	PRICE
BTPVCR11	11"	10 / XL	£3.08
BTPVCR14	14"	10 / XL	£3.48
BTPVCR16	16"	10 / XL	£3.96
BTPVCR18	18"	10 / XL	£4.62

FEATURES & BENEFITS

- High engineered nylon yarn with glass fibre, PU coating
- EN388
- Abrasion – 4
- Blade cut – 5
- Tear – 4
- Puncture – 2



**GLASS FIBRE PU CUT LEVEL 5
BLACK**

8900

PART NUMBER	SIZE	PRICE
BTKGFPU5L	09 / Large	£13.20

FEATURES & BENEFITS

- Finger welts
- Fully lined, including cuff
- EN388 3-2-3-3
- EN407 4-2-3-4



**WELDERS GAUNTLET
RED**

8900

PART NUMBER	LENGTH	SIZE	PRICE
BTC2W	14"	10 / XL	£11.84

FEATURES & BENEFITS

- Nylon glove
- Polyurethane palm coated
- Machine knitted
- Integral elasticated wrist
- Score: 4-1-3-1



**PUGGIES
PU COATED GLOVES
BLACK**

8900

PART NUMBER	SIZE	PRICE
BTPUGBLM	08 / Medium	£2.64
BTPUGBLL	09 / Large	£2.64
BTPUGBLXL	10 / XL	£2.08

GREY

BTPUGGYM	08 / Medium	£2.38
BTPUGGYL	09 / Large	£2.38
BTPUGGYXL	10 / XL	£2.38