ADHESIVES AND ACCESSORIES



1048

BONDLOC
Adhesives & Sealants



1052

LOCTITE
Adhesives & Sealants



1053

AMBERSIL Cleaners, Lubricants & Metalworking Products



1062

RUST-OLEUM
Paints & Coatings



1065

PARKAIR
Oils & Sundries



1066

PARKAIR Seal Kits & Washers

Ш Z O

ADHESIVES AND ACCESSORIES



1067

PARKAIR Cable Ties



1068

PARKAIR Heat Shrink & Protective Sleeve Dispensers



1068

PARKAIR PVC Tape



1069

PARKAIR Cutters



1070

REDASHE Rechargeable LED Lights





1071

PARKAIR & 3M Personal Protective Equipment TINO NO





ANAEROBICS

B222 SCREWLOCK

B222 is ideal for low-strength threadlocking of adjusting screws, countersunk head screws and set screws, very good on low strength metals which could break during disassembly.

| SPECIFICATIONS |
|----------------|
|----------------|

| Strength | Low |
|----------------------------|-----------------|
| Breakaway torque M10 bolts | 6 Nm |
| Service temperature range | -55°C to +150°C |
| Viscosity Brookfield | 900 - 1500 cps |
| Colour | Purple |
| Max. thread size | M6 |



3010

B222 SCREWLOCK

| PART NUMBER | SIZE | PRICE |
|---------------|------------|---------|
| BL-B222-10ML | 10 ml | £8.84 |
| BL-B222/25ML | 25 ml | £18.87 |
| BL-B222C-25ML | 25 ml CLAM | £21.42 |
| BL-B222/50ML | 50 ml | £37.77 |
| BL-B222C-50ML | 50 ml CLAM | £40.32 |
| BL-B222-250ML | 250 ml | £168.91 |

B270 STUDLOCK

B270 Studlock is a permanent, green coloured, general purpose adhesive for permanent threaded assemblies. B270 locks studs up to 1", sealing against leakage and corrosion. It is chemical resistant, resisting fuels, lubricants and most industrial liquids and gases.

SPECIFICATIONS

| Strength | High |
|----------------------------|-----------------|
| Breakaway torque M10 bolts | >33 Nm |
| Service temperature range | -55°C to +180°C |
| Viscosity Brookfield | 400 - 600 cps |
| Colour | Green |
| Max. thread size | M20 |



3010

B270 STUDLOCK

| PART NUMBER | SIZE | PRICE |
|---------------|------------|---------|
| BL-B270-10ML | 10 ml | £8.84 |
| BL-B270/25ML | 25 ml | £18.87 |
| BL-B270C-25ML | 25 ml CLAM | £21.42 |
| BL-B270/50ML | 50 ml | £37.77 |
| BL-B270C-50ML | 50 ml CLAM | £40.32 |
| BL-B270-250ML | 250 ml | £168.91 |

B243 NUTLOCK

B243 is a blue medium strength oil tolerant general purpose threadlocking anaerobic, designed to be used on parts in an "as received" condition, such as those with protective films (engine oils, cutting fluids and corrosion prevention), etc.

SPECIFICATIONS

| Strength | Medium |
|----------------------------|-----------------|
| Breakaway torque M10 bolts | 25 Nm |
| Service temperature range | -55°C to +180°C |
| Viscosity Brookfield | 2500 - 3000 cps |
| Colour | Blue |
| Max Thread size | M6 – M20 |



B542 HYDRAULIC SEAL

B542 is a medium strength, fast curing Hydraulic Thread Sealant. Provides an instant low-pressure seal and is resistant to fuel, oil, coolants, and hydraulic fluids.

SPECIFICATIONS

| Strength | Medium |
|----------------------------|-----------------|
| Breakaway torque M10 bolts | 15Nm |
| Service temperature range | -55°C to +150°C |
| Viscosity Brookfield | 400 - 800 cps |
| Colour | Brown |
| Max Thread size | M36 |
| | |



3010

B243 NUTLOCK

| PART NUMBER | SIZE | PRICE |
|---------------|------------|---------|
| BL-B243-10ML | 10 ml | £8.84 |
| BL-B243/25ML | 25 ml | £18.87 |
| BL-B243C-25ML | 25 ml CLAM | £21.42 |
| BL-B243/50ML | 50 ml | £37.77 |
| BL-B243C-50ML | 50 ml CLAM | £40.32 |
| BL-B243-250ML | 250 ml | £168.91 |

B542 HYDRAULIC SEAL

New

| PART NUMBER | SIZE | PRICE |
|---------------|------------|---------|
| BL-B542/10ML | 10 ml | £8.84 |
| BL-B542/25ML | 25 ml | £18.87 |
| BL-B542C-25ML | 25 ml CLAM | £21.42 |
| BL-B542/50ML | 50 ml | £37.77 |
| BL-B542C-50ML | 50 ml CLAM | £40.32 |
| BL-B542/250ML | 250 ml | £168.91 |

B574 INSTANT GASKET

B574 is an instant gasket material that forms in place, making almost any size and shape, replacing paper, cork, etc. It eliminates relaxation and loads loss. The assembled parts are usually suitable for immediate low pressure (6 bar) service and once cured, can resist 350 bar pressure, depending on gap size.

SPECIFICATIONS

| Strength | Medium |
|---------------------------|---------------------------|
| Service temperature range | -55°C to +150°C |
| Viscosity Brookfield | 30,000 - 50,000 cps |
| Colour | Orange |
| Gap fill | 0.3 mm |
| Shear strength | 5 – 8.5 N/mm ² |



B574 INSTANT GASKET


| PART NUMBER | SIZE | PRICE |
|---------------|------------|---------|
| BL-B574/50ML | 50 ml | £24.14 |
| BL-B574C-50ML | 50 ml CLAM | £26.62 |
| BL-B574/250ML | 250 ml | £153.00 |

B603 RETAINER

B603 is an oil tolerant retainer and is designed for direct application onto parts where a light oily film exists or where surrounding parts' contamination is a problem in maintenance.

SPECIFICATIONS

| High |
|-----------------------|
| >22 N/mm ² |
| -55°C to +150°C |
| 100 - 150 cps |
| Green |
| 0.15 mm |
| |





| PART NUMBER | SIZE | PRICE |
|---------------|--------|---------|
| BL-B603/10ML | 10 ml | £8.84 |
| BL-B603/50ML | 50 ml | £37.77 |
| BL-B603/250ML | 250 ml | £168.91 |



ADHESIVES & SEALANTS



ANAEROBICS

B577 PIPE SEAL

B577 Pipe Seal is a high viscosity thixotropic gel paste, which cures rapidly, sealing instantly to 10 bar through its anaerobic cure system when in contact with metals in the absence of air (oxygen). When fully cured, it resists pressure up to 350 bar. B577 is not suitable for oxygen systems. Good chemical/solvent resistance to ethanol, motor oil, unleaded petrol, acetone and brake fluid.

| SP | EC | IFI | CA | ιTΙ | 10 | ıs |
|----|----|-----|----|-----|----|----|
| | | | | | | |

| Strength | Medium |
|--------------------------------|-------------------------------|
| Breakaway torque M10 bolts | 11 Nm |
| Service temperature range | -55°C to +180°C |
| Viscosity Brookfield | 80,000 - 90,000 cps |
| Colour | Yellow |
| Max Thread size | M80 |
| Viscosity Brookfield Colour | 80,000 – 90,000 cps Yellow |



3010

B577 PIPE SEAL

| PART NUMBER | SIZE | PRICE |
|---------------|------------|---------|
| BL-B577/50ML | 50 ml | £25.23 |
| BL-B577C-50ML | 50 ml CLAM | £27.74 |
| BL-B577/250ML | 250 ml | £125.36 |

B641 BEARING FIT

Bearing Fit B641 is a single part anaerobic securing compound, designed for fitting cylindrical metal assemblies and cures when confined between the parts. B641 will secure all types and sizes of bearings, shafts and cylindrical parts which will require disassembly in the future. B641 is of medium strength and is colour coded yellow for job identification.

SPECIFICATIONS

| Strength | Medium |
|---------------------------|-----------------|
| Static shear strength | >6 N/mm2 |
| Service temperature range | -55°C to +150°C |
| Viscosity Brookfield | 400 - 800 cps |
| Colour | Yellow |
| Gap fill | 0.1 mm |
| | |



New

B641 BEARING FIT

| PART NUMBER | SIZE | PRICE |
|---------------|------------|---------|
| BL-B641/10ML | 10 ml | £8.84 |
| BL-B641/25ML | 25 ml | £18.87 |
| BL-B641C-25ML | 25 ml CLAM | £21.42 |
| BL-B641/50ML | 50 ml | £37.77 |
| BL-B641/250ML | 250 ml | £168.91 |

B648 RETAINER

B648 is recommended for high strength securing where continuous working temperature is rated up to 180°C. B648 is a medium viscosity retainer dealing with gaps of 0.15 mm. B648 is used for securing all types of cylindrical parts, such as bearings, gears, splines, pulleys, keyways and set screws suitable for press fits or slip fits. B648 reduces fatigue life by eliminating stresses in the assembly.

SPECIFICATIONS

| Strength | High |
|---------------------------|-----------------------|
| Shear strength | >26 N/mm ² |
| Service temperature range | -55°C to +180°C |
| Viscosity Brookfield | 400 - 600 cps |
| Colour | Green |
| Gap fill | 0.15 mm |





B648 RETAINER

| PART NUMBER | SIZE | PRICE |
|---------------|--------|---------|
| BL-B648/10ML | 10 ml | £8.84 |
| BL-B648/50ML | 50 ml | £37.77 |
| BL-B648/250ML | 250 ml | £168.91 |
| | | |

B7649 ANAEROBIC ACTIVATOR

B7649 speeds cure of all anaerobic fluids and pastes and extends cure through volume. Use B7649 when materials are inactive (passivated metals) or where temperature is under 15°C.

- Activates anaerobic adhesives
- · Accelerates cure time
- · Recommended for passive metals or inert surfaces

SPECIFICATIONS

| Colour | Yellow to amber |
|---------|-----------------|
| Solvent | Heptane based |



B7649 ANAEROBIC ACTIVATOR

| PART NUMBER | SIZE | PRICE |
|----------------|--------|--------|
| BL-B7649/200ML | 200 ml | £22.10 |

Acetoxy

Paste

-40°C to +300°C

See table below

SEALANTS

B5299 HIGH TEMP RTV

B5299 RTV is a single component, high modulus, acetoxy curing silicone sealant / adhesive that vulcanises at room temperature to provide a permanently flexible seal and bond. Forms a tough, flexible gasket / seal that resists ageing, weathering and thermal cycling without hardening. Ideal for oil pans, transmission pans, differential covers, timing gears and valve covers. Suitable for sealing aluminium and metal ducting, refrigeration applications and hygiene seals.







B5299 HIGH TEMP RTV

B5299 SPECIFICATIONS

Service temperature range

Base

Colour

Viscosity

DOWERCAN

New

| OWENDAN | | | 3010 |
|---------------|--------|--------|--------|
| PART NUMBER | SIZE | COLOUR | PRICE |
| BL-B5299/PCR | 200 ml | Red | POA |
| BI -B5299/PCB | 200 ml | Black | £32.88 |



B5299 HIGH TEMP RTV

CARTRIDGE

| PART NUMBER | SIZE | COLOUR | PRICE |
|-----------------|--------|--------|--------|
| BL-B5299/310ML | 310 ml | Red | £15.54 |
| BL-B5299/310MLB | 310 ml | Black | £26.42 |



3015

3015

STRUCTURAL ADHESIVES

B2001 METAL EPOXY STICK

B2001 is a steel-filled epoxy putty for general maintenance and repairs. For filling, rebuilding and bonding metal surfaces. Can be sanded, drilled and painted once cured.

SPECIFICATIONS

| Continuous Intermittent | +121°C +149°C |
|----------------------------|------------------|
| Viscosity Brookfield | Putty |
| Colour | Black turns to |



B2001 METAL EPOXY STICK

| PART NUMBER | SIZE | PRICE |
|---------------|-----------|--------|
| BL-B2001/50GM | 50 g | £5.84 |
| BL-B2001C-50G | 50 g CLAM | £7.32 |
| BL-B2001/114G | 114 g | £15.38 |

B2011 FPOXY RESIN

B2011 is a 2 Part cold curing epoxy adhesive, delivering a tough, resilient bond on a wide variety of surfaces, including steel, aluminium, and calvanised iron.

SPECIFICATIONS

| 0. 20 | |
|----------------------|----------------|
| Mix ratio | 1:1 |
| Viscosity Brookfield | Viscous liquid |
| Working time | <30 minutes |
| Fixture time | <1 hour |
| Colour | Clear |



* For use with BL-GUN/50ML mixer gun

B2011 EPOXY RESIN

1 HOUR CURE

| PART NUMBER | SIZE | PRICE |
|---------------|-------|--------|
| BL-B2011/25ML | 25 ml | £4.58 |
| BL-B2011/50ML | 50 ml | £12.64 |

B2002 ALUMINIUM EPOXY STICK

B2002 Aluminium Epoxy Stick moulds like clay and may be used to permanently patch dents, scratches, cuts, gouges and holes in items, such as housings and all types of repairs to mouldings and injection type shapes. Aluminium Stick is ideal for making emergency repairs to reforming, rebuilding and patching anything made out of aluminium, such as HVAC parts, refrigeration units, air conditioning units, machine parts, alu-roofing and siding, flagpoles, shelving, platforms, walkways, campers, road vehicles, canopies, gutters, truck and trailer bodies, wheels, manifolds, stripped threads, marine hardware and casings.

SPECIFICATIONS

| Temperature resistance | +120°C |
|------------------------|--------------|
| Viscosity Brookfield | Putty |
| Colour | Light silver |





B2002 ALUMINIUM EPOXY STICK

| PART NUMBER | SIZE | PRICE |
|---------------|-----------|--------|
| BL-B2002/50G | 50 g | £5.84 |
| BL-B2002C-50G | 50 g CLAM | £7.32 |
| BL-B2002/114G | 114 g | £15.38 |

B2012 EPOXY RESIN

B2012 is a two part, rapid, cold curing epoxy adhesive. Bonds a variety of substrates including steel, aluminium and galvanised steel.

SPECIFICATIONS

| 1:1 |
|----------------|
| Viscous liquid |
| <3 minutes |
| <5 minutes |
| Clear |
| |



* For use with BL-GUN/50ML mixer gun

B2012 EPOXY RESIN

5 MINUTE CURE

| PART NUMBER | SIZE | PRICE |
|-----------------|-------|--------|
| BL-B2012/25ML | 25 ml | £4.58 |
| *RI -R2012/50MI | 50 ml | £12 64 |

B2003 PLASTIC EPOXY STICK

B2003 Plastic Epoxy Stick moulds like clay and may be used to permanently patch dents, scratches, cuts, gouges and holes in fibreglass, bumper plastic, white goods. The unused portion will remain stable for years if protected from direct contact with the air, in cool conditions.

SPECIFICATIONS

| Temperature resistance | +120°C |
|------------------------|------------|
| Viscosity Brookfield | Putty |
| Colour | Light blue |





B2003 PLASTIC EPOXY STICK

| PART NUMBER | SIZE | PRICE |
|---------------|-----------|--------|
| BL-B2003/50GM | 50 g | £5.84 |
| BL-B2003C-50G | 50 g CLAM | £7.32 |
| BL-B2003/114G | 114 g | £15.38 |

B3294 PLASTIC WELD

A toughened structural methacrylate adhesive formulated for bonding dissimilar substrates as well as unprepared metals, ceramics, composite, concrete and standard thermoset plastics. The final adhesive bond is designed to be load bearing and resistant to weathering, humidity and wide temperature variations.

SPECIFICATIONS

| OI LOII IOATIONO | |
|-------------------------|--------------|
| Colour | Off white |
| Thixotropic/non-sagging | Plastic weld |
| Working time | 5 minutes |
| Fixture time | 12 minutes |



B3294 PLASTIC WELD

| PART NUMBER | SIZE | PRICE |
|----------------|------------|-------|
| BL-B3294/25ML | 25 ml | £6.12 |
| BL-B3294C-25ML | 25 ml CLAM | £7.62 |



MIXER GUN

| PART NUMBER | DESCRIPTION | PRICE |
|-------------|-----------------------|--------|
| BL-GUN/50ML | 2 Part 1:1 Manual Gun | £34.00 |





ADHESIVES & SEALANTS



CYANOACRYLATES

B415 INSTANT ADHESIVE

A high viscosity methyl based product that is good for where high humidity is present. Designed for metal bonding, it can also be used for general purpose applications.

SPECIFICATIONS

| Base | Methyl |
|------------------------------|-------------------|
| Appearance | Clear, colourless |
| Density | 1.06 |
| Shelf life | 12 months |
| Viscosity Brookfield at 25°C | 1200-1800 cps |





3010

B415 INSTANT ADHESIVE

| PART NUMBER | SIZE | PRICE |
|--------------|-----------|--------|
| BL-B415/20GM | 20 g | £28.83 |
| BL-B415C-20G | 20 g CLAM | £31.35 |
| BL-B415/50G | 50 g | £70.48 |

B454 INSTANT ADHESIVE

A non drip gel designed for difficult to bond materials which require uniform stress distribution and strong tension/shear strength. Ideal for vertical or overhead applications.

SPECIFICATIONS

| Ester base | Ethyl-2-cyanoacrylate |
|------------------------------|-----------------------|
| Appearance | Clear, colourless |
| Density | 1.1 |
| Shelf life | 12 months |
| Viscosity Brookfield at 25°C | Gel |



3010

B454 INSTANT ADHESIVE

| PART NUMBER | SIZE | PRICE |
|--------------|-----------|--------|
| BL-B454C-20G | 20 g CLAM | £31.79 |

B480 INSTANT ADHESIVE

A black cyanoacrylate, rubber toughened with increased flexibility and peel strength along with enhanced resistance to shock.

SPECIFICATIONS

| Ester base | Ethyl-2-cyanoacrylate |
|------------------------------|-----------------------|
| Appearance | Black |
| Density | 1.06 |
| Shelf life | 12 months |
| Viscosity Brookfield at 25°C | 350-450 cps |





B7455 CYANOACRYLATE ACTIVATOR

B7455 activator is used for the fast curing of cyanoacrylates, depositing a correct balance of neutralising ions on the surface, stimulating attraction for the adhesive and preparing the surface for bonding.

SPECIFICATIONS

| Colour | Slightly off white/amber |
|------------------------------|--------------------------|
| Cure speed | <10 secs |
| Max. operating temp. | -5°C to +25°C |
| Shelf life | 18 months |
| Viscosity Brookfield at 25°C | <10 cps |



B480 INSTANT ADHESIVE

| PART NUMBER | SIZE | PRICE |
|--------------|------|--------|
| BL-B480/20GM | 20 g | £28.83 |
| BL-B480/50GM | 50 g | £70.48 |

B7455 CYANOACRYLATE

ACTIVATOR

| PART NUMBER | SIZE | PRICE |
|-----------------|--------|--------|
| BI -B7455/200MI | 200 ml | £15.95 |

B401 INSTANT ADHESIVE

B401 is suitable for difficult to bond surfaces, including metals, plastics, wood, ceramics, rubber, leather, card, glass and many other materials.

SPECIFICATIONS

| Ester base | Ethyl-2-cyanoacrylate | |
|------------------------------|-----------------------|--|
| Appearance | Clear, colourless | |
| Density | 1.06 | |
| Shelf life | 12 months | |
| Viscosity Brookfield at 25°C | 90-120 cps | |





3010

B406 INSTANT ADHESIVE

B406 is designed for bonding rubbers, plastics and elastomeric materials. Ideal for O-rings and where a rapid fixture is required.

SPECIFICATIONS

| Ester base | Ethyl-2-cyanoacrylate |
|------------------------------|-----------------------|
| Appearance | Clear, colourless |
| Density | 1.06 |
| Shelf life | 12 months |
| Viscosity Brookfield at 25°C | 25-35 cps |



B406 INSTANT ADHESIVE

| 406 INSTANT A | DHESIVE | 3010 |
|---------------|-----------|--------|
| PART NUMBER | SIZE | PRICE |
| BL-B406/20GM | 20 g | £25.02 |
| BL-B406C-20G | 20 g CLAM | £27.54 |
| BL-B406/50G | 50 g | £58.04 |



| PART NUMBER | SIZE | PRICE |
|--------------|-----------|--------|
| BL-B401/20GM | 20 g | £25.02 |
| BL-B401C-20G | 20 g CLAM | £27.54 |
| BL-B401-50G | 50 g | £58.04 |





PIPE AND THREAD SEALING - SEALING OF THREADED COMPONENTS

FEATURES & BENEFITS

- · Provides a high pressure seal for all types of pipe connections
- · Will not creep, shrink or block systems (including filters) by shredding
- · Disassembly can be achieved easily with normal tools

Replaces all tapes and hemp/paste combinations

55 SERIES

• Fittings can be backed off up to 45° for alignment without fear of leakage · WRAS approval for drinking water and approved for use on gas fittings Tested to 4" Maximum thread size Temperature resistance ±130°C

| remperature resistance | 1100 0 |
|---------------------------|--|
| Substrate to be sealed | Metal, plastic or both |
| Instant low pressure seal | Yes (full pressure) on taper/parallel fittings |
| | |



3000

55 SERIES 50 M

| PART NUMBER | SIZE | DISASSEMBLY STRENGTH | PRICE |
|-------------|------|----------------------|-------|
| LT55-50 | 50 m | Low | £6.25 |

542 SERIES - HYDRAIII IC & PNEUMATIC

| 342 OLIVILO - ITI DIVAGLIO G | INCOMATIO |
|------------------------------|-----------|
| Maximum thread size | 3/4" |
| Temperature resistance | +150°C |
| Substrate to be sealed | Metal |
| Instant low pressure seal | No |
| | |



3000

542 SERIES HYDRAULIC & PNEUMATIC

577 SERIES - GENERAL PURPOSE

50 ML

| PART NUMBER | SIZE | DISASSEMBLY STRENGTH | PRICE |
|-------------|-------|----------------------|--------|
| LT542-5 | 50 ml | Medium | £53.74 |

3"

+180°C Metal

Yes on taper / parallel fittings

572 SERIES - SLOW CURE

| Maximum thread size | 3" |
|---------------------------|----------------------------------|
| Temperature resistance | +150°C |
| Substrate to be sealed | Metal |
| Instant low pressure seal | Yes on taper / parallel fittings |



577 SERIES GENERAL PURPOSE

Maximum thread size

Temperature resistance

Substrate to be sealed Instant low pressure seal

50 ML

| PART NUMBER | SIZE | DISASSEMBLY STRENGTH | PRICE |
|-------------|--------|----------------------|---------|
| LT577-5 | 50 ml | Medium | £37.23 |
| LT577-250 | 250 ml | Medium | £131.62 |

572 SERIES SLOW CURE 50 ML

| PART NUMBER | SIZE | DISASSEMBLY STRENGTH |
|-------------|-------|----------------------|
| LT572-5 | 50 ml | Medium |

PRICE £29.52

SILICONE SEALANT

DESCRIPTION

 LOCTITE® 5366™ becomes tack free on exposure to atmospheric moisture within 5 minutes at 23±2°C / 50±5%RH.

5366 SERIES

| Chemical type | Acetoxy silicone |
|----------------------|------------------------------------|
| Appearance (uncured) | Clear paste |
| Components | One component – requires no mixing |
| Cure | Room temperature vulcanising (RTV) |
| Application | Bonding or sealing |

5366 SERIES

| 310 ML | | 3000 |
|-------------|--------|--------|
| PART NUMBER | SIZE | PRICE |
| LT5366 | 310 ml | £19.19 |

SI 5366

HESIVE/SEALANT / KLEB- UND DICHTSTOFF

HYBRID ADHESIVE

DESCRIPTION

- LOCTITE® HY4070™ is a two component, hybrid adhesive that provides
- a fast fixture at room temperature in bond gaps up to 5 mm (0.2")
- · Excellent bonding characteristics to a variety of substrates, including most plastics, rubbers, and metals

5366 SERIES

| Chemical type | Part A: Cyanoacrylate, Part B: Methacrylate |
|---------------|--|
| Appearance | Part A: Transparent, cloudy, colourless to pale yellow Part B: Clear, colourless to slightly yellow liquid |
| Components | Two components – requires mixing |
| Cure | Two component cure after mixing |
| Application | Bonding |

4070 SERIES

11 G

| | | 3000 |
|-------------|------|--------|
| PART NUMBER | SIZE | PRICE |
| LT4070-11G | 11 g | £29.16 |



3020

CLEANERS

3020

3020

3020



AMBERCLENS FG

- NSF A1 registered (N° 137995)
- · Stable, non-dripping foam
- Foaming action helps break down soiling for effective cleaning
- · Cleans equipment, metal parts and machinery
- Biodegradable



AMBERCLENS FG

NSF A1 FOAM CLEANER

| PART NUMBER | SIZE | PRICE |
|--------------------|--------|-------|
| AMB-30241-AA-500ML | 500 ml | £9.95 |

DEGREASER RTU

- Removes tough, stubborn soiling such as heavy oil, grease, grime, silicones, wax and old lubricants
- Safe for use on most plastics, rubber and painted surfaces
- · Contains a highly effective corrosion inhibitor to help prevent flash rusting



DEGREASER RTU

BIODEGRADABLE CLEANER / DEGREASER

| PART NUMBER | SIZE | PRICE |
|--------------------|--------|--------|
| AMB-31464-AA-750ML | 750 ml | £16.78 |

DEGREASER FG

- NSF A1 registered (N°137997)
- · Readily biodegradable and non-flammable
- · Effective in both cold and warm water
- Use on gearboxes, hydraulic systems, open gears, chains and pumps to remove a variety of heavy soiling types
- · Concentrated for convenience and economy

AMBERKLENE LO30

- · Highly effective cleaner / degreaser
- Fast evaporating, leaving surfaces clean and dry and will not stress-crack acrylic
- · Safe for use on metals and painted surfaces
- · Listed in British Airways' standard practice manual
- Ultra low conductivity
- Meets US Federal Spec. TT-N-95Bv Type II
- Automotive approval: Ford Tox No.: 166741



DEGREASER FG

NSF A1 WATER BASED DEGREASER

| PART NUMBER | SIZE | PRICE |
|--------------------|--------|--------|
| AMB-30243-AA-750ML | 750 ml | £17.79 |

AMBERKLENE LO30

LOWER ODOUR SOLVENT

| PART NUMBER | SIZE | PRICE |
|--------------------|--------|--------|
| AMB-31555-AA-400ML | 400 ml | £13.04 |

STAINLESS STEEL CLEANER FG

- NSF A7 and C1 registered (No.138212)
- Dual action: cleans and polishes in one application
- Dense foam allows use on vertical surfaces without dripping
- · Leaves an invisible, non-greasy film for lasting shine
- · Ideal post-maintenance cleaner



STAINLESS STEEL CLEANER FG

NSF A7 & C1 STAINLESS STEEL CLEANER

 PART NUMBER
 SIZE
 PRICE

 AMB-30249-AA-500ML
 500 ml
 £13.65

AMBERKLENE FG

- NSF A1 registered (No.137995)
- Stable, the non-dripping foam helps break down soiling for effective cleaning
- · Cleans equipment, metal parts, and machinery
- Biodegradable



AMBERKLENE FG

NSF A8 & C1 BIODEGRADABLE CLEANER / DEGREASER

| PART NUMBER | SIZE | PRICE |
|--------------------|--------|--------|
| AMB-30242-AA-500ML | 500 ml | £14.72 |

CLEANERS



AMBERKLENE FE10

- · A fast and effective solvent degreaser
- · Powerful flushing action, rapidly removes contaminants
- · Safe for use on ferrous and non-ferrous metals and most plastics
- Does not leave a residue
- · Meets military specification
- Ideal surface preparation solvent to ensure all residues are removed prior to coating, adhesion or painting



AMBERKLENE FE10

FAST DRYING SOLVENT

| PART NUMBER | SIZE | PRICE |
|--------------------|--------|--------|
| AMB-31553-AA-400ML | 400 ml | £12.49 |

BA40 SOLVENT

- Extremely fast evaporating solvent degreaser
- Removes many stubborn residues, such as uncured polysulphides, adhesives, inks, resins, varnishes and lacquers
- Low pressure spray provides even coverage and prevents splash back in use



BA40 SOLVENT

3020

WATER SOLUBLE SOLVENT

3020

3020

3020

| PART NUMBER | SIZE | PRICE |
|-------------------|--------|--------|
| MB-31556-AA-400ML | 400 ml | £11.90 |

AMBERKLENE ME20

- · Heavy duty cleaner for extra stubborn stains and soiling
- · Removes heavy deposits of oil and grease, waxes and silicones
- · Superior wetting properties ensure extended contact time with soiling
- Higher flash point of +41°C
- · Leaves a clean, dry surface



AMBERKLENE ME20

HEAVY DUTY SOLVENT

| PART NUMBER | SIZE | PRICE |
|--------------------|--------|--------|
| AMB-31554-AA-400ML | 400 ml | £12.72 |

LEC-KLENE

- Powerful solvent degreaser that removes oil, grease, grime, wax and tar
- Suitable for use where higher flash point is required
- Use where DEF STAN 68-148 is specified
- No detrimental effect on painted surfaces, ferrous and non-ferrous metals, and epoxy based composites, acrylic sheet, plastics and rubbers
- · Meets military and industrial specifications
- · Excellent electrical contact cleaner



LEC-KLENE

HIGH FLASH POINT SOLVENT

| PART NUMBER | SIZE | PRICE |
|--------------------|--------|--------|
| AMB-31557-AA-400ML | 400 ml | £14.95 |

INDUSTRIAL DEGREASER FG

- \bullet NSF A8 and K1 registered (N° 140255 and 140250) for use in the food industry
- · Cuts through dirt and grease
- Easy "in place" cleaning with minimal odour
- Use for degreasing and overhauling electric motors
- · Can also be used to remove adhesives
- · Non-corrosive and non-staining



INDUSTRIAL DEGREASER FG

NSF A8 & K1 REGISTERED HEAVY DUTY DEGREASER

| PART NUMBER | SIZE | PRICE |
|--------------------|--------|--------|
| AMB-30251-AA-500ML | 500 ml | £13.58 |

AIR DUSTER / 2

- · Dry 'air' blast for removing loose, dry contamination from electronics
- Non-ozone depleting, does not contain CFCs or HCFCs
- Safe on all surfaces, including delicate sensors and electronics
- Non-flammable
- · Zero odour in use



AIR DUSTER / 2

3020

FOR ELECTRONICS

| PART NUMBER | SIZE | PRICE |
|--------------------|--------|--------|
| AMB-33181-AA-400ML | 400 ml | £30.21 |

CLEANERS

3020

3020



INVERTIBLE AIR DUSTER / 2

- Non-ozone depleting, does not contain CFCs or HCFCs
- Safe on all surfaces, including delicate sensors and electronics
- · Powerful blast easily removes loose dirt and dust
- 360° spray system for all angle use in difficult to access areas
- Non-flammable



INVERTIBLE AIR DUSTER / 2

| PART NUMBER | SIZE | PRICE |
|--------------------|--------|--------|
| AMB-33183-AA-200ML | 200 ml | £21.20 |

LABEL & ADHESIVE REMOVER FG

- NSF K3 registered (N° 140259) for use in the food industry
- · Removes adhesives and paper labels in 3 minutes
- Good material compatibility (always test prior to application)
- Reduces the need for scraping and the potential damage caused · Improves packaging line efficiency by reducing jamming caused by label and adhesive build-up
- · Use Ambersil Silicone FG to minimise re-adhesion of labels



3020

3020 PRICE £31.34

LABEL & ADHESIVE REMOVER FG

NSF K3 REGISTERED LABEL & ADHESIVE REMOVER

| PART NUMBER | SIZE | PRICE |
|---------------------|----------|--------|
| MB-30254-AA-200ML | 200 ml | £10.14 |
| WID-30234-AA-200WIL | 200 1111 | 210.14 |

ANTI-STATIC SPRAY

- · Rapidly reduces electrostatic charges
- · Quick and easy to use
- · Allows longer periods between cleaning
- Particularly useful in the paper and textile industries and anywhere with a dusty atmosphere e.g. flour mills
- · Non-toxic & biodegradable



ANTI-STATIC SPRAY

| PART NUMBER | SIZE | PRICE |
|--------------------|--------|--------|
| AMB-31561-AA-400ML | 400 ml | £10.89 |

FREEZER / 2

Al

- Reduces component temperature to -50°C
- Non-flammable, low toxicity and odourless in use
- · Cools thermally sensitive parts during soldering or calibration



FREEZER / 2 **FAULT DETECTION**

FOR ELECTRONICS

| PART NUMBER | SIZE |
|-------------------|--------|
| MB 33182 AA 400MI | 400 ml |

UNIVERSAL SCREEN CLEANER FG

- · Excellent material compatibility that won't damage delicate screens
- · Can be used on most screen types, including LCD, TFT and Plasma
- Stable foam clings to vertical surfaces
- Use a low lint cloth to wipe screen to a smear free finish
- · Very economical in use



UNIVERSAL SCREEN CLEANER FG

FOR VDUS

| PART NUMBER | SIZE | PRICE |
|--------------------|--------|--------|
| AMB-30236-AA-400ML | 400 ml | £10.20 |

MULTI-SURFACE DECONTAMINATION SPRAY

- · High alcohol multi-surface cleaner
- >90% alcohol maximum effectiveness · Cleans & decontaminates surfaces
- · Excellent materials compatibility
- · Optimised spray pattern for effective coverage
- · Can be used to clean PPE



New

3020

MULTI-SURFACE DECONTAMINATION SPRAY

| PART NUMBER | SIZE | PRICE |
|-----------------|--------|-------|
| AMB-33339-400ML | 400 ml | £8.28 |





CLEANERS

AMBERTRON

- · Ultra pure formulation for maintenance of critical electronics
- Very fast evaporation
- Excellent material compatibility. Safe for use on metals, glass, plastics and rubber
- Non conductive
- Quick and efficient cleaning
- Automotive approval: Ford Tox Nº 166300

ACRYLIC CONFORMAL COATING

- · Colourless conformal coating
- · Insulates and seals out moisture and dust
- · Flexible lacquer will not crack or chip
- Ideal protective for marine electronics
- Can be soldered through



AMBERTRON

CONTACT CLEANER

| PART NUMBER | SIZE | PRICE |
|--------------------|--------|--------|
| AMB-31552-AA-400ML | 400 ml | £16.09 |

ACRYLIC CONFORMAL COATING

PROTECTION FOR PCBS

| PART NUMBER | SIZE | PRICE |
|-------------------|--------|--------|
| MB-30235-AA-400MI | 400 ml | £13.66 |

IPA SOLVENT

- · Gentle, yet highly effective alcohol based cleaner
- · Excellent material compatibility, safe to use on plastics and rubber
- Conforms to BS 1595, ASTM D770 and DIN 53245
- · Particularly effective on production line optical devices. Also removes moisture
- · Evaporates to leave a clean, dry surface

SOLVENT CLEANER FG

- NSF K1 registered (No.149687)
- Minimal odour
- · Cuts through oils, grease residues, mould release agents, polymer residues, and anti-corrosion coatings
- Zero residue
- · Good materials compatibility



IPA SOLVENT

ISOPROPYL ALCOHOL ELECTRONIC **CLEANING SOLVENT**

| PART NUMBER | SIZE | PRICE |
|--------------------|--------|--------|
| AMB-31569-AA-400ML | 400 ml | £12.56 |





3020

3020

| PART NUMBER | SIZE | PRICE |
|-----------------|--------|--------|
| AMB-32448-400ML | 400 ml | £10.53 |

PAINTS

FIBRE TIPPED MARKER PEN

- Fast drying acrylic paint with easy, accurate application
- · Able to write on almost any surface and on any substrate colour
- · High opacity, even on dark surfaces, ensures outstanding colour vibrancy and visibility
- · Advanced pigment technology delivers long lasting, zero fade performance
- · Resin binds paint to the writing surface, reducing problems associated with accidental rub-off and will not wash off with water / rain
- · Easily removed with a solvent, such as Amberklene FE10
- · Durable tip with valve action to prevent excess paint flow
- · Suitable for most industrial marking requirements

ambersil MARKER PEN

FIRRE TIPPED MARKER PEN

| 2 | ^ | 9 | i |
|---|---|---|---|
| | | | |

| TIBRE THE ED MARKET EN | |
|------------------------|---|
| COLOUR | PRICE |
| White | £5.38 |
| Green | £5.38 |
| Yellow | £5.38 |
| Blue | £5.38 |
| Red | £5.38 |
| Orange | £5.38 |
| Black | £5.38 |
| | COLOUR White Green Yellow Blue Red Orange |



LUBRICANTS

3020

3020



- An engineer's essential "cure-all" product
- · Quickly frees seized nuts and bolts and reduces wear
- · High corrosion protection and water displacement properties passes IP178, Methods A & B
- · Non-conductive film
- · Safe on most paints, rubbers and plastics
- Operational temperature range: -20°C to +115°C
- · No Silicone
- · Multiple Approvals: Rolls Royce Aerospace, British Rail, Ford Motor Company, Swift Caravans



40+

MULTI-PURPOSE, INDUSTRIAL PROTECTIVE LUBRICANT

| PART NUMBER | SIZE | PRICE |
|--------------------|--------|-------|
| AMB-31563-AA-400ML | 400 ml | £7.56 |
| | | |

PENETRATING OIL

- Frees seized components rapidly
- · Lubricates fine and close tolerance threads
- Contains MoS2
- · Facilitates easier reassembly
- · Softens rust and carbon deposits



PENETRATING OIL

PENETRANT FOR SEIZED PARTS

3020

| PART NUMBER | SIZE | PRICE |
|--------------------|--------|--------|
| AMB-30240-AA-400ML | 400 ml | £10.53 |

MACHINE OIL FG

- NSF H1 registered (N°137999 & 140249)
- · Formulated using only food grade acceptable components
- · Creates a highly effective lubricating and anti-friction film
- · Can be used as an anti-corrosion coating for metal parts in high humidity conditions
- Operational temperature range: -18°C to +120°C

PENETRATING OIL FG

- NSF H1 registered (No. 140260)
- · Spray on, allow to penetrate, and remove seized fasteners without
- damaging the head, thread or risk shearing
- · Does not contain silicone · Safe for use on all metals



MACHINE OIL FG

NSF H1 GENERAL PURPOSE LUBRICANT

| PART NUMBER | SIZE | PRICE |
|--------------------|--------|--------|
| AMB-30247-AA-400ML | 400 ml | £16.39 |



PENETRATING OIL FG

NSF REGISTERED PENETRANT FOR SEIZED PARTS



3020

| PART NUMBER | SIZE | PRICE |
|--------------------|--------|--------|
| AMB-30256-AA-400ML | 400 ml | £11.37 |

AGL 1

- · Provides precision lubrication with its thin, high dielectric strength, lubricating film
- · Cleans, lubricates, protects, penetrates and loosens corrosion
- Ideal for renovating water-damaged equipment and motors



AGL 1 LUBRICANT FOR ELECTRICAL FOLIPMENT

| EQUIPMENT | and c ill t | 3020 |
|--------------------|-------------|--------|
| PART NUMBER | SIZE | PRICE |
| AMB-31567-AA-400ML | 400 ml | £11.26 |

RUST FLASH

- Utilises the laws of thermo-dynamics to shock rust down to -40°C
- · Rust is shock-cooled, causing it to crack and allow penetrating oils to
- · Very fast acting for rapid job turnaround



RUST FLASH

RUST LOOSENER WITH FREEZE SHOCK EFFECT

| PART NUMBER | SIZE | PRICE |
|--------------------|--------|--------|
| AMB-31578-AA-500ML | 500 ml | £10.01 |

LUBRICANTS

3020



3020

3020

SILICONE ANTI-STICK

- · Lubricant is odourless, tasteless, colourless and chemically inert
- · Ideal for use where high standards of purity are essential
- · Helps prevent line jams, inhibits adhesive build up on blades and sealers
- · WRAS approved product: 08/0507
- Operational temperature range: -50°C to +200°C



SILICONE ANTI-STICK

CONCENTRATED SILICONE LUBRICANT

| PART NUMBER | SIZE | PRICE |
|--------------------|--------|--------|
| PART NUMBER | SIZE | PRICE |
| AMB-31572-AA-400ML | 400 ml | £21.98 |

COPPER ANTI-SEIZE PASTE

- · Formulated with micro-ionised copper and anti-oxidant additives
- · Reduces friction and wear
- · Good corrosion protection even in highly corrosive environments
- · Lead & nickel free
- Operational temperature range: -30°C to +1100°C
- · Aerosol version is ideal for precision application and minimising unwanted transfer



COPPER ANTI-SEIZE PASTE

HIGH TEMPERATURE ANTI-SEIZE

| PART NUMBER | SIZE | PRICE |
|-------------------|-------|--------|
| AMB-30239-AA-500G | 500 g | £26.12 |

- NSF H1 registered (N°138000) for use in the food and beverage industry
- Excellent general lubricating properties with a relatively dry film
- · Highly water-resistant and repels water from treated areas
- Eliminates squeaking, binding and sticking
- Operational temperature range: -40°C to +200°C
- · Use on high-speed bagging lines and on chutes/slides

ASSEMBLY PASTE FG

- NSF H1 registered (N°138266 & 139900)
- · Resists water wash-out, extending re-lubrication intervals when used as a service lubricant
- · Prevents seizure of threaded components, quick and easy dismantling
- Operational temperature range: -30°C to +1100°C



SILICONE FG

NSF H1 REGISTERED SILICONE LUBRICANT

| LUBRICANT | Abbet (1 lbf)) | 3020 |
|--------------------|-----------------|--------|
| PART NUMBER | SIZE | PRICE |
| AMR-30248-AA-400MI | 400 ml | £13.33 |




ASSEMBLY PASTE FG

ASSEMBLY LUBRICANT & ANTI-SEIZE COMPOUND

| PART NUMBER | SIZE | PRICE |
|--------------------|--------|--------|
| AMB-31586-AA-500G | 500 g | £34.16 |
| AMB-31587-AA-400ML | 400 ml | £14.78 |

DRY MOLY

- · Tough and long-lasting
- · Use as a lubricant for guides and joints on the wheel bearings of kiln carts or lubrication of open gears
- Operational temperature range: -150°C to +400°C



- · Deep penetration for internal protection of wire ropes
- Forms a dry, non-peeling film that overcomes the limitations of grease lubrication and pressure cushions
- Can be applied to gears in motion and is suitable for all running speeds
- · Use as a treatment for internal corrosion protection and lubrication of highways' central reservation wire barriers
- Operational temperature range: -25°C to +100°C



DRY MOLY

DRY MOLYBDENUM DISULPHIDE LUBRICANT


| PART NUMBER | SIZE | PRICE |
|--------------------|--------|--------|
| AMB-31576-AA-400ML | 400 ml | £22.59 |



GEAR & WIRE ROPE LUBRICANT

HEAVY DUTY LUBRICANT

| | | 0020 |
|--------------------|--------|--------|
| PART NUMBER | SIZE | PRICE |
| AMB-31583-AA-400ML | 400 ml | £19.18 |





LUBRICANTS

3020

3020



- · Offers maximum adhesion to chain links, with excellent penetration
- · Resists "water wash off" and dust absorption
- High temperature resistance up to +200°C (300°C intermittent)
- Separate version specifically developed for Fork Lift Trucks (500 ml)



CHAINSPRAY

CHAIN & DRIVE LUBRICANT

| PART NUMBER | SIZE | PRICE |
|--------------------|--------|--------|
| AMB-31575-AA-400ML | 400 ml | £18.34 |

AMS4 SILICONE GREASE

- · Insulates high voltage parts against leaking or arcing
- Waterproofs electronics in damp or humid conditions
- Meets military and aviation specification Def Stan 68-69/1



AMS4 SILICONE GREASE

MULTI-PURPOSE SILICONE **GREASE**

| PART NUMBER | SIZE | PRICE |
|--------------------|--------|--------|
| AMB-31566-AA-400ML | 400 ml | £19.64 |

BELT DRESSING FG

- Belt Dressing FG is NSF H1 registered (N° 140257)
- Works on all types of belt; vee, flat, toothed, rubber, leather and fabric
- · Protects belts from deterioration through oxidation and heat



BELT DRESSING FG

ADHESIVE BELT LUBRICANT

| PART NUMBER | SIZE | PRICE |
|--------------------|--------|--------|
| AMB-30257-AA-400ML | 400 ml | £13.40 |

CHAIN LUBE FG

- NSF H1 registered (N°137998)
- Excellent penetration and lubrication properties
- · Can be used as a general, heavy duty PTFE lubricant
- Leaves a tenacious, long lasting, lubricating film
 Operational temperature range: -15°C to +175°C



3020

3020

CHAIN LUBE FG

NSF H1 CHAIN LUBRICANT WITH PTFE

| PART NUMBER | SIZE | PRICE |
|--------------------|--------|--------|
| AMB-30245-AA-400ML | 400 ml | £22.49 |

AMBERGREASE EXL

- Suitable for use on all types of antifriction sliding surfaces and plain bearings
- Exceptional load carrying capacity: 4-ball weld load <\>>800 kg
- Mean Hertz load: 125 kg, Timken OK load: 25 kg
- · Highly visible red, NLGI type 2 grease, lithium-calcium complex
- Operational temperature range: -30°C to +150°C

AMBERGREASE EXL

EXTENDED LIFE.

HIGH PERFORMANCE BEARING GREASE

3020

AMBERGREASE EXI

AMBERGREASE FG1

| PART NUMBER | SIZE | PRICE |
|-------------------|-------|--------|
| AMB-30304-AB-400G | 400 g | £12.34 |

AMBERGREASE FG1

- NSF H1 registered (N°138264)
- · White, NLGI type 2, aluminium complex grease
- · Very good extreme pressure performance: Four ball weld load: <\>>200 kg
- Use in areas subjected to moist or wet operating conditions: FG1 has a very low water wash-out (<\<>1%)
- Operational temperature range: -50°C to +165°C

AMBERGREASE FG1

PERFORMANCE GREASE FOR FOOD PROCESSING EQUIPMENT

| PART NUMBER | SIZE | PRICE |
|-------------------|-------|--------|
| AMB-31584-AA-400G | 400 g | £25.05 |

AMBERGREASE FG2

- NSF H1 registered (N°138265)
- · Translucent white NLGI type 2 silicone grease
- Dynamic corrosion resistance (EMCOR) (IP 220) 0:0 • Shell four ball weld load (IP 239): 180 kg
- Operational temperature range: -20°C to +220°C

MBERGREASE FG2

AMBERGREASE FG2

HIGH TEMPERATURE BEARING GREASE

| PART NUMBER | SIZE | PRICE |
|-------------------|-------|--------|
| AMB-31585-AA-400G | 400 g | £41.94 |


METAL WORKING

3020



TUFCUT SPRAY

- The original Tufcut liquid, in an easy to use aerosol
- · Allows heavier close tolerance cuts
- · Apply directly to drill bits or work pieces
- · Improves heat dissipation and prevents chip welding
- NSF H2 registered (N°147110)





TUFCUT SPRAY

METAL CUTTING LUBRICANT

| PART NUMBER | SIZE | PRICE |
|--------------------|--------|--------|
| AMB-31579-AA-400ML | 400 ml | £20.76 |

TUFCUT COMPOUND

- A traditional metal cutting paste that has all the performance of the rest
- · Pleasant mild pine fragrance
- · Ready-to-use straight from the tin



3020

TUFCUT COMPOUND

METAL CUTTING LUBRICANT

| PART NUMBER | SIZE | PRICE |
|-------------------|-------|--------|
| AMB-31581-AA-500G | 500 g | £17.98 |

TUFCUT FOAM

- · Proven Tufcut liquid in a foam that clings to vertical surfaces
- Particularly effective for in-place maintenance of turbine blades
- · Minimal smoking / fumes in use
- Practically zero staining on bright metals

TUFCUT LIQUID

- Original Tufcut liquid available in 350 ml bottle or bulk
- Improves heat dissipation and prevents chip welding
 Approved by Augusta Westland for machining composite materials (N° LIS 6045)





3020

3020

PRICE

£12.02

TUFCUT FOAM

FOAMING METAL CUTTING LUBRICANT

| PART NUMBER | SIZE | PRICE |
|--------------------|--------|--------|
| AMB-31582-AA-300ML | 300 ml | £22.69 |

| PART NUMBER | SIZE | PRICE |
|--------------------|--------|--------|
| AMB-31580-AA-350ML | 350 ml | £22.80 |
| | | |

COLD GALVANISE

- · Sacrificial coating protects ferrous metal from corrosion
- · For use on bare, clean, non-rusted steel and seams
- Suitable for use as a renovation media: BS EN ISO 1461:1999
- >99% pure zinc at 88% concentration in the cured film for the optimal balance between protection and adhesion

COLD GALVANISE

- · Film will not harden or crack
- Forms a 'self-repairing' waxy film
 Meets MIL-PRF-16173E
- · Can be used as an anti-seize/anti-rust treatment for fasteners
- · Will not stain or mark components



COLD GALVANISE

ZINC RICH PROTECTIVE COATING





3020

CORROSION INHIBITOR

WA

| AXY ANTI-CORRO | SION TREATMENT | |
|-----------------|----------------|--|
| PART NUMBER | SIZE | |
| AMB-31628-400ML | 400 ml | |

3020

Α



3020

3020

POLYMER PROCESSING

HD-SIL RELEASE

- · A clean, colourless, odourless release agent
- · Leaves an oily, heavy duty silicone film for multiple releases
- Operational to +200°C
- Excellent materials compatibility



HD-SIL RELEASE HEAVY DUTY SILICONE

LUBRICANT

| PART NUMBER | SIZE | PRICE |
|--------------------|--------|-------|
| AMB-32353-AA-500ML | 500 ml | £5.55 |

NO-SIL RELEASE

- Allows decorative treatment (e.g. painting, plating) of the moulded part
 For use in injection moulding, vacuum forming and many other moulding and forming processes
- Operational up to +170°C



NO-SIL RELEASE

HEAVY DUTY NON-SILICONE

| RELEASE AGENT |
|---------------|
|---------------|

| PART NUMBER | SIZE | PRICE |
|-------------------|--------|-------|
| MB-31971-AA-500ML | 500 ml | £5.91 |

MOULD PROTECTIVE

- Repels and displaces moisture, leaving a durable, non-greasy, protective film
- Will not harden or crack
- · Protective film allows handling and will resist acid finger marks
- · Light yellow film allows coverage to be monitored
- · Cured film will not stain moulds

TOOL GUARD

- Easy identification with total coverage assured
- Will not penetrate or creep into the mould tool
- · Resists the effects of high humidity and acid finger marking
- · Easy to apply with good wetting properties
- Excellent corrosion protection



MOULD PROTECTIVE

MOULD CORROSION INHIBITOR

| PART NUMBER | SIZE | PRICE |
|--------------------|--------|--------|
| AMB-31545-AA-400ML | 400 ml | £17.76 |

TOOL GUARD

LIGHT GREEN, MOULD TOOL PROTECTIVE COATING

| PART NUMBER | SIZE | PRICE |
|-------------------|--------|-------|
| MB-31972-AA-500ML | 500 ml | £8.13 |

CLEAR MOULD PROTECTIVE

- Repels and displaces moisture, leaving a durable, clear, protective film
- Will not stain or mark the moulding, recommended for use with clear or white polymers
- Easily "moulded off" when production recommences
- · Protective film allows handling and will resist acid finger marks



CLEAR MOULD PROTECTIVE

TRANSPARENT CORROSION INHIBITOR

| PART NUMBER | SIZE | PRICE |
|--------------------|--------|--------|
| AMB-31547-AA-400ML | 400 ml | £20.19 |

MOULD SOLV

- Highly effective, low odour, degreasing agent
- Efficiently cleans plastics, ferrous and non-ferrous metals
- Evaporates to leave a clean, dry surface
- Excellent material compatibility



MOULD SOLV

CLEANER FOR MOULDS

& TOOLS

3020

| PART NUMBER | SIZE | PRICE |
|--------------------|--------|-------|
| AMB-31970-AA-500ML | 500 ml | £6.65 |

6000





HARD HAT® GALVANISING

GALVA ZINC

- · Cathodic protection of bare and galvanised steel
- Resists 500 hours of salt spray testing (DIN 50021 SS)
- To recoat within 1 hour, brush after 4 hours
- Recoat with Hard Hat® metallic sprays



GALVA ZINC-ALUMINIUM

- · Zinc coating with sparkling aluminium particles
- The best compromise between a zinc spray and an aluminium spray
- Resists 340 hours of salt spray testing (DIN 50021 SS)



6000

6000

GALVA ZINC

| PART NUMBER | DESCRIPTION | PRICE |
|-------------|----------------|--------|
| RUST2185 | 500 ml Aerosol | £18.77 |
| RUST1085.1 | 1 kg Can | £23.14 |

GALVA ZINC-ALUMINIUM

| PART NUMBER | DESCRIPTION | PRICE |
|-------------|----------------|--------|
| RUST2117 | 500 ml Aerosol | £18.77 |
| RUST1017.1 | 1 kg Can | £23.14 |

GALVA PLUS

- Appearance similar to new galvanised metal
- · For touching-up new and damaged galvanised metal
- Resists 310 hours of salt spray testing (DIN 50021 SS)
- · Lower zinc content, more aluminium



GALVA EXPRESSE

- · The super-fast zinc primer
- Tack free after just 5 minutes, to handle after 10 minutes
- · Ideal for production and construction environments
- Resists 400 hours of salt spray testing (DIN 50021 SS)



GALVA PLUS

500 ML AEROSOL

| PART NUMBER | DESCRIPTION | PRICE |
|-------------|-------------------|--------|
| RUST2120 | Silver Galva Plus | £16.94 |

GALVA EXPRESSE

500 ML AEROSOL

| PART NUMBER | DESCRIPTION | PRICE |
|-------------|----------------|--------|
| RUST2180 | Galva Expresse | £16.94 |

ANTI-SLIP

- · Adheres to metal, wood, concrete, tile floors and parquet
- Very quick drying (5 to 10 minutes)
- · For use on floors, steps, thresholds, etc.
- · Makes every surface non-skid in seconds



ANTI-SLIP 500 ML AEROSOL

| PART NUMBER | DESCRIPTION | PRICE |
|-------------|---------------|--------|
| RUST2410 | Transparent | £23.44 |
| RUST2444 | Safety Yellow | £23.44 |
| RUST2479 | Black | £23.44 |

STAIN BLOCKER

- · Matt white finish, best possible hiding power
- · Masks stains from nicotine, soot, moisture, etc.
- For use on ceilings, walls, wood, etc.
- · Non-yellowing and odourless
- · To recoat with standard wall paints



STAIN BLOCKER **500 ML AEROSOL**

| PART NUMBER | DESCRIPTION | PRICE |
|-------------|-------------|--------|
| RUST2990 | Matt White | £10.84 |





HARD HAT® PRIMERS

ADHESION PRIMER

- · A durable adhesion on galvanised, stainless steel, aluminium, copper, hard PVC, glass and ceramics
- · Ready to recoat after just 30 minutes
- Unique coverage: 5.5m² per aerosol
 To recoat with Hard Hat® top coats

6000

ADHESION PRIMER 500 ML AEROSOL

PART NUMBER DESCRIPTION PRICE **RUST2102** Adhesion Primer £14.38

ANTI-RUST PRIMER

- The quick anti-rust protector
- · Ready to recoat after just 10 minutes, handle after 30 minutes
- · For new or slightly rusty surfaces
- · Penetrates deeply into the surface and does not give rust a chance
- · Lead and chromate free

ANTI-RUST PRIMER

500 ML AEROSOL



6000

| PART NUMBER | DESCRIPTION | PRICE |
|-------------|-------------|--------|
| RUST2169 | Red brown | £16.59 |
| RUST2182 | Grey | £16.59 |

HARD HAT® TOP COATS

HEAT RESISTANT TOP COAT

- · For use on engines, heat cannons, steam pipes, boilers, radiators, vents, barbecues and stoves
- 750°C maximum temperature for short periods



HEAT RESISTANT TOP COAT

| PART NUMBER | DESCRIPTION | PRICE |
|---------------|---------------------------|--------|
| RUST7778 | Black, 500 ml Aerosol | £17.67 |
| RUST1078.0.75 | Black, 750 ml Can | £35.52 |
| RUST1078.2.5 | Black, 2.5 ltr Can | £71.99 |
| RUST7715 | Aluminium, 500 ml Aerosol | £17.67 |
| RUST1015.0.75 | Aluminium, 750 ml Can | £35.52 |
| RUST1015.2.5 | Aluminium, 2.5 ltr Can | £71.99 |

FLUORESCENT TOP COAT

RUST2222

RUST2233

RUST2242

RUST2255

RUST2264

· Ideal for stencils, safety markings and colour coding



FLUORESCENT TOP COAT 500 ML AEROSOL

PART NUMBER DESCRIPTION PRICE Fluorescent Blue £19.50 £19.50 Fluorescent Green Fluorescent Yellow £19.50 Fluorescent Orange £19.50 Fluorescent Red £19.50

TIP: For maximum efficiency of fluorescent colours, spray over matt white and finish with Hard Hat® clear coat.


TOP COAT - RAL COLOURS

- More paint in the can, resulting in a higher coverage: 3-4 m²
- One Hard Hat® aerosol equals up to 2-3 standard aerosols
- · A higher film build without drips or runs



TOP COAT -RAL COLOURS 500 ML AEROSOL

| OUT ME AEROOO | _ | | |
|---------------|----------------------|----------|--------|
| PART NUMBER | DESCRIPTION | RAL CODE | PRICE |
| RUST2114 | White Aluminium | RAL 9006 | £16.04 |
| RUST2123 | Light Blue | RAL 5012 | £16.04 |
| RUST2126 | Gentian Blue | RAL 5010 | £16.04 |
| RUST2133 | Yellow Green | RAL 6018 | £16.04 |
| RUST2134 | Signal Green | RAL 6032 | £16.04 |
| RUST2136 | Emerald Green | RAL 6001 | £16.04 |
| RUST2138 | Grass Green | RAL 6010 | £16.04 |
| RUST2143 | Light Yellow | RAL 1018 | £16.04 |
| RUST2145 | Melon Yellow | RAL 1028 | £16.04 |
| RUST2148 | Safety Yellow | RAL 1007 | £16.04 |
| RUST2149 | Golden Yellow | RAL 1004 | £16.04 |
| RUST2152 | International Orange | RAL 2002 | £16.04 |
| RUST2154 | Yellow Orange | RAL 2000 | £16.04 |
| RUST2163 | Red Lilac | RAL 4001 | £16.04 |
| RUST2165 | Bright Red | RAL 3000 | £16.04 |
| RUST2173 | Ochre Brown | RAL 8001 | £16.04 |
| RUST2179 | Black | RAL 9005 | £16.04 |
| RUST2186 | Marine Grey | RAL 7005 | £16.04 |
| | | | |



| ▲ Safety Colours | Machine Colours |
|---|---|
| 2126 Fresh water 2134 Safe Place, escape routes, showers, exits | 2126 Ford Blue, agricultural machinery 2133 Deutz Green, agricultural machinery 2136 John Deere Green, agricultural machinery |
| 2143 Danger 2148 Take care/warning of danger, poison, explosion, radio-active radiation | 2143 John Deere Yellow, agricultural machinery 2145 Caterpillar Orange, excavators, dredging cranes |
| 2165 Stop/forbidden/fire extinguisher | 2148 JCB excavators 2152 Linde Crange, excavators |
| ldentification Colours 2114 Steam | 2154 STILL Orange, fork-lift trucks 2165 Massey Ferguson and New Holland Red agricultural machinery |
| 2123 Air 2138 Water 2149 Gas | 2186 Deutz Grey, agricultural machinery |
| 2163 Acids 2173 Liquid spirits | |
| 2179 Other liquids | |



PAINTS & COATINGS

6000

6000

6000



HARD HAT® TOP COATS

METALLIC TOP COAT

- · For use on bare metal, galvanised, zinc primers or anti-rust primers
- · Gloss or sparkling metallic appearance
- · To restore the metallic appearance



METALLIC TOP COAT

DURABLE PROTECTION 500 ML AEROSOL

| PART NUMBER | DESCRIPTION | PRICE |
|-------------|---------------------|--------|
| RUST2111 | Sparkling Aluminium | £18.40 |
| RUST2115 | Bright Aluminium | £18.40 |
| | | |

X1 TECH SPRAYS

CHAIN AND DRIVE SPRAY

- · Good adhesion
- · Resists detergent washing
- H1 compliant for incidental food contact
- Temperature range: -35°C to +180°C
- Extreme pressure additives give long term protection and reduce wear under extreme loads



6000

CHAIN AND DRIVE SPRAY

| PART NUMBER | DESCRIPTION | PRICE |
|-------------|----------------|--------|
| RUST1612 | 500 ml Aerosol | £14.73 |

METALLIC TOP COAT

- · Greater abrasion resistance
- · Better anti-corrosion properties than other metallics
- Excellent UV resistance (does not discolour)
- · Resists acids, chemicals and alkalis



METALLIC TOP COAT

STAINLESS STEEL COATING 500 ML AEROSOL

| PART NUMBER | DESCRIPTION | PRICE |
|-------------|-----------------|--------|
| RUST2116 | Stainless Steel | £18.40 |

WHITE GREASE SPRAY

- · Stops squeaking
- · Water repellent
- · Corrosion preventive
- Suitable for vertical surfaces, will not run
- White colour gives visual confirmation of lubrication
- Temperature range: -50°C to +170°C

 Non-silicon, body shop safe



6000

WHITE GREASE SPRAY

| PART NUMBER | DESCRIPTION | PRICE |
|-------------|----------------|-------|
| RUST1617 | 500 ml Aerosol | £9.50 |

TRANSPARENT TOP COAT

- · Protects copper, chrome, silver, bronze, nickel, aluminium
- · Provides extra durability to metallic and fluorescent coatings · Non-yellowing (UV resistant)
- Quick dryingGloss repair of old coatings

ELECTRICAL CLEANER

- · Leaves no residue · Fast to evaporate
- · Low odour
- · Removes dirt, oil, wax, etc.



TRANSPARENT TOP COAT

500 ML AEROSOL

| PART NUMBER | DESCRIPTION | PRICE |
|-------------|-------------|--------|
| RUST2500 | Transparent | £17.67 |

ELECTRICAL CLEANER

DESCRIPTION PART NUMBER PRICE **RUST1632** 500 ml Aerosol £11.44



6000



LUBRICATING OIL

VG 22 AIRLINE OIL is a premier quality airline oil of naturally high viscosity index intended for the lubrication of pneumatic tools, valves and associated equipment. The product is intended for use in systems where it may be necessary to draw off any separated water. VG 22 AIRLINE OIL is inhibited to minimise thermal degradation and foaming, and protect against corrosion and deposit formation. The product is formulated to ensure rapid formation of a mist for lubrication of downstream pneumatic equipment.



LUBRICATING OIL

GRADE 22 HM TYPE

| PART NUMBER | DESCRIPTION | PRICE |
|-------------|-------------|---------|
| H01LL | 1 litre | £7.96 |
| H05LL | 5 litre | £33.00 |
| H20LL | 20 litre | £127.20 |

HYDRAULIC OIL

Premium quality hydraulic oil with additives to improve ageing resistance, corrosion and wear protection, demulsifying

PERFORMANCE / SPECIFICATIONS

HLP hydraulic oil according to DIN 51524-2, ISO 11158-HM.



HYDRAULIC OIL

GRADE 32 HM TYPE

| PART NUMBER | DESCRIPTION | PRICE |
|-------------|---------------|---------|
| H05L | 5 litre drum | £34.20 |
| H20L | 20 litre drum | £132.00 |

BOSS LEAK DETECTOR

BOSS™ Gas Leak Detector Spray is a micro-porous form that will show the smallest gas leaks as bubbles. Spray as upright as possible over joints / connections. It uses a non-flammable CO2 propellant that does not react with other gases.



BOSS LEAK DETECTOR

| PART NUMBER | DESCRIPTION | PRICE |
|-------------|-------------|--------|
| Q84636019 | 400 ml | £29.70 |

WD-40 Multi-Use Product lubricates moving parts such as hinges, wheels, rollers, chains, and gears. It protects against rust and corrosion on items like tools, and sporting equipment. It penetrates to free stuck corroded parts like nuts, bolts, valves and locks. It quickly removes adhesives, corrosion and paint. It displaces moisture to restore water flooded equipment such as engines, spark plugs and power tools.



9110

MULTI-USE PRODUCT





9110

| PART NUMBER | DESCRIPTION | PRICE |
|-------------|------------------------|--------|
| Q44101 | 100 ml Aerosol | £2.90 |
| Q44237 | 450 ml Aerosol | £7.88 |
| Q44204 | 600 ml Aerosol | £8.50 |
| Q441047 | 5 Itr Liquid Container | £37.75 |

PTFE TAPE

WRAS Approval No. 130750.

Suitable for potable water and oxygen BS7786:2006 Grade L.





| THREAD | SEALING | TAPE |
|--------|---------|------|
| | | |

| PART NUMBER | DESCRIPTION | PRICE |
|-------------|----------------------|-------|
| PTFE TAPE | 12 m x 12 mm x 0.075 | £1.05 |

PRICE

£72.00

QTY

10

10

10

10

10

10

10

10

10

10

10

10





DESCRIPTION

20.22 x 3.53 mm

21.82 x 3.53 mm

23.40 x 3.53 mm

25 00 x 3 53 mm

26.57 x 3.53 mm

28 17 x 3 53 mm

29.75 x 3.53 mm

31 34 x 3 53 mm

32.93 x 3.53 mm

34.52 x 3.53 mm

36.10 x 3.53 mm

37.70 x 3.53 mm

37.47 x 5.34 mm

40.65 x 5.34 mm

43.82 x 5.34 mm

DESCRIPTION

Imperial 382 Assorted Types

SIZE

BS 211

BS 212

BS 213

BS 214

BS 215

BS 216

BS 217

BS 218

BS 219

BS 220

BS 221

BS 222

BS 325

BS 326

BS 327

IMPERIAL O-RING SEAL KIT CONTENTS

QTY

20

20

20

20

20

20

20

13

13

13

13

13

13

13

10

IMPERIAL **O-RING SEAL KITS 382 ASSORTED TYPES**

DESCRIPTION

2.9 x 1.78 mm

3.69 x 1.78 mm

4.47 x 1.78 mm

5.28 x 1.78 mm

6.07 x 1.78 mm

7.66 x 1.78 mm

9.25 x 1.78 mm

9 19 x 2 62 mm

10.78 x 2.62 mm

12.37 x 2.62 mm

13.95 x 2.62 mm

15.54 x 2.62 mm

17.13 x 2.62 mm

18.72 x 2.62 mm

18.64 x 3.53 mm

PART NUMBER

D400 999001

SIZE

BS 006

BS 007

BS 008

BS 009

BS 010

BS 011

BS 012

BS 110

BS 111

BS 112

BS 113

BS 114

BS 115

BS 116

BS 210

O-RING SEAL KITS 7200 PART NUMBER

D400 999002

METRIC

386 ASSORTED TYPES

7200 DESCRIPTION PRICE

£72.00

| | METRIC O-I | RING S | E | AL KIT CO | ONTENTS | | | |
|------|-------------|--------|---|-----------|-------------|-----|--|--|
| SIZE | DESCRIPTION | QTY | | SIZE | DESCRIPTION | QTY | | |
| R-01 | 3 x 2 mm | 16 | | R-16 | 20 x 3 mm | 12 | | |
| R-02 | 4 x 2 mm | 16 | | R-17 | 22 x 3 mm | 12 | | |
| R-03 | 5 x 2 mm | 16 | | R-18 | 24 x 3 mm | 12 | | |
| R-04 | 6 x 2 mm | 16 | | R-19 | 25 x 3 mm | 12 | | |
| R-05 | 7 x 2 mm | 16 | | R-20 | 27 x 3 mm | 12 | | |
| R-06 | 8 x 2 mm | 16 | | R-21 | 28 x 3 mm | 12 | | |
| R-07 | 10 x 2 mm | 16 | | R-22 | 30 x 3 mm | 12 | | |
| R-08 | 10 x 2.5 mm | 13 | | R-23 | 32 x 3 mm | 12 | | |
| R-09 | 11 x 2.5 mm | 13 | | R-24 | 33 x 3 mm | 12 | | |
| R-10 | 12 x 2.5 mm | 13 | | R-25 | 35 x 3 mm | 12 | | |
| R-11 | 14 x 2.5 mm | 13 | | R-26 | 36 x 3 mm | 12 | | |
| R-12 | 16 x 2.5 mm | 13 | | R-27 | 38 x 3 mm | 12 | | |
| R-13 | 17 x 2.5 mm | 13 | | R-28 | 38 x 4 mm | 9 | | |
| R-14 | 19 x 2.5 mm | 13 | | R-29 | 41 x 4 mm | 9 | | |
| R-15 | 19 x 3 mm | 12 | | R-30 | 44 x 4 mm | 9 | | |

Metric 386 Assorted Types

DESCRIPTION

Bonded seal, mild steel and nitrile

Imperial standard 03-TA-SD0001062, Metric standard 03-TA-SD0001063



BONDED WASHERS

IMPERIAL

PART NUMBER PRICE TO FIT MALE BSPP INSIDE DIA D400 020 02 10.37 mm £0.42 1/8 D400 021 04 1/4 13.74 mm £0.42 D400 023 06 3/8" 17.28 mm £0.42 D400 025 08 1/2 21.54 mm £0.65 D400 026 10 5/8 23 49 mm £1 87 D400 027 12 3/4" 27.05 mm £0.75 D400 030 16 1 33.89 mm £1.91 D400 032 20 1 1/4 42.93 mm £2.12 D400 033 24 1 1/2" 48.44 mm £2.92 D400 036 32 2 60 58 mm £3.90

METRIC

| PART NUMBER | THREAD SIZE | PRICE |
|-------------|-------------|-------|
| D400 002 02 | 4 mm | £0.73 |
| D400 003 02 | 5 mm | £0.73 |
| D400 004 02 | 6 mm | £0.68 |
| D400 007 02 | 8 mm | £0.73 |
| D400 008 02 | 10 mm | £0.67 |
| D400 021 02 | 12 mm | £0.59 |
| D400 009 02 | 14 mm | £0.65 |
| D400 011 02 | 16 mm | £0.72 |
| D400 012 02 | 18 mm | £0.81 |
| D400 025 02 | 20 mm | £0.92 |
| D400 028 02 | 22 mm | £1.04 |
| D400 031 02 | 24 mm | £1.27 |
| D400 035 02 | 26 mm | £1.81 |

IMPERIAL BONDED WASHER KITS

90 ASSORTED TYPES

DESCRIPTION PRICE PART NUMBER D400 999005 Imperial 1/8" to 1" £92.00

| IMPERIAL BONDED WASHER KIT CONTENTS | | | | | | | | |
|---------------------------------------|----------|----|--|-----|----------|----|--|--|
| SIZE DESCRIPTION QTY SIZE DESCRIPTION | | | | | | | | |
| 820 | 1/8" BSP | 20 | | 826 | 5/8" BSP | 10 | | |
| 821 | 1/4" BSP | 15 | | 827 | 3/4" BSP | 10 | | |
| 823 | 3/8" BSP | 15 | | 830 | 1" BSP | 5 | | |
| 825 | 1/2" BSP | 15 | | | | | | |



7200



| METRIC BONDED WASHER KIT CONTENTS | | | | | | | |
|---|-----|----|--|-----|-----|----|--|
| SIZE DESCRIPTION QTY SIZE DESCRIPTION Q | | | | | | | |
| 617 | M10 | 20 | | 632 | M18 | 15 | |
| 622 | M12 | 15 | | 633 | M20 | 10 | |
| 627 | M14 | 15 | | 636 | M22 | 10 | |
| 629 | M16 | 15 | | 638 | M24 | 5 | |

£35.39

£39.08

£44.18

£103.33

100

100

100

100





CABLE TIES NATURAL

| PART NUMBER | SIZE | QUANTITY | PRICE |
|-------------|--------------|----------|--------|
| TIE-CT100 | 100 x 2.5 mm | 100 | £1.06 |
| TIE-CT120 | 120 x 2.5 mm | 100 | £1.27 |
| TIE-CT140 | 142 x 3.2 mm | 100 | £2.04 |
| TIE-CT160 | 160 x 4.8 mm | 100 | £3.26 |
| TIE-CT200 | 200 x 4.8 mm | 100 | £4.45 |
| TIE-CT250 | 250 x 4.8 mm | 100 | £5.72 |
| TIE-CT300 | 300 x 4.8 mm | 100 | £4.75 |
| TIE-CT370 | 368 x 4.8 mm | 100 | £7.25 |
| TIE-CT430 | 450 x 4.8 mm | 100 | £10.22 |
| TIE-CT500 | 500 x 4.8 mm | 100 | £15.69 |
| TIE-CT540 | 550 x 8.0 mm | 100 | £30.74 |
| TIE-CT550 | 550 x 4.8 mm | 100 | £16.20 |
| TIE-CT610 | 610 x 9.0 mm | 100 | £29.11 |
| TIE-CT685 | 685 x 9.0 mm | 100 | £39.08 |
| TIE-CT780 | 762 x 9.0 mm | 100 | £44.18 |



BLACK

CABLE TIES





CABLE TIES YELLOW

| PART NUMBER | SIZE | QUANTITY | PRICE |
|-------------|--------------|----------|--------|
| TIE-CT100Y | 100 x 2.5 mm | 100 | £1.11 |
| TIE-CT140Y | 140 x 3.2 mm | 100 | £2.17 |
| TIE-CT300Y | 300 x 4.8 mm | 100 | £9.77 |
| TIE-CT370Y | 368 x 4.8 mm | 100 | £14.83 |



TIE-CT610BL

TIE-CT685BL

TIE-CT780BL

TIE-CT1000BL

RED



610 x 9.0 mm

685 x 9.0 mm

762 x 9.0 mm

1030 x 12.7 mm



CABLE TIES 4.6 MM WIDTH STAINLESS STEEL

| | 01741112200 0121 | | | 0100 |
|-------------|------------------|--------------|----------|--------|
| | PART NUMBER | SIZE | QUANTITY | PRICE |
| | TIE-CT150SS | 150 x 4.6 mm | 100 | £41.00 |
| | TIE-CT200SS | 200 x 4.6 mm | 100 | £44.14 |
| | TIE-CT260SS | 260 x 4.6 mm | 100 | £47.94 |
| | TIE-CT300SS | 300 x 4.6 mm | 100 | £48.60 |
| TIE-CT360SS | | 360 x 4.6 mm | 100 | £54.27 |
| | TIE-CT520SS | 520 x 4.6 mm | 100 | £65.31 |
| | TIF-CT620SS | 620 x 4 6 mm | 100 | £78 22 |

CABLE TIES 7.6 MM WIDTH

STAINLESS STEEL

| STAINLESS STEE | EL 🖤 | * | 9135 |
|----------------|--------------|----------|--------|
| PART NUMBER | SIZE | QUANTITY | PRICE |
| TIE-CT200SSW | 200 x 7.6 mm | 100 | £44.14 |
| TIE-CT300SSW | 300 x 7.6 mm | 100 | £48.60 |
| TIE-CT360SSW | 360 x 7.6 mm | 100 | £54.27 |
| TIE-CT520SSW | 520 x 7.6 mm | 100 | £65.31 |
| TIE-CT620SSW | 620 x 7.6 mm | 100 | £78.22 |





HEAT SHRINK AND PROTECTIVE SLEEVE DISPENSERS & PVC TAPE

PARKAIR®

HEAT SHRINK & PROTECTIVE SLEEVE DISPENSERS

BLACK 2 TO 1

A range of heat shrink tubing available in a conveniently packaged dispenser. It is specially designed to meet the requirements of wholesalers, distributors, repair shops or electrical workshops. Contains 2:1 ratio, 125°C flexible, flame retardant, irradiated polyolefin, heat shrink tubing with adhesive.

A range of expandable braided sleeves, available in conveniently packaged dispensers. Specially designed to meet the requirements of wholesalers, distributors, repair shops and electrical workshops. Self-extinguishing, halogen free, polyester, 0.22 mm monofilament, expandable braided sleeve.





SLEEVE IN A DISPENSER



| | AS SUPPLIED | AFTER R | ECOVERY | | |
|----------------|-------------|---------|---------|---------|--------|
| PART NUMBER | mm | mm | mm |) (| PRICE |
| GMB552116B | 1.6 | 0.8 | 0.36 | 15 | £22.53 |
| GMB552124B | 2.4 | 1.2 | 0.43 | 15 | £23.64 |
| GMB552132B | 3.2 | 1.6 | 0.43 | 15 | £28.35 |
| GMB552148B | 4.8 | 2.4 | 0.43 | 12 | £29.72 |
| GMB552164B | 6.4 | 3.2 | 0.56 | 12 | £33.16 |
| GMB552196B | 9.5 | 4.8 | 0.56 | 8 | £31.39 |
| GMB5521127B | 12.7 | 6.4 | 0.56 | 8 | £35.53 |
| GMB5521191B | 19.1 | 9.5 | 0.69 | 5 | £45.81 |
| GMB5521254B | 25.4 | 12.7 | 0.76 | 5 | £52.25 |

PVC TAPE



PVC TAPE 20 METRE

| PART NUMBER | SIZE | COLOUR | PRICE |
|----------------------|--------------|--------------|-------|
| TAPE-19x20-BLACK | 19 mm x 20 m | Black | £1.06 |
| TAPE-19x20-WHITE | 19 mm x 20 m | White | £1.06 |
| TAPE-19x20-RED | 19 mm x 20 m | Red | £1.06 |
| TAPE-19x20-BLUE | 19 mm x 20 m | Blue | £1.06 |
| TAPE-19x20-GREEN | 19 mm x 20 m | Green | £1.06 |
| TAPE-19x20-YELLOW | 19 mm x 20 m | Yellow | £1.06 |
| TAPE-19x20-BROWN | 19 mm x 20 m | Brown | £1.06 |
| TAPE-19x20-GREY | 19 mm x 20 m | Grey | £1.06 |
| TAPE-19x20-YEL/GREEN | 19 mm x 20 m | Yellow/Green | £1.06 |

PVC TAPE 33 METRE

| 00 III.E 111.E | | | 0100 |
|----------------------|--------------|--------------|-------|
| PART NUMBER | SIZE | COLOUR | PRICE |
| TAPE-19x33-BLACK | 19 mm x 33 m | Black | £1.91 |
| TAPE-19x33-WHITE | 19 mm x 33 m | White | £1.91 |
| TAPE-19x33-RED | 19 mm x 33 m | Red | £1.91 |
| TAPE-19x33-BLUE | 19 mm x 33 m | Blue | £1.91 |
| TAPE-19x33-GREEN | 19 mm x 33 m | Green | £1.91 |
| TAPE-19x33-YELLOW | 19 mm x 33 m | Yellow | £1.91 |
| TAPE-19x33-BROWN | 19 mm x 33 m | Brown | £1.91 |
| TAPE-19x33-GREY | 19 mm x 33 m | Grey | £1.91 |
| TAPE-19x33-YEL/GREEN | 19 mm x 33 m | Yellow/Green | £1.91 |
| | | | |

CUTTERS

PARKAIR®



TUBE CUTTERS

TUBE CUTTERS

PLIER TYPE

| PART NUMBER | DESCRIPTION | PRICE |
|-------------|-------------------------------|--------|
| ZPNZ12 | Tube Cutter | £27.83 |
| ZPNZ25 | Tube Cutter | £30.34 |
| ZTC2BLADES | Replacement Blade for ZPNZ-12 | £7.75 |
| ZTC3BLADES | Replacement Blade for ZPNZ-25 | £11.53 |



HOSE CUTTERS

| HOOL OUT ILINO | • | 017 |
|----------------|-------------|--------|
| PART NUMBER | DESCRIPTION | PRICE |
| PXC098R | Hose Cutter | £26.17 |





PART NUMBER DESCRIPTION PRICE RR70027 6 mm to 35 mm £61.70







TUBE CUTTERS

| PART NUMBER | DESCRIPTION | PRICE |
|-------------|---------------------------------|-------|
| D-TC14 | Cuts up to 9/16" (14 mm) tubing | £4.35 |

TUBE CUTTERS

- · Telescopic pipe cutter
- For copper, brass, aluminium, thin walled steel pipes and plastic coated pipes
 • Retractable internal deburrer and spare cutter wheel in handle

- Monoblock design
 Quick adjustment with the ratchet telescopic guide, with automatic spring driven release
- Self-clamping prevents release due to quick adjustment during the cutting process



ROTHENBERGER AUTOMATIC

| PART NUMBER | DESCRIPTION | PRICE |
|-------------|--------------------------------|---------|
| RR70030 | Suitable for 6 - 67 mm OD tube | £138.96 |



Redashe

RECHARGEABLE HAND WORKLIGHTS

FEATURES

- Innovative optical lens produces an exceptional 90° floodlit work area
- · Lithium-ion rechargeable battery ensures longevity of battery life
- 3 powerful magnets, 2 on the back and 1 in the base, allowing for hands free operation
- 6 position positive cam allows the lamp to bend through 180°
- Two 360° hanging hooks for use when alternatives to the magnetic function are required
- · Robust, impact resistant and ergonomically designed lamp housing with wrist lanyard
- Supplied with 240 V and USB charging leads
- · Built in automatic charging cut off

SPECIFICATIONS

| Materials | Primarily ABS plastic |
|----------------|--|
| Charging time | 5 hours |
| Operation time | 3 – 7 hours |
| Lux | Main light: 350 lumens End torch: 80 lumens |



USB RECHARGEABLE SMD HAND WORKLIGHT

| PART NUMBER | DESCRIPTION | PRICE |
|-------------|--|--------|
| J1800-6 SMD | Black housing, 6 SMDs complete with 1 W flashlight / torch end light | £47.48 |
| J1800 RED | Red housing, 6 SMDs complete with 1 W flashlight / torch end light | £39.88 |

- · Light head rotates 180° and pivots 120° to direct light to work area · Lithium-ion rechargeable battery for longer life and consistent power
- · Super strong magnetic base
- · 360° rotating top hook
- Automatic shut-off and overcharge protection for optimum battery life
- · Tough, impact resistant, ergonomic housing
- Versatile 2-in-1 charging system
- Charge from 120 V AC with included USB wall power plug
- Charge from USB charging port with included USB cord

SPECIFICATIONS

| Materials | Impact resistant thermoplastic case with heat dissipating aluminium back shell |
|-------------------------------------|--|
| Battery | 3.7 V 2200 mAh |
| Charging system: Input Output | 100 – 240 V 50 – 60 Hz 5 V 1A |
| Charging time | 3 – 4 hours |
| Operation time | 2.5 – 3.5 hours |
| Lux: Front COB Top light | 240 – 260 lumens 160 – 170 lumens |
| | |



RECHARGEABLE COB FOLDABLE LIGHT

| PART NUMBER | DESCRIPTION | PRICE |
|-------------|---|--------|
| J2500-HLI | 3 W single strip COB LED complete with 2.4 W SMD LED top light | £76.34 |

FEATURES

- · High capacity lithium-ion rechargeable battery for longer life and consistent power
- · Strong polycarbonate lens and rubberised housing and grip
- Strong light output around 300 lumens
- · 360° rotating top hook
- · Desk / wall mountable charger
- · Highly polished reflector for increased light spread
- · Ergonomically designed body for a comfortable grip
- · Shock, water and oil resistant
- · Easy to use switch even with gloves on
- · In vehicle 12 V charging lead
- IP65 (water and dust resistant)

SPECIFICATIONS

| Durable, impact, shock and weather resistant thermoplastic elastomer case, hi-transparency polycarbonate lens |
|--|
| 4400 mAh |
| 100 – 240 V AC 5 V DC |
| 4 hours |
| 4.5 hours after full charge |
| 300 lumens |
| |



RECHARGEABLE COB INSPECTION LAMP

| PART NUMBER | DESCRIPTION | PRICE |
|-------------|--|--------|
| J2000-DS02 | 3 W COB main light complete with 1 W end light | £79.45 |

FEATURES

- · High capacity lithium-ion rechargeable battery for long work life
- · Strong impact resistant hi-clarity polycarbonate lens
- · Ergonomically designed body for a comfortable grip
- · Desk charger
- Powerful magnet in the back
- · Shock, water and oil resistant
- Easy to operate switch even when wearing gloves
- 150° fold away from frame

SPECIFICATIONS

| Materials | Aluminium / thermoplastic elastomer case |
|-------------------------------------|--|
| Battery | 2000 mAh |
| Charging system: Input Output | 200 – 240 V AC 50 – 60 Hz 5V / 1A DC |
| Charging time | 3.5 hours |
| Operation time | 3 hours minimum after full charge |
| Lux | 200 lumens |



RECHARGEABLE COB FOLDABLE WORKLIGHT

| PART NUMBER | DESCRIPTION | PRICE |
|-------------|--|--------|
| J3000-DF05B | 3 W COB main light complete with 1 W end light | £72.00 |



SAFETY HEADWEAR

ECONOMY FEATURES & BENEFITS

- · ABS shell
- · Vents to crown
- · Plastic harness c/w sweatband
- · Slots for attachments
- · Conforms to EN397

SAFETY HELMET

• Lightweight

PREMIUM ADDITIONAL FEATURES & BENEFITS

- · 6 point webbing harness
- · Slip-ratchet headband adjustment
- · Complete with terry towelling sweatband



| PART NUMBER | COLOUR | SIZE | PRICE |
|-------------|--------|-----------------------|-------|
| BTBBEVSHY | Yellow | One size – adjustable | £9.75 |
| BTBBEVSHW | White | One size – adjustable | £7.80 |
| | | | |



| PART NUMBER | COLOUR | SIZE | PRICE |
|-------------|--------|-----------------------|--------|
| BTBBVSHY | Yellow | One size – adjustable | £11.85 |
| BTBBVSHW | White | One size – adjustable | £11.85 |

FEATURES & BENEFITS

Stylish safety baseball cap with ventilation holes. Fitted over a plastic shell, providing lightweight head protection. Conforms to EN812-1997.



| SAFETY | |
|-----------------|-----|
| BASEBALL | CAP |

| PART NUMBER | COLOUR | SIZE | PRICE |
|-------------|------------|-----------------------|--------|
| BTBBSBCR | Royal blue | One size – adjustable | £12.75 |
| BTBBSBCN | Navy blue | One size – adjustable | £12.75 |
| BTBBSBCBL | Black | One size – adjustable | £12.75 |
| | | | |

HIGH VISIBILITY WORKWEAR

FEATURES & BENEFITS

- EN471 class 2
- 100% polyester
- Velcro fastening
- · Reflective material



HIGH VISIBILITY WAISTCOAT

SATURN YELLOW

| PART NUMBER | SIZE | PRICE |
|-------------|--------|-------|
| BTWCENGM | Medium | £3.87 |
| BTWCENGL | Large | £3.87 |
| BTWCENGXL | XL | £3.87 |
| BTWCENGXXL | XXL | £3.87 |
| | | |

FEATURES & BENEFITS

- EN471 class 2
- Polyester
- Front zip fastening
- Retro reflective bands & braces
- · Two large front pockets with flaps
- Mobile phone pocket with velcro fastening flap
- Pen and pencil pockets
- Transparent ID pouch pocket
- Radio loop



8920

EXECUTIVE WAISTCOAT SATURN YELLOW

| PART NUMBER | SIZE | PRICE |
|------------------|--------|--------|
| BTWCENGEXECM | Medium | £10.50 |
| BTWCENGEXECL | Large | £10.50 |
| BTWCENGEXECXL | XL | £10.50 |
| BTWCENGEXECXXL | XXL | £10.50 |
| BITTOLITOLALONAL | 7012 | 210.00 |

FEATURES & BENEFITS

- Protective safety goggles
- Indirect ventilation
- · Comfortable face seal & nose bridge
- · Wide adjustable elastic
- · Excellent field of vision
- · Goggle lens and face visor both polycarbonate
- Conform to EN166
- · Optical Class:1

New

- B T (medium impact energy at extreme temperatures)
- 2C-1.2 UV Filter



SAFETY COCCLE & VISOR

| SAI ETT GOOGLE & VIOOR | | 0920 |
|------------------------|-------------------------------|--------|
| PART NUMBER | SIZE | PRICE |
| BBHAMCV1 | One size – adjustable elastic | £27.96 |

PERSONAL PROTECTIVE EQUIPMENT

8920

PARKAIR®

FEATURES & BENEFITS

- · Adjustable, fold-away headband
- · Self aligned earcups
- SNR 30db
- · Conforms to EN352
- · Will fit into a pocket



FOLDING EAR DEFENDERS

| PART NUMBER | SIZE | PRICE |
|-------------|-----------------------|--------|
| BTBBFED | One size – adjustable | £10.50 |
| | | |

FEATURES & BENEFITS

- · Wrap-around design
- · Sleek, contoured shape
- · Polycarbonate (PC lens)
- EN 166 1.F
- · Ultra-lightweight

BOSTON SAFETY

PART NUMBER

BTBBBS

SPECTACLES

- · Non-slip, coloured, rubber tips
- · Low impact and 99.99% UV protected

LENS COLOUR

Clear



FRAME COLOUR PRICE Clear £2.55

8920

FEATURES & BENEFITS

- · Soft, absorbent foam caps
- · Can be worn under the chin or behind the neck
- SNR 21
- · Conforms to EN352-2
- · Extremely light
- · Comfortable to wear

FEATURES & BENEFITS

- · Wrap-around design
- · Sleek, contoured shape
- · Polycarbonate (PC lens)
- EN 166 1.F
- · Ultra-lightweight
- · Can be worn over prescription spectacles
- · Low impact and 99.99% UV protected



| PART NUMBER | SIZE | PRICE |
|-------------|----------------|-------|
| BTBBBEP | H-25 M-17 L-14 | £2.25 |
| | | |
| SPARE PODS | | |

| BTBBBEPOD | 1 x bag of 10 pairs | £17.10 |
|-----------|---------------------|--------|
| | | |



| PART NUMBER | COLOUR | PRICE |
|-------------|--------|-------|
| BTBBVS | Clear | £2.79 |
| BTBBVSS2Y | Yellow | £2.79 |
| BTBBVSS2GY | Grey | £2.79 |
| | | |

FEATURES & BENEFITS

· Foam disposable ear plugs

STANDARD EAR PLUGS

BOX OF 200

PART NUMBER

BTBBEP

- SNR 37db
- Tested by Inspec in accordance with EN352-2:1993
- It is found to be in conformity with council directive 89/686/EEC relating

FEATURES & BENEFITS

- 8 curve lenses
- · Lightweight at just 21 g
- EN 166 • EN 170
- · Stylish and comfortable
- · Adjustable, non-slip bridge
- · Non-slip, tip grip temples
- Anti-static





| PART NUMBER | LENS COLOUR | FRAME COLOUR | PRICE |
|-------------|-------------|----------------|--------|
| BTBOCONTPSI | Clear | Bronze / Black | £14.70 |
| BTBOCONTPSF | Smoke | Black | £14.55 |



PERSONAL PROTECTIVE EQUIPMENT



8910

FEATURES & BENEFITS

- · Durable, collapse resistant inner shell
- Yellow, colour coded straps for denoting FFP1 protection level
- · Reliable, effective protection against fine particulates
- Excellent fit over a wide range of face sizes, provided by convex shape, nose clip and twin strap design
- · Improved weld pattern for stronger attachment of head strap
- · Comfortable, lightweight, off-the-face design

SPECIFICATIONS

| 0. =00 | |
|-------------------|---|
| Standard | EN149:2001 FFP1 |
| Approval | CE Marked |
| Maximum use level | Assigned |
| Protection factor | 4 x WEL (Nominal Protection Factor 4 x WEL) |

FEATURES & BENEFITS

- 3M Cool Flow valve reduces heat build up to offer comfortable protection, particularly in hot and humid conditions
- · Durable, collapse resistant inner shell
- · Yellow, colour coded straps denoting FFP1 protection level
- · Reliable, effective protection against fine particulates
- Excellent fit over a wide range of face sizes, provided by convex shape, nose clip and twin strap design
- · Comfortable, lightweight, off-the-face design

SPECIFICATIONS

| 00 | |
|-------------------|---|
| Standard | EN149:2001 FFP1 |
| Approval | CE Marked |
| Maximum use level | Assigned Protection |
| Factor | 4 x WEL (Nominal Protection Factor 4 x WEL) |



CUP-SHAPED RESPIRATOR

DACK OF 20

| FACK OF 20 | | 0910 |
|-------------|-----------------------|--------|
| PART NUMBER | SIZE | PRICE |
| BT8710 | One size – adjustable | £56.26 |
| | | |

Sold in a sealed box to ensure optimum hygiene levels

VALVED CUP-SHAPED RESPIRATOR

PACK OF 10



Sold in a sealed box to ensure optimum hygiene levels

FEATURES & BENEFITS

- · Low breathing resistance filter technology gives effective filtration with low breathing resistance for consistent high quality performance
- Yellow, colour coded straps denoting FFP1 protection level
- Fold-flat, easy to store, proprietary 3 panel design accommodates facial movement for wearer comfort
- · Individual hygienic packaging helps protect the respirator from contamination before use
- Smooth inner cover web and large, soft nose foam for greater comfort against the skin
- Even tensioned straps relieve pressure for a comfortable and secure fit

SPECIFICATIONS

| Standard | EN149:2001 FFP1 NR D |
|----------------------------|----------------------|
| Approval | CE Marked |
| Assigned Protection Factor | 4 |

FEATURES & BENEFITS

- · Low breathing resistance filter technology gives effective filtration with low breathing resistance for consistent high quality performance
- 3M Cool Flow exhalation valve offers improved comfort in hot and/or humid environments and where work is physically demanding
- Yellow, colour coded straps denoting FFP1 protection level
- Fold flat, easy to store, proprietary 3 panel design accommodates facial movement for wearer comfort
- · Individual hygienic packaging helps protect the respirator from contamination before use
- · Smooth inner cover web and large, soft nose foam for greater comfort against the skin
- Even tensioned straps relieve pressure for a comfortable and secure fit

SPECIFICATIONS

| Standard | EN149:2001 FFP1 NR D |
|----------------------------|----------------------|
| Approval | CE Marked |
| Assigned Protection Factor | Λ |



FLAT-FOLD PARTICULATE RESPIRATOR PACK OF 20

| PART NUMBER | SIZE | PRICE |
|-------------|-----------------------|--------|
| BT9310PLUS | One size – adjustable | £74.20 |
| | | |

Sold in a sealed box to ensure optimum hygiene levels

VALVED FLAT-FOLD PARTICULATE RESPIRATOR

PACK OF 10



Sold in a sealed box to ensure optimum hygiene levels

FEATURES & BENEFITS

- · Natural rubber coated palm
- · Knitted area on back of glove to aid breathability and comfort
- EN388 2-2-4-3



MULTI-PURPOSE GLOVES

BLACK

| PART NUMBER | SIZE | PRICE |
|-------------|-------------|-------|
| BTMP1BLM | 08 / Medium | £3.36 |
| BTMP1BLL | 09 / Large | £3.36 |
| BTMP1BLXL | 10 / XL | £3.36 |
| | | |

FEATURES & BENEFITS

- · Nylon fibre knitted glove
- · Comfort fit
- · Offering excellent dexterity
- PVC Dots to palm area for added grip
- Cat II EN388 2-1-4-2



TRONIX BLUE DOT GLOVES

WHITE / BLUE

| 27 BEGE | | 0000 |
|-------------|-------------|-------|
| PART NUMBER | SIZE | PRICE |
| BTTBDM | 08 / Medium | £2.70 |
| BTTBDL | 09 / Large | £2.70 |
| | | |

FEATURES & BENEFITS

- · Natural rubber coated palm
- · Knitted area on back of glove to aid breathability and comfort
- EN388 2-2-4-3



MULTI-PURPOSE GLOVES

GREEN

| PART NUMBER | SIZE | PRICE |
|-------------|-------------|-------|
| BTMP1GM | 08 / Medium | £3.36 |
| BTMP1GL | 09 / Large | £3.36 |
| BTMP1GXL | 10 / XL | £3.36 |

FEATURES & BENEFITS

- · Chrome palm, thumb, index finger & knuckle strip
- Drill back
- Rubberised cuff
- · Lined palm & fingers
- CE Minimal Risk



8900

CANADIAN CHROME HIGH QUALITY

RED / CHROME

| PART NUMBER | SIZE | PRICE |
|-------------|---------|-------|
| BTCANCHQ | 10 / XL | £5.83 |

FEATURES & BENEFITS

- Natural rubber coated palm
- Knitted area on back of glove to aid breathability and comfort
- EN388 2-2-4-3



MULTI-PURPOSE GLOVES

ORANGE

| PART NUMBER | SIZE | PRICE |
|-------------|-------------|-------|
| BTMP1ORM | 08 / Medium | £3.36 |
| BTMP1ORL | 09 / Large | £3.36 |
| BTMP1ORXL | 10 / XL | £3.36 |
| | | |

FEATURES & BENEFITS

For those heavy jobs where added protection is essential. Two layers of well tanned, contrast coloured leather combine where it is most needed - across the palm, around the forefinger and across the thumb face to give tough, yet supple support.

Generously sized and superbly comfortable, with a highly visible coloured back/safety cuff. Conforms to EN388 4-2-3-4

CANADIAN DOUBLE PALM HIGH QUALITY RIGGER

GOLD / CHROME

| PART NUMBER | SIZE | PRICE |
|-------------|----------|--------|
| BTCANDPP | One Size | £10.02 |
| | | |

PERSONAL PROTECTIVE EQUIPMENT

FEATURES & BENEFITS

- · Fully coated PVC glove
- Stockinette liner
- · Elasticated cuff
- Cat II EN388 4-1-1-1



PVC FULLY COATED KNITWRIST

RED

| PART NUMBER | SIZE | PRICE |
|--------------|---------|-------|
| BTPVCFCKWR10 | 10 / XL | £3.12 |
| | | |

FEATURES & BENEFITS

- Nylon glove
- · Polyurethane palm coated
- · Machine knitted
- · Integral elasticated wrist
- Score: 4-1-3-1



8900

8900

PUGGIES PU COATED GLOVES

GREY

| PART NUMBER | SIZE | PRICE |
|-------------|-------------|-------|
| BTPUGGYM | 08 / Medium | £2.61 |
| BTPUGGYL | 09 / Large | £2.61 |
| BTPUGGYXL | 10 / XL | £2.61 |

FEATURES & BENEFITS

• CAT 2 EN388 4-1-2-1



GAUNTLET RED

| PART NUMBER | LENGTH | SIZE | PRICE |
|-------------|--------|---------|-------|
| BTPVCR11 | 11" | 10 / XL | £3.73 |
| BTPVCR14 | 14" | 10 / XL | £5.64 |
| BTPVCR16 | 16" | 10 / XL | £6.66 |
| BTPVCR18 | 18" | 10 / XL | £8.48 |
| | | | |

FEATURES & BENEFITS

- 100% Nylon seamless shell with nitrile coated palm and fingers
- Ventilated back
- Lightweight for maximum dexterity and comfort with sensitivity
 Suitable for general assembly handling and engineering applications
- Conforms to EN388 2-1-2-1



NITE STAR BLACK GLOVES

BLACK

 PART NUMBER
 SIZE
 PRICE

 BTNDGBL08
 08 / Medium
 £2.80

 BTNDGBL09
 09 / Large
 £2.80

 BTNDGBL10
 10 / XL
 £2.80

FEATURES & BENEFITS

- Finger welts
- Fully lined, including cuff
- EN388 3-2-3-3
- EN407 4-2-3-4



WELDERS GAUNTLET

RED

| ı | PART NUMBER | LENGTH | SIZE | PRICE |
|---|-------------|--------|---------|--------|
| | BTC2W | 14" | 10 / XL | £14.54 |

FEATURES & BENEFITS

- Powder free black textured nitrile gloves
- CE category III
- Excellent elasticity
- Textured for added grip



NITRILE DISPOSABLE GRIPPER GLOVES

PACK OF 10

| PART NUMBER | SIZE | PACK QTY | PRICE |
|--------------|------|----------|--------|
| BGZNDG10BLXL | XL | 10 | £64.01 |
| BGZNDG10BLXL | XL | 10 | £64.01 |



wenty One