$\frac{BLACKS}{\text{FURNITURE \& INTERIORS}}$



fabrics 2023

GROUP	
Arya	7
King	9
Poem	11
GROUP	
Atropa	15
Elyot	17
Poodle	19
Sneak	21
Tulip	23
GROUP	
Bloom	27
Caleido	29
Caleido Stampato	31
Classic Velvet	33
Drom	35
Heather	37
Moss	39
Rock	41
Stipa	43
Timber	45
Wildflower	47
GROUP	$ \vee $
Boogie	51
Buddy	53
Lilac	55
Nori	57
Sky	59
Togo	61

63

65

67

71

73

75

77

79

81

83

Velvy

Wind

Lario

Linen L007

Maple

Pine

Specchio

Willow

Aniline

Touch







flat woven

Upholstery fabrics manufactured from simple fibres, without hair, of rough natural texture creating a smooth, uniform layer.

STANDARD polyester 100%

FLAME RETARDANT (FR) polyester 100%

standard	version	flame retardant (FR)
1	price group	II
400	weight (g/m²)	400
48 000	martindale abrasion resistance EN ISO 12947-2	48 000
4-5	martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs)	4-5
4	colour fastness to light EN ISO 12947-2	4
₩ X 🛛 🗷 🕑	care instruction	$w \times \mathbf{Z} \mathbf{P}$
washable	special features*	washable









1 light grey

2 light beige

4 grey

5 grey-black



6 anthracite

^{*}Washable according to graphic instruction.





KING

chenille

Technically advanced upholstery fabrics made of chenille fibres consisted of two simple twisted-together threads, between which are another cut fibres. Owing to that - fabric has a structure similar to that of velour or plush. A typical feature of the chenille - is an irregularity of upper structure, tiny irregular clearances, and downiness.

It is a pile fabric and will flatten as a characteristic. For optimal appearance retention, regular light vacuuming or brushing with a soft brush is necessary.

STANDARD polyester 100%



FLAME RETARDANT (FR) polyester 100%

standard	version	flame retardant (FR)
1	price group	II
350	weight (g/m²)	460
50 000	martindale abrasion resistance EN ISO 12947-2	50 000
4-5	martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs)	4-5
5	colour fastness to light EN ISO 12947-2	5
	care instruction	
washable	special features*	

There are possible shade differences between production series.

R

^{*}Washable according to graphic instruction above.



POFM

flat woven

Upholstery fabrics manufactured from simple fibres, without hair, of rough natural texture creating a smooth, uniform layer.

STANDARD polyester 54%, polypropylene 46%

FLAME RETARDANT (FR) not available



standard	version	flame retardant (FR)
ı	price group	not available
290	weight	
50 000	martindale abrasion resistance EN ISO 12947-2	
4-5	martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs)	
5	colour fastness to light EN ISO 12947-2	
	care instruction	
washable	special features*	



2 grey

4 dark blue

6 beige

9 earth

1 natural

*Washable according to graphic instruction above.

7 grey-beige





1 grey-beige 2 light grey 3 beige 4 mustard 5 orange

8 khaki

ATROPA

chenille

Technically advanced upholstery fabrics made of chenille fibres consisted of two simple twisted-together threads, between which are another cut fibres. Owing to that - fabric has a structure similar to that of velour or plush. A typical feature of the chenille - is an irregularity of upper structure, tiny irregular clearances, and downiness.

It is a pile fabric and will flatten as a characteristic. For optimal appearance retention, regular light vacuuming or brushing with a soft brush is necessary.

STANDARD acrylic 48%, polyester 41%, cotton 11%

FLAME RETARDANT (FR) acrylic 48%, polyester 41%, cotton 11%

standard	version	flame retardant (FR)
II	price group	İ
414	weight (g/m²)	512
25 000	martindale abrasion resistance EN ISO 12947-2	25 000
3-4	martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs)	3-4
5	colour fastness to light EN ISO 12947-2	5
₩ X X X P	care instruction	9884B
washable	special features*	-

There are possible shade differences between production series.

10 grey

9 dark blue

14

6 cognac

7 camel

^{*} Washable according to graphic instruction.













9 light turquoise



10 turquoise

4 salmon





6 orange



11 dark blue



13 grey-beige

7 mustard



14 grey

ELYOT

chenille

Technically advanced upholstery fabrics made of chenille fibres consisted of two simple twisted-together threads, between which are another cut fibres. Owing to that - fabric has a structure similar to that of velour or plush. A typical feature of the chenille - is an irregularity of upper structure, tiny irregular clearances, and downiness.

It is a pile fabric and will flatten as a characteristic. For optimal appearance retention, regular light vacuuming or brushing with a soft brush is necessary.

STANDARD

acrylic 52%, polyester 41%, viscose 7%



FLAME RETARDANT (FR)

acrylic 52%, polyester 41%, viscose 7%

standard	version	flame retardant (FR)
II	price group	III
384	weight (g/m²)	540
90 000	martindale abrasion resistance EN ISO 12947-2	90 000
4-5	martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs)	4-5
5	colour fastness to light EN ISO 12947-2	5
	care instruction	
washable	special features*	

^{*} Washable according to graphic instruction above.









2 light grey 1 cream

3 beige

4 ash

POODLE

faux sheepskin

Poodle is something like faux sheepskin, so it can be compared with well-known plush fabric, which is soft and evanculous. A typical feature of that fabric is the irregular fluffy texture that gives it unique nature.

STANDARD polyester 100%



FLAME RETARDANT (FR) polyester 100%



standard	version	flame retardant (FR)
ĮI.	price group	III
550	weight (g/m²)	550
>50 000	martindale abrasion resistance EN ISO 12947-2	>50 000
4-5	martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs)	4-5
>5	colour fastness to light EN ISO 12947-2	>5
<u>0</u> 68848	care instruction	<pre>0</pre> <pre>E</pre> <pre>B</pre> <pre>A</pre> <pre>E</pre> <pre>B</pre> <pre>E</pre> <pre>E</pre> <pre>B</pre> <pre>E</pre> <pre>E</pre> <pre>B</pre> <pre>E</pre>

There are possible shade differences between production series.



1 natural 2 grey-beige 3 light turquoise 4 light grey 5 grey 6 anthracite

SNEAK

chenille

Technically advanced upholstery fabrics made out of chenille fibres, consisted of two simple twisted-together threads - between which are another cut fibres. Owing to that - fabric has a structure similar to that of velour or plush. A typical feature for the chenille - is an irregularity of upper structure, tiny irregular clearances, and downiness.

It is a pile fabric and will flatten as a characteristic. For optimal appearance retention, regular light vacuuming or brushing with a soft brush is necessary.

STANDARD polyester 100%

FLAME RETARDANT (FR) polyester 100%

standard	version	flame retardant (FR)
II	price group	III
370	weight (g/m²)	370
38 000	martindale abrasion resistance EN ISO 12947-2	38 000
4-5	martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs)	4-5
4-5	colour fastness to light EN ISO 12947-2	4-5
3 2 2 3 3 3 3 3 3 3 3 3 3	care instruction	$@{\textstyle \swarrow}{\boxtimes}{\boxtimes}$
washable	special features*	washable

There are possible shade differences between production series.

^{*}Washable according to graphic instruction."



1 natural 2 beige 3 yellow 5 vintage red 6 green 7 blue 8 light grey 9 grey

TUH IP

chenille

Technically advanced upholstery fabrics made of chenille fibres consisted of two simple twisted-together threads, between which are another cut fibres. Owing to that - fabric has a structure similar to that of velour or plush. A typical feature of the chenille - is an irregularity of upper structure, tiny irregular clearances, and downiness.

It is a pile fabric and will flatten as a characteristic. For optimal appearance retention, regular light vacuuming or brushing with a soft brush is necessary.

STANDARD polyester 100%



FLAME RETARDANT (FR) polyester 100%

standard	version	flame retardant (FR)
II	price group	II
310	weight (g/m²)	380
30 000	martindale abrasion resistance EN ISO 12947-2	30 000
4-5	martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs)	4-5
5	colour fastness to light EN ISO 12947-2	5
$\underline{w} \times \underline{a} = 0$	care instruction	
washable	special features*	

There are possible shade differences between production series.

^{*}Washable according to graphic instruction.





BLOOM

chenille

Technically advanced upholstery fabrics made of chenille fibres consisted of two simple twisted-together threads, between which are another cut fibres. Owing to that - fabric has a structure similar to that of velour or plush. A typical feature of the chenille - is an irregularity of upper structure, tiny irregular clearances, and downiness. It is a pile fabric and will flatten as a characteristic. For optimal appearance retention, regular light vacuuming or brushing

with a soft brush is necessary. STANDARD

polyester 100%

FLAME RETARDANT (FR) polyester 100%

standard	version	flame retardant (FR)
III	price group	IV
643	weight (g/m²)	707
80 000	martindale abrasion resistance EN ISO 12947-2	80 000
4-5	martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs)	4-5
5	colour fastness to light EN ISO 12947-2	5
307 🛆 🖾 🗷 🕑	care instruction	MAMA 30
washable	special features*	



5 warm red





1 cream

7 blue

2 teddy brown



3 warm yellow



4 pale orange

9 midnight blue 8 grey

Washable according to graphic instruction.

There are possible shade differences between production series. 27

6 green





CALEIDO

smooth natural

Upholstery fabric manufactured from simple fibres, without hair, of rough natural texture, creating a smooth, uniform layer. It is made of linen, cotton, or viscose or a mixture of these fibres with a small number of synthetic ones.

COMPOSITION cotton 63%, linen 37%



standard	version	flame retardant (FR)
III	price group	III
380	weight (g/m²)	
32 500	martindale abrasion resistance EN ISO 12947-2	
4	martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs)	
4-5	colour fastness to light EN ISO 12947-2	
$\triangle \times \square $	care instruction	
washable natural	special features*	Meets the 1988 safety regulations by inclusion of a fire resistant interliner.

28

9881 grey-green

1988 indigo blue

Washable according to graphic instruction; washing only on the left side.
 Natural more than 75% of natural fibres.

There are possible shade differences between production series.





CALEIDO STAMPATO

smooth natural

Upholstery fabric manufactured from simple fibres, without hair, of rough natural texture, creating a smooth, uniform layer. It is made of linen, cotton, or viscose or a mixture of these fibres with a small number of synthetic ones.

COMPOSITION cotton 63%, linen 37%



standard	version	flame retardant (FR)
III	price group	III
380	weight (g/m²)	
32 500	martindale abrasion resistance EN ISO 12947-2	
4	martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs)	
4-5	colour fastness to light EN ISO 12947-2	
	care instruction	
natural washable	special features*	Meets the 1988 safety regulations by inclusion of a fire resistant interliner.

^{*}Natural - more than 75% of natural fibres.

Washable according to graphic instruction; washing only on the left side.



4 light grey



5 grey

17 pink



6 anthracite






11 dark blue



12 navy blue





19 rust




20 deep orange



16 yellow

21 caramel





18 raspberry pink





23 fango

24 warm beige

25 garden green



26 forest green

32



27 deep green





28 turquoise

CLASSIC VELVET

velours

Elegant upholstery fabrics are most frequently produced in manufacturing two-layer knitted fabric, intertwining the layers with fibres creating a tick mesh, and then cutting up both layers. In this way, each of the layers has a thick fleece. The most recognizable feature of velour is its very high strength - at the same time, it gives a pleasant touch feeling.

STANDARD polyester 100%



33

FLAME RETARDANT (FR) polyester 100%

	standard	version	flame retardant (FR)	
	III	price group	IV	
	480	weight (g/m²)	590	
	100 000	martindale abrasion resistance EN ISO 12947-2	100 000	
	4/5	martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs)	4/5	
	5	colour fastness to light EN ISO 12947-2	5	
		care instruction		
	washable	special features*		

^{*} Washable according to graphic instruction.



01 creme 02 beige 11 light brown 12 brown 63 violet 40 turquoise 54 grey 55 black

DROM

chenille

Technically advanced upholstery fabrics made of chenille fibres consisted of two simple twisted-together threads, between which are another cut fibres. Owing to that - fabric has a structure similar to that of velour or plush. A typical feature of the chenille - is an irregularity of upper structure, tiny irregular clearances, and downiness.

It is a pile fabric and will flatten as a characteristic. For optimal appearance retention, regular light vacuuming or brushing with a soft brush is necessary.

STANDARD

polyester 60%, polypropylene 25%, recycled polyester 15%



FLAME RETARDANT (FR)

polyester 60%, polypropylene 25%, recycled polyester 15%



standard	version	flame retardant (FR)
III	price group	IV
450	weight (g/m²)	479
50 000	martindale abrasion resistance EN ISO 12947-2	50 000
4-5	martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs)	4-5
6-7	colour fastness to light EN ISO 12947-2	6-7
	care instruction	⊗ ≰ ⊠ ≱⊠
easy to clean eco friendly washable	special features*	washable eco friendly

There are possible shade differences between production series.

^{*}Easy to clean an easy way to remove a stain - suffice rub with a damp cloth and soapy water.

Eco friendly all materials are biodegradable, recyclable. All waste are recycled. Energy and water consumption are minimised. No toxic products during production.

Washable according to graphic instruction.



HEATHER

bouclé

Bouclé is both a yarn and a fabric made from it. The yarn is made from length loops of similar size that range from tiny circlets to large curls. It is nubby fabric - to make bouclé, at least two strands are combined, with the tension on one strand being much looser than the other as being connected to its plies. Loose strands form loops; the other strand is an anchor for the previous one. Bouclé is also a name of the fabric produce from this type of yarn, especially fabric that maintains the looped appearance.

STANDARD

modacrylic 68%, polyester 29%, viscose 3%



FLAME RETARDANT (FR)

modacrylic 68%, polyester 29%, viscose 3%

standard	version	flame retardant (FR)
III	price group	IV
580	weight (g/m²)	650
50 000	martindale abrasion resistance EN ISO 12947-2	50 000
4-5	martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs)	4-5
5	colour fastness to light EN ISO 12947-2	5
	care instruction	Ø B Ø A Ø
washable	special features*	2



⁵ copper brown 6 olive brown 7 mustard green 8 steel grey

There are possible shade differences between production series.

^{*}Washable according to graphic instruction.



1 mustard 2 dark green 3 orange 4 dark brown 5 dark grey 6 natural 7 cold beige 9 light brown 10 light grey 12 anthracite

MOSS

chenille

Technically advanced upholstery fabrics made of chenille fibres consisted of two simple twisted-together threads, between which are another cut fibres. Owing to that - fabric has a structure similar to that of velour or plush. A typical feature of the chenille - is an irregularity of upper structure, tiny irregular clearances, and downiness.

Corduroy is a fabric made with ribs. That fabric consists of three separate yarns woven together. The two primary yarns create a plain or a twill weave, and the third yarn intersperses into this weave in the filling direction, forming floats that pass over at least four warp yarns.

STANDARD

polyester 48%, acrylic 35%, wool 9%, viscose 8%



FLAME RETARDANT (FR)

polyester 47%, acrylic 36%, wool 9%, viscose 8%

standard	version	flame retardant (FR)
III	price group	IV
476	weight (g/m²)	550
25 000	martindale abrasion resistance EN ISO 12947-2	25 000
4-5	martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs)	4-5
5	colour fastness to light EN ISO 12947-2	5
	care instruction	
washable	special features*	-

There are possible shade differences between production series.

38

13 blue

14 dark blue

[&]quot;Washable according to graphic instruction.



ROCK

flat woven

Upholstery fabrics manufactured from simple fibres, without hair, of rough natural texture creating a smooth, uniform layer.

STANDARD

rolefin 51%, polyester 27%, acrylic 22%



FLAME RETARDANT (FR)

rolefin 51%, polyester 27%, acrylic 22%

standard	version	flame retardant (FR)
III	price group	IV
550	weight (g/m²)	740
35 000	martindale abrasion resistance EN ISO 12947-2	35 000
4	martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs)	4
5	colour fastness to light EN ISO 12947-2	5
	care instruction	
eco friendly washable recycled	special features*	eco friendly washable recycled





3 beige



1 natural

2 light grey



5 brown 6 anthracite

4 cool beige

Every sofa can save 250 liters of water with Rolefin.

Rolefin is a textile-recycled olefin yarn developed to produce furniture fabrics a Zero Water Consumption during the production process. The yarn/fabric is converted from pre-consumer textile wastes consisting of by-product materials from fiber, yarn and fabrics.

ROLEFIN has all the FOLLOWING features:

- · Zero Water Consumption During Production Processes
- · Made of Textile Wastes- Recycled
- · Recyclable (up to 7 times)
- · Contains No Harmful Chemicals
- · Energy Efficient
- · Low CO Footprint 2
- · Certified by Recycled Claim Standard 2.0



^{*}Eco friendly All materials are biodegradable, recyclable. All waste are recycled. Energy and water consumption are minimised. No toxic products during production. Washable according to graphic instruction. Recycled recycled materials



1 brown 2 beige 3 light beige 4 natural 6 grey 7 steel 9 green

STIPA

chenille

Technically advanced upholstery fabrics made of chenille fibres consisted of two simple twisted-together threads, between which are another cut fibres. Owing to that - fabric has a structure similar to that of velour or plush. A typical feature of the chenille - is an irregularity of upper structure, tiny irregular clearances, and downiness.

It is a pile fabric and will flatten as a characteristic. For optimal appearance retention, regular light vacuuming or brushing with a soft brush is necessary.

STANDARD polyester 100%



FLAME RETARDANT (FR) polyester 100%

standard	version	flame retardant (FR)
III	price group	IV
445	weight (g/m²)	530
100 000	martindale abrasion resistance EN ISO 12947-2	100 000
4-5	martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs)	3-4
>5	colour fastness to light EN ISO 12947-2	5
$@$ \angle \otimes \angle \otimes	care instruction	
washable	special features*	

^{*}Washable according to graphic instruction.



1 light beige 3 grey brown 4 greige 5 ocean blue 6 cream 7 soft brown 8 sunny yellow 9 forest green 10 dark grey

44

TIMBER

chenille

Technically advanced upholstery fabrics made of chenille fibres consisted of two simple twisted-together threads, between which are another cut fibres. Owing to that - fabric has a structure similar to that of velour or plush. A typical feature of the chenille - is an irregularity of upper structure, tiny irregular clearances, and downiness.

It is a pile fabric and will flatten as a characteristic. For optimal appearance retention, regular light vacuuming or brushing with a soft brush is necessary.

STANDARD polyester 86%, cotton 14%




FLAME RETARDANT (FR) polyester 86%, cotton 14%

standard	version	flame retardant (FR)
III	price group	Ш
358	weight (g/m²)	396
80 000	martindale abrasion resistance EN ISO 12947-2	80 000
4	martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs)	4
5	colour fastness to light EN ISO 12947-2	5
	care instruction	
washable easy to clean	special features*	washable

There are possible shade differences between production series.

There are possible shade difference

^{*}Easy to clean an easy way to remove a stain - suffice rub with a damp cloth and soapy water. Washable according to graphic instruction.



1 cream



6 nude



11 grey

46



2 cold beige



7 pale rust



12 midnight blue





4 caramel

9 raspeberry pink



8 dusty pink



13 forest green

WILDFLOWER

chenille

Technically advanced upholstery fabrics made of chenille fibres consisted of two simple twisted-together threads, between which are another cut fibres. Owing to that - fabric has a structure similar to that of velour or plush. A typical feature of the chenille - is an irregularity of upper structure, tiny irregular clearances, and downiness.

It is a pile fabric and will flatten as a characteristic. For optimal appearance retention, regular light vacuuming or brushing with a soft brush is necessary.

STANDARD polyester 93%, linen 7%

FLAME RETARDANT (FR) polyester 93%, linen 7%

standard	version	flame retardant (FR)
III	price group	IV
464	weight (g/m²)	557
25 000	martindale abrasion resistance EN ISO 12947-2	25 000
4	martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs)	4
4	colour fastness to light EN ISO 12947-2	4
307 A 🛛 🗷 P	care instruction	
washable	special features*	

5 warm yellow

10 light grey

^{*}Washable according to graphic instruction.





BOOGIE

jacquards

It is a fabric with woven patterns manufactured using a particular machine that allows controlling many threads separately, which means diversifying multicoloured patterns on a large surface can be created.

STANDARD

polyester 49%, polypropylene 31%, acrylic 20%



FLAME RETARDANT (FR)

polyester 49%, polypropylene 31%, acrylic 20%

standard	version	flame retardant (FR)
IV	price group	IV
371	weight	447
25 000	martindale abrasion resistance EN ISO 12947-2	25 000
>4	martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs)	>4
>5	colour fastness to light EN ISO 12947-2	>5
	care instruction	
washable	special features*	



burnt orange

^{*}Washable according to graphic instruction



flat woven

Upholstery fabrics manufactured from simple fibres, without hair, of rough natural texture creating a smooth, uniform

STANDARD

polyester 51%, acrylic 38%, polyamide 11%





FLAME RETARDANT (FR)

polyester 51%, acrylic 38%, polyamide 11%





The fabric without FR back coating.

standard = FR	version	flame retardant (FR)
IV	price group	IV
395	weight (g/m²)	395
>200 000	martindale abrasion resistance EN ISO 12947-2	>200 000
5	martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs)	5
6	colour fastness to light EN ISO 12947-2	6
	care instruction	
washable easy to clean eco friendly pets friendly safe front	special features*	washable easy to clean eco friendly pets friendly safe front





5 chocolate brown



2 light grey



6 black



3 warm beige



7 green

Fabric you can clean with just water.



Safe Front® Technology

Aquaclean® Safe Front® technology protects against viruses and bacteria, effectively reducing their activity and limiting their penetration into the fabric. The join formula has been totally effective after multiple washes and years of use.

Safe Front® is a powerful permanent barrier against external agents that is applied as standard in the fabric manufacturing proces, so there is no need for external disinfecting or sanitizing agents.

Intended for you and your pet

With Aquaclean Extreme fabrics, you can enjoy your sofa and your pet any time, because this fabric incorporates a protective layer developed with innovative technology that acts as a flexible, elastic barrier to block fabric loops and prevent accidental snagging.

Water cleaning in three simple steps:



Remove any excess residue on the upholstery by careful scraping of the stain surface. Make sure not to use a sharp object to prevent ripping the fabric).



Apply water over the stain, either directly or using a damp cloth. Wait a few seconds.



Press down over the stain with a damp cloth and rub gently over the fabric in circular movements. If the stain does not come off completely, repeat the process as required.







Eco friendly all materials are biodegradable, recyclable. All waste are recycled. Energy and water consumption are minimised. No toxic products during production. Pets friendly scratch resisance and easy removal of hair from a smooth surfance.

Safe front protects against viruses and bacteria.

There are possible shade differences between production series.

4 caramel

^{*}Washable according to graphic instruction

Easy to clean an easy way to remove a stain - suffice rub with a damp cloth and soapy water.





1 natural











3 light grey

7 dark green

8 turquoise





2 beige



10 grey

LILAC

chenille

Technically advanced upholstery fabrics made of chenille fibres consisted of two simple twisted-together threads, between which are another cut fibres. Owing to that - fabric has a structure similar to that of velour or plush. A typical feature of the chenille - is an irregularity of upper structure, tiny irregular clearances, and downiness. It is a pile fabric and will flatten as a characteristic. For optimal appearance retention, regular light vacuuming or brushing with a soft brush is necessary.

STANDARD

polyester 73%, modacrylic 19%, cotton 8%







polyester 73%, modacrylic 19%, cotton 8%





The fabric without FR back coating.

standard = FR	version	flame retardant (FR)
IV	price group	IV
421	weight (g/m²)	421
60 000	martindale abrasion resistance EN ISO 12947-2	60 000
5	martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs)	5
5	colour fastness to light EN ISO 12947-2	5
	care instruction	
easy to clean eco friendly washable safe front	special features*	easy to clean eco friendly washable safe front


Fabric you can clean with just water.

Enjoy the everyday comfort provided by Aquaclean® Technology. Now you can get ridof small stains such as wine, coffee and food without having to wash with soap or detergent. Aquaclean® Technology is so effective that even stains from most marker pens comes off with just water!

Regular maintenance instructions.

For normal sofa maintenance we recommend that you vacuum the entire surface area regularly. You can use a normal home vacuum cleaner with a brush fitting.







Remove any excess residue on the upholstery by careful scraping of the stain surface. (Make sure not to use a sharp object to prevent ripping the fabric).



Apply water over the stain, either directly or using a damp cloth. Wait a few seconds.



Press down over the stain with a damp cloth and rub gently over the fabric in circular movements. If the stain does not come off completely, repeat the process as required.

*Washable according to graphic instruction Easy to clean an easy way to remove a stain - suffice rub with a damp cloth and soapy water.

Eco friendly all materials are biodegradable, recyclable. All waste are recycled. Energy and water consumption are minimised. No toxic products during production. Safe front protects against viruses and bacteria.





1 natural



5 turquoise



2 light grey



6 ocean blue



3 grey-beige



7 green

NORI

chenille

Technically advanced upholstery fabrics made of chenille fibres consisted of two simple twisted-together threads, between which are another cut fibres. Owing to that - fabric has a structure similar to that of velour or plush. A typical feature of the chenille - is an irregularity of upper structure, tiny irregular clearances, and downiness.

It is a pile fabric and will flatten as a characteristic. For optimal appearance retention, regular light vacuuming or brushing with a soft brush is necessary.

STANDARD

recycled polyester 64%, seaqual upcycled yarn 36%



57

FLAME RETARDANT (FR)

recycled polyester 64%, seaqual upcycled yarn 36%

standard	version	flame retardant (FR)
IV	price group	IV
503	weight (g/m²)	600
50 000	martindale abrasion resistance EN ISO 12947-2	50 000
4	martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs)	4
5	colour fastness to light EN ISO 12947-2	5
	care instruction	8 8 8 8 8
easy to clean eco friendly washable recycled	special features*	easy to clean eco friendly recycled

The beauty of, sustainable, everyday products made from upcycled marine plastic.

SEAQUAL INITIATIVE works with NGOs, fishermen, authorities and local communities to help clean our oceans. Marine litter from our beaches, ocean floor and surface, rivers and estuaries, is collected by clean-up programs. It is then sorted into different material types and the plastic portion is cleaned and transformed into Upcycled Marine Plastic. Environmentally conscious brands and manufacturers then transform this new, fully- traceable raw material into inspiring sustainable products for every aspect of our lives. Consumer purchasing power is one of the most powerful tools for change. In choosing products containing Upcycled Marine Plastic, you are helping to clean our oceans.



TOGETHER FOR A CLEAN OCEAN.

*Easy to clean an easy way to remove a stain - suffice rub with a damp cloth and soapy water.

Eco friendly all materials are biodegradable, recyclable. All waste are recycled. Energy and water consumption are minimised. No toxic products during production.

Washable according to graphic instruction.

Recycled recycled materials.

There are possible shade differences between production series.

4 light turquoise









5 anthracite

58







7 green

3 greige

chenille

Technically advanced upholstery fabrics made of chenille fibres consisted of two simple twisted-together threads, between which are another cut fibres. Owing to that - fabric has a structure similar to that of velour or plush. A typical feature of the chenille - is an irregularity of upper structure, tiny irregular clearances, and downiness.

It is a pile fabric and will flatten as a characteristic. For optimal appearance retention, regular light vacuuming or brushing with a soft brush is necessary.

STANDARD

recycled polyester 94%, recycled cotton 6%

FLAME RETARDANT (FR)

recycled polyester 94%, recycled cotton 6%





standard		version	flame retardant (FR)		
	IV	price group	IV		
	697	weight (g/m²)	735		
	>100 000	martindale abrasion resistance EN ISO 12947-2	>100 000		
	5	martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs)	5		
	5	colour fastness to light EN ISO 12947-2	5		

	EN ISO 12947-2 (afetr 2000 rubs)	
5	colour fastness to light EN ISO 12947-2	5
® ₹ ⊠≯®	care instruction	
washable eco friendly recycled easy care	special features*	eco friendly recycled easy care

SKY is part of our greencare range:

100% RECYCLED and recyclable fabrics.

Sky is made of 100% recycled waste, including upcycled cotton from garments and recycled PET from waste. Recycled PET is converted into yarns. This way we create this eco-friendly upholstery fabric. Ultimately these recycled yarns are transformed into soft, beautiful, recycled fabrics.

from PET to fabric -



Post-consumer PET bottles are collected from the ocean by fishermen or originate from different households.



Flakes

to pellets.

Those used PRT bottles are sorted by color and then transformed into flakes.





Next in this recycling process, these pellets are spun into yarn.



Here is where we step in create our ecological Greencare fabrics from recycled yarn.

4 gold beige

*Easy to clean an easy way to remove a stain - suffice rub with a damp cloth and soapy water. Eco friendly all materials are biodegradable, recyclable. All waste are recycled. Energy and water consumption are minimised. No toxic products during production. Washable according to graphic instruction. Recycled recycled materials.

6 blue

1 x 🕮

There are possible shade differences between production series.



TOGO

jacquards

It is a fabric with woven patterns manufactured using a particular machine that allows controlling many threads separately, which means diversifying multicoloured patterns on a large surface can be created.

STANDARD

polyester 39%, acrylic 39%, cotton 14%, wool 8%



FLAME RETARDANT (FR)

polyester 39%, acrylic 39%, cotton 14%, wool 8%

standard	version	flame retardant (FR)
IV	price group	IV
548	weight (g/m²)	685
35 000	martindale abrasion resistance EN ISO 12947-2	35 000
4	martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs)	4
5	colour fastness to light EN ISO 12947-2	5
◎№∞×◎	care instruction	950
easy to clean eco friendly washable	special features*	easy to clean

¹ natural 2 beige 3 light brown 4 silver

5 turquoise 6 grey-brown 7 dark grey

^{*}Easy to clean an easy way to remove a stain - suffice rub with a damp cloth and soapy water.

Eco friendly all materials are biodegradable, recyclable. All waste are recycled. Energy and water consumption are minimised. No toxic products during production.

Washable according to graphic instruction.



1 light grey 2 light beige 3 beige 4 greige 5 yellow 6 green 7 dark green 8 dark grey 9 blue 10 dark blue

62

VELVY

velours

Elegant upholstery fabrics are most frequently produced in manufacturing two-layer knitted fabric, intertwining the layers with fibres creating a tick mesh, and then cutting up both layers. In this way, each of the layers has a thick fleece. The most recognizable feature of velour is its very high strength - at the same time, it gives a pleasant touch feeling.

STANDARD

polyester 80%, modacrylic 16%, viscose 4%





FLAME RETARDANT (FR)

polyester 80%, modacrylic 16%, viscose 4%





standard = FR	version	flame retardant (FR)
IV	price group	IV
432	weight (g/m²)	432
>100 000	martindale abrasion resistance EN ISO 12947-2	>100 000
5	martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs)	5
5	colour fastness to light EN ISO 12947-2	5
$\underline{w} \land \underline{w} \Rightarrow \underline{w}$	care instruction	翌 88≥8∞
easy to clean eco friendly washable safe front	special features*	easy to clean eco friendly washable safe front

Fabric you can clean with just water.

Enjoy the everyday comfort provided by Aquaclean® Technology. Now you can get ridof small stains such as wine, coffee and food without having to wash with soap or detergent. Aquaclean® Technology is so effective that even stains from most marker pens comes off with just water!

Regular maintenance instructions.

For normal sofa maintenance we recommend that you vacuum the entire surface area regularly. You can use a normal home vacuum cleaner with a brush fitting.





Water cleaning in three simple steps:



Apply water over the stain, either directly or using a damp cloth. Wait a few seconds.




Press down over the stain with a damp cloth and rub gently over the fabric in circular movements. If the stain does not come off completely, repeat the process as required.



^{*}Washable according to graphic instruction

Eco friendly all materials are biodegradable, recyclable. All waste are recycled. Energy and water consumption are minimised. No toxic products during production. Safe front protects against viruses and bacteria.

Easy to clean an easy way to remove a stain - suffice rub with a damp cloth and soapy water.







2 flax





3 beige



4 light brown



5 black

6 grey

1 off-white

smooth natural

Upholstery fabric manufactured from simple fibres, without hair, of rough natural texture, creating a smooth, uniform layer. It is made of linen, cotton, or viscose or a mixture of these fibres with a small number of synthetic ones.

STANDARD

linen 50%, cotton 38%, viscose 8%, other 4%

standard	version	flame retardant (FR)
IV	price group	IV
403	weight (g/m²)	
>30 000	martindale abrasion resistance EN ISO 12947-2	
4/5	martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs)	
4	colour fastness to light EN ISO 12947-2	
	care instruction	
natural washable	special features*	Meets the 1988 safety regulations by inclusion of a fire resistant interliner.

^{*}Natural - more than 75% of natural fibres.

Washable according to graphic instruction; washing only on the left side.



TOUCH leather

Leather has specific features: such as texture, variations of hues, slight scratches, scars, pricks, and other marks that appeared before the process of tanning, which proves its natural origin. Furniture leathers are available in a few sorts that differ one one from another, with thickness, finishing method, softness, and texture, which is palpable.

REGULAR USE OF LEATHER FURNITURE

A natural process that accompanies the use of leather furniture is the appearance of folds, creases, and shining. An absolutely natural feature is the folds of back and seat pads. This process depends upon the insensitivity and quality of furniture use. It is recommendable to use all seats as evenly as possible to minimise the effects of that process.

LEATHER PROTECTION

Leather protection long-lasting good appearance of a piece of leather furniture depends on the conditions in which furniture is using. What negatively influences the leather is high temperature, dry air, and direct exposure to harsh sunbeams. Such conditions are bound to shorten the life span of leather upholstery. The minimum distance between a piece of furniture and a source of heat should be 30 cm.

LEATHER MAINTENANCE AND CLEANING

Leather furniture requires regular care. The method and frequency of cleaning, maintenance, and using intensity depend on the degree of soil. At least once per 6 months leather surface needs to be cleaned with a special preparation or with water and soft potash soap. It also needs to be maintained with a dedicated agent designed for leather care. Proper care and correct usage extend its perfect looks for many, many years.



There are possible shade differences between production series.





2003 dark grey 1404 anthracite 1406 turquoise 58 blue 54 dark blue 1401 green 1402 dark green 2007 wine red 1405 claret 05 light brown

2012 fango

70

LARIC

velours

Elegant upholstery fabrics are most frequently produced in manufacturing two-layer knitted fabric, intertwining the layers with fibres creating a tick mesh, and then cutting up both layers. In this way, each of the layers has a thick fleece. The most recognizable feature of velour is its very high strength - at the same time, it gives a pleasant touch feeling.

COMPOSITION cotton 100%

standard

weight 540 (g/m²)

martindale abrasion resistance >70 000

EN ISO 12947-2

martindale pilling resistance 2 EN ISO 12947-2 (afetr 2000 rubs)

colour fastness to light EN ISO 12947-2 3-4

care instruction

special features* natural

^{*}Natural - more than 75% of natural fibres.



1 natural 2 flax 4 olive 3 beige

6 graphite

LINEN LOO7

smooth natural

Upholstery fabric manufactured from simple fibres, without hair, of rough natural texture, creating a smooth, uniform layer. It is made of linen, cotton, or viscose or a mixture of these fibres with a small number of synthetic ones.

COMPOSITION linen 100%



standard

weight (g/m²)

600

martindale abrasion resistance >20 000

EN ISO 12947-2

martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs)

colour fastness to light EN ISO 12947-2

care instruction









special features*

eco friendly washable natural

5 grey

^{*}Eco friendly all materials are biodegradable, recyclable. All waste are recycled. Energy and water consumption are minimised. No toxic products during production. Washable according to graphic instruction. Natural – more than 75% of natural fibres.







2 light turquoise



3 beige



4 grey-beige



5 grey

74

MAPLE

jacquards

Upholstery fabric manufactured from simple fibres, without hair, of rough natural texture, creating a smooth, uniform layer. It is made of polyester, acryl, polyamide, acetate, or a mixture of these fibres with natural ones.

COMPOSITION acrylic 100%



standard

weight (g/m²)

480

martindale abrasion resistance 30 000 EN ISO 12947-2

martindale pilling resistance 4-5 EN ISO 12947-2 (afetr 2000 rubs)

> 7/8 blue scale colour fastness to light

EN ISO 12947-2 EN ISO 105 B04

care instruction

4/5 after 1000 hour of exposure on the grey scale

washable special features* outdoor

Seamless comfort for both indoor and outdoor environments.

The new and innovative Tempotest Home® LS bre allows for previously unseen performance and top-quality fabrics that are aesthetic and functional for both INDOOR and **OUTDOOR** environments.

Thanks to the innovative Teflon® Extreme finishing, Tempotest Home® LS fabrics are water/oil repellent, resistant to mould and stains, salt and fading due to solar radiation. Tempotest Home® LS fabrics are OEKO-TEX® certified. The fabrics produced with the new Tempotest Home® LS fibre are recognised for their high level of softness and appearance that is very similar to natural fibre products. These are characteristics and properties, never before achieved in outdoor fabrics.







Fabric features:







Warranty

Tempotest Home LS fabrics are guaranteed 6 years. The limited warranty only covers loss of colour due to normal exposure to solar radiation and normal weather conditions in general.





There are possible shade differences between production series.

^{*}Washable according to graphic instruction.





2 grey-beige







3 grey

4 light turquoise

jacquards

It is a fabric with woven patterns manufactured using a particular machine that allows controlling many threads separately, which means diversifying multicoloured patterns on a large surface can be created.

COMPOSITION polypropylene 100%



standard

weight 528

(g/m²)

martindale abrasion resistance 40 000

EN ISO 12947-2

martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs)

colour fastness to light EN ISO 12947-2

₩ X Z P care instruction

special features*

washable easy to clean outdoor

A worry free care for outdoor furniture.

Enjoy the relaxed luxury of garden, pool-side and outdoor furniture that are just as easy to love as they are to keep clean. It feels great to have a drink, a snack or a swim in the sun, knowing that your furniture are protected by modern textiles that keep them in "ship-shape". With Easy Care Outdoor® fabrics life outside simply becomes easy and worry free for many years to come!



Mildew resistant



Water repelent



In & Outdoor



Strong but Soft



Colour fast to light



*Washable according to graphic instruction.

Easy to clean an easy way to remove a stain - suffice rub with a damp cloth and soapy water.

There are possible shade differences between production series.

76

1 natural



SPECCHIO

chenille

Technically advanced upholstery fabrics made of chenille fibres consisted of two simple twisted-together threads, between which are another cut fibres. Owing to that - fabric has a structure similar to that of velour or plush. A typical feature of the chenille - is an irregularity of upper structure, tiny irregular clearances, and downiness. It is a pile fabric and will flatten as a characteristic. For optimal appearance retention, regular light vacuuming or brushing with a soft brush is necessary.

COMPOSITION cotton 53%, acrylic 47%

standard	version	flame retardant (FR)
643	weight (g/m²)	643
25 000	martindale abrasion resistance EN ISO 12947-2	25 000
4	martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs)	4
5	colour fastness to light EN ISO 12947-2	5
@ <u>\$</u> \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	care instruction	28 20
2	special features*	2





4 navy blue



1 natural

3 light turquoise



9 light grey

78

10 anthracite

There are possible shade differences between production series.

7 brown



\mathbb{W}

bouclé

Bouclé is both a yarn and a fabric made from it. The yarn is made from length loops of similar size that range from tiny circlets to large curls. It is nubby fabric - to make bouclé, at least two strands are combined, with the tension on one strand being much looser than the other as being connected to its plies. Loose strands form loops; the other strand is an anchor for the previous one. Bouclé is also a name of the fabric produce from this type of yarn, especially fabric that maintains the looped appearance.

COMPOSITION

cotton 40%, viscose 35%, acrylic 20%, polyamide 5%

standard

weight 714 (g/m²)

martindale abrasion resistance 50 000

EN ISO 12947-2

EN ISO 12947-2

martindale pilling resistance 4 EN ISO 12947-2 (afetr 2000 rubs)

colour fastness to light

care instruction

special features* natural

1 off-white 2 light grey 3 mustard 4 orange 5 brown

6 green 7 dark green 8 dark blue 9 dark grey

The starting point for the conception of this fabric has been the yarn. By appealing to our know-how we have designed a bouclé yarn with such a composition to have the possibility to choose which fibers have to be dyed and which ones have to be kept as natural. In this way we can obtain a wider and deeper range of colour shades. We opted for viscose and acrylic in order to finally have fibers with excellent features of strength and softness and, at the same time, different dye affinities.

Its warp, with a very fine yarn and a high thread count has been chosen for the consistency of the fusion between style and technique. If on the one hand you can almost have the feeling that the bouclé yarn is floating intertwined with a fine, quite invisible thread, on the other hand cotton gives the fabric such a strength and consistency.

Last but not least, the piece dyeing process. We opted for acid and cellulosic dyes, always leaving the acrylic untouched. In this way we can finally obtain colour tones with a natural, slightly mélange look. The finishing process with the use of silicon-based products makes the fabric soft and smooth, so that our hand can confirm what our eyes have previously perceived.

^{*}Natural - more than 75% of natural fibres.



1 latte 2 cognac 3 dark brown 4 natural

7 grey

6 opal

ANILINE leather

Characteristic Pure Aniline is doubtlessly one of the softest leathers to the touch. It owes that feature to the finest selection of raw hides. It is a very exclusive product - only about 5% of upholstered furniture sold today is in it. This leather naturally breaths well - what makes even sitting for extended periods is comfortable from a touch and temperature perspective.

Aniline leather is the most natural leather, with the unique surface characteristics of the hide remaining visible. It is coloured only with dye and not with a surface coating of polymer and pigment. Furthermore, applying the colour leather process is as follows: the dye penetrating the leather and extending beyond the surface into the leather. The stains using in that process are clear and free from chemicals that allow the grain structure of the leather to be well visible. These dyes show the natural texture of the material. Unfortunately, they do not protect the leather from damages. These hides will exhibit some natural features, such as healed scars, scratches, neck and belly wrinkles, which gives them an original look. There are colour differences - between the swatches to the very same leather - it is because leather is a natural product and will absorb dyes differently within the hide and from hide to hide. This leather will develop a rich patina of wealth over time. Additionally, it will fade with prolonged exposure to sunlight. Due to the natural character of the leather, it is more exposed to dirt and stains - to prevent that process, you should regularly wipe it.

Regular use of leather furniture A natural process that accompanies using leather furniture is the appearance of folds, creases, and shining. An absolutely natural feature is the folds of back and seat pads. This process depends upon the insensitivity and quality of furniture use. It is recommendable to use all seats as evenly as possible to minimise the effects of that process.

Leather protection The long-lasting good appearance of a piece of leather furniture depends on the conditions in which furniture is using. What negatively influences the leather is high temperature, dry air, and direct exposure to harsh sunbeams. Such conditions are bound to shorten the life span of leather upholstery. The minimum distance between a piece of furniture and a source of heat should be 30 cm.

8 black

5 sand

STANDARD VERSION

FABRIC	COLOR	CARE INSTRUCTION	MARTIN- DALE	PRICE GROUP	
Arya	1 Lgray, 2 Lbelge, 4 gray, 5 gray-black, 6 anthracite	₩ X X 2 0	48 000	1	
King	1 natural, 2 beige, 41,grey, 5 grey-beige, 8 grey, 7 Lblue, 8 liturquoise, 10 black-white	W A M A D	50 000	I,	/
Poem	1 natural, 2 grey, 4 d.blue, 6 beige, 7 grey-beige, 9 earth		50 000	Ŋ.	/
Atropa	1 grey-beige, 2 t.grey, 3 beige, 4 mustand, 5 orange, 6 cognac, 7 camel, 8 khaki, 9 d.blue, 10 grey	@K&&@	25 000	11	
Elyot	1 natural, 2 librown, 4 salmon, 6 orange, 7 musterd, 8 green, 9 liturquise, 10 turguise, 11 diblue, 13 grey-beige, 14 grey	<u>w</u> x020	90 000	11	/
Poodle	1 cream, 2 l.groy, 3 beige, 4 ash	05888	>50 000	11	/
Sneak	1 natural, 2 gray-beige, 3 Lturgise, 4 Lgray, 5 gray, 6 anthracite	₩ \$ \ \$\$@	38 000	11	100
Tulip	1 natural, 2 beige, 3 yellow, 5 vintage red, 6 green, 7 blue, 8 Lgrey, 9 grey	W * \ 20	30 000	11	/
Bloom	1 cream, 2 teddy brown, 3 warm yellow, 4 pale orange, 5 warm red, 6 green, 7 blue, 8 grey, 9 midnight blue	was:	80 000	111	
Caleido	1420 white, 1419 natural, 3790 Lbeige, 10996 grey-beige, 2990 powder pirk, 1497 Lgrey, 10997 grey, 2934 d.grey, 12925 yellow, 3644 coral, 9681 grey-green, 1989 indygo tible	& A B A D A	32 500	Ш	~
Caleido Stampato	1 natural, 2 beige, 4 cool beige, 6 ofive, 7 turquoise, 8 l.blue, 9 d.blue, 10 steel, 11 grey-brown, 12 grey-beige		32 500	III	
Classic Velvet	4 Lgrey, 5 grey, 6 anthracite, 11 d.blue, 12 navy blue, 16 yellow, 17 pink, 18 respberry pink, 21 caramel, 22 teddy brown, 19 rust, 20 deep crange, 23 lango, 24 warm beige, 25 garden green, 26 forest green, 27 deep green, 28 surguojose,	WANAD.	100 000	Ш	~
Drom	01 creme, 02 beige, 11 Lbrown, 12 brown, 63 violet, 40 turquolee, 54 grey, 65 black	₩ Δ⊠≥₩	50 000	Ш	/
Heather	1 natural, 2 libelge, 3 belge, 4 librown, 5 copper brown, 6 olive brown, 7 mustard green, 8 steel grey	₩×⊠20	50 000		/
Moss	1 mustard, 2 d.green, 3 orange, 4 d.brown, 5 d.grey, 6 natural, 7 cold beige, 9 l.brown, 10 l.grey, 12 anthracile, 13 blue, 14 d.blue	<u>w</u> 8020	25 000	Ш	/
Rock	1 natural, 2 ligrey, 3 beige, 4 cool beige, 5 brown, 6 anthracte	WABAS	35 000		/
Stipa	1 brown, 2 beige, 3 Libeige, 4 natural, 6 grey, 7 steel, 9 green	@ &\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	100 000	III	/
Timber	1 l.beige, 3 grey brown, 4 greige, 5 ocean blue, 6 cream, 7 soft brown, 8 sunny yellow, 9 forest green, 10 d.grey,	@& @ &w	80 000	111	/
Wildflower	1 cream, 2 cold beige, 3 teddy brown, 4 caramel, 5 warm yellow, 6 nude 7 pale rust, 8, dusty pink, 9 raspelberry pink, 10 l.grey, 11 grey, 12 midnight blue 13 forest green	waZ20	25 000	III	
Boogie	burnt orange	₩ Δ₩₩	25 000	N	/
Buddy	1 Libeige, 2 Lgrey, 3 warm beige, 4 caramel, 5 chocolate brown, 6 black, 7 green		>200 000	N	✓ clean clean
Lilac	1 natural, 2 beige, 3 Lgrey, 7 d.green, 8 turquolse, 9 blue, 10 grey	WAZ0	60 000	N	cleau
Nori	1 nature, 2 l.grey, 3 grey-beige, 4 l. turquoise, 5 turquoise, 6 ocean blue, 7 green	₩ 8 2 0	50 000	N	✓ SEAQUAL
Sky	1 off white, 2 Lgrey, 3 greige, 4 gold beige, 5 anthracite, 6 blue, 7 green	@ &\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	>100 000	IV	✓
Togo	1 natural, 2 beige, 3 Lbrown, 4 silver, 5 turquoise, 6 grey-brown 7 d.grey	<u> </u>	35 000	IV	/
Velvy	1 l.grey, 2 l.beige, 3 beige, 4 greige, 5 yellow, 6 green, 8 d.grey, 9 blue, 10 d.blue	WA 2000	>100 000	N	✓ clean
Wind	1 off-white, 2 flax, 3 beige, 4 Lbrown, 5 black, 6 grey	W 4020	>30 000	IV	/

LEATHER	COLOR	PRICE GROUP
Touch	1 Lbeige, 2 white, 3 grey-beige, 4 stone, 5 d.grey, 6 black, 7 brown, 8 cognac, 9 d.brown	LEATHER

FABRIC	COLOR	CARE INSTRUCTION	MARTIN- DALE	PRICE GROUP	Control of the Contro
Lario	2003 d.grey, 1404 enthracite, 1408 turquoise, 58 blue, 54 d.blue, 1401 green, 1402 d.green, 2007 wine rod, 1405 clarat, 06 Lbrown, 2012 fango	25020	>70 000	EXCL	
Linen L007	1 natural, 2 flax, 3 beige, 4 olive, 5 grey, 6 graphite	wasa0	>20 000	EXCL	
Maple OUTDOOR	1 off-white, 21 turquoise, 3 beiga, 4 grey-beiga, 5 grey	WAM20	30 000	EXCL	✓ 🌳
Pine (UT DOOR)	1 natural, 2 grey-beige, 3 grey, 4 l. turquoise	wx \ 20	40 000	EXCL	✓
Specchio	1 natural, 3 Liturquoise, 4 navy blue, 7 brown, 9 Lgrey, 10 anthracite	24220	25 000	EXCL	,
Willow	1 off-white, 2 ligrey, 3 mustard, 4 orange, 5 brown, 6 green, 7 digreen, 8 diblue, 9 digrey	84820	50 000	EXCL	

LEATHER	COLOR	PRICE GROUP
Anilina	1 latte, 2 cognac, 3 d.brown, 4 natural, 5 sand, 6 opsl, 7 grey, 8 black	LEATHER



*OEKO-TEX - the fabric is free from harmful and allergenic substances, it is safe for humans in direct contact.

FLAME RETARDANT VERSION

FABRIC	COLOR	CARE INSTRUCTION	MARTIN- DALE	PRICE GROUP	COMPRESSOR OF THE PROPERTY OF
Arya	1 Lgray, 2 Libelge, 4 gray, 6 gray-black, 6 anthracite	₩ X 🛛 🗗 🗈	48 000	11	100
Atropa	1 grey-beige, 2 Lgrey, 3 beige, 4 mustant, 5 crange, 6 cognac, 7 carnel, 8 khak, 9 d. blue, 10 grey	2422 0	25 000	11	
King	1 natural, 2 beige, 4 Lgrey, 5 grey-beige, 6 grey, 7 Lblue, 8 l/urquoise, 10 black-white	8888	50 000	11	
Tulip	1 natural, 2 beige, 3 yellow, 5 vintage red, 6 green, 7 blue, 8 l, grey, 9 grey	MAN 20	30 000	1111	
Caleido	1420 whita, 1419 natural, 3790 Lbeige, 10996 grey-beige, 2990 powder pirk, 1497 Lgrey, 10997 grey, 2934 d.grey, 12025 yellow, 3644 const, 9891 grey-green, 1989 indygo blue	natural fabric		Ш	
Caleido Stampato	1 natural, 2 beige, 4 cool beige, 6 olive, 7 turquotee, 8 libiue, 9 dibtue, 10 steel, 11 grey-brown, 12 grey-beige	natural fabric		Ш	
Elyot	1 natural, 2 librown, 4 salmon, 6 orange, 7 mustard,8 green, 9 liturquise, 10 turquise, 11 diblue, 13 grey-belge, 14 grey	8888	90 000	111	
Poodle	1 cream, 2 ligrey, 3 beige, 4 ash	<u>0</u> 5888	>50 000	H	/
Sneak	1 natural, 2 grey-beige, 3 Lturgise, 4 Lgrey, 5 grey, 6 anthractie	@\$ \ \$@	38 000	111	
Timber	1 Libeige, 3 grey brown, 4 greige, 5 ocean blue, 6 cream, 7 soft brown, 8 sunny yellow, 9 forest green, 10 d.grey.		80 000	111	
Bloom	1 cream, 2 teddy brown, 3 warm yellow, 4 pale orange, 5 warm red, 6 green, 7 blue, 8 grey, 9 midnight blue	34820	80 000	N	
Boogie	burnt orange	8888	25 000	N	
Buddy	1 Lbeige, 2 Lgrey, 3 warm beige, 4 caramet, 5 chocolate brown, 6 black, 7 green		>200 000	N	✓ dean
Classic Velvet	4 Lgray, 5 gray, 6 anthracite, 11 d.blue, 12 navy blue, 16 yellow, 17 pink, 18 raspberry pink, 21 caramel, 22 teddy brown, 19 rust, 20 deep crange, 23 fango, 24 warm beige, 25 garden green, 26 forest green, 27 deep green, 28 turquolee	28 28	100 000	N	
Drom	01 creme, 02 beige, 11 l.brown, 12 brown, 63 violet, 40 turquolse, 54 grey. 55 black	₩ \$ \ \$\$	50 000	N	~
Heather	1 natural, 2 l.beige, 3 beige, 4 l.brown, 5 copper brown, 6 dive brown, 7 mustand groon, 8 steel grey	MAMA20	50 000	N	
Lilac	1 natural, 2 beige, 3 Lgrey, red. 7 d.green, 8 turquoise, 9 blue, 10 grey	<u></u>	60 000	N	cleau cleau
Moss	1 mustard, 2 d.green, 3 orange, 4 d.brown, 5 d.grey, 6 natural, 7 cold beige, 9 l.brown, 10 l.grey, 12 anthracite, 13 blue, 14 d.blue	BAB38	25 000	IV	
Nori	1 natural, 2 Lgrey, 3 grey-beige, 4 Lturquoise, 5 turquoise, 6 ccean blue, 7 green	9888B	50 000	N	SEAGUAL MITIATIVE
Rock	1 natural, 2 l.grey, 3 beige, 4 cool beige, 5 brown, 6 anthracite	wasaa	35 000	N	/
Sky	1 off white, 2 Lgrey, 3 greige, 4 gold beige, 5 anthracite, 6 blue, 7 green	8888	>100 000	IV	/
Stipa	1 brown, 2 beige, 3 Lbeige, 4 natural, 6 grey, 7 steel, 9 green	2888	100 000	IV	
Togo	1 natural, 2 beige, 3 l.brown, 4 silver, 5 turquoise, 6 grey-brown 7 d.grey	050XB	35 000	IV	
Wildflower	1 cream, 2 cold beige, 3 feddy brown, 4 caremel, 5 warm yellow, 6 nude 7 pale nust, 8, dusty pink, 9 raspelberry pink, 10 l.grey, 11 grey, 12 midnight blue 13 forest green	8888	25 000	N	
Velvy	1 I.grey, 2 Lbeige, 3 beige, 4 greige, 5 yellow, 6 green, 8 d.grey, 9 blue, 10 d.blue	<u> </u>	>100 000	N	✓ cleau adna.
Wind	1 off-white, 2 flax, 3 beige, 4 L brown, 5 black, 6 gray	natural fabric		N	

FABRIC	COLOR	CARE INSTRUCTION	MARTIN- DALE	PRICE GROUP	Opening Control of the Control of th
Specchio	1 natural, 3 Lturquoise, 4 navy blue, 7 brown, 9 Lgrey, 10 anthracite	88820	25 000	EXCL	

