

FIREBOLT DM

1/10 RWD ELECTRIC COMPETITION OFFROAD BUGGY CAR KIT

DRIVER _____ DATE _____

TRACK _____ RESULT _____

TRACK SURFACE (INDOOR / OUTDOOR) BEARING _____

HUMIDITY _____ TRACK TEMP _____

GRIP CONDITION HI MED LOW

DEFAULT SETUP

SETUP SHEET



FRONT

SHOCKS POSITION

CASTER BLOCK INSERT 0 2.5 5.0

SPACER 2 mm

SPACER UP LOW

SPACER : FRONT REAR

STEERING SPACER 0 mm

UPPER CAMBER LINK 1 2 3 4

UPPER LINK 1 2

SHOCKS POSITION

KICK-UP ANGLE : 25° 30°

ADDITIONAL WEIGHT 0 g

FRONT

GROUND CLEARANCE 22 mm

CAMBER ANGLE 1 °

TOE ANGLE 0 °

FRONT

SHOCK LENGTH 85.5 mm

STROKE 20.0 mm

PISTON 1.6X2 / OTHERS

OIL 350

SPRING RED

LIMITERS 1.5 mm

REBOUND 0 %

NOTES

REAR

SHOCKS POSITION

REAR HUB LINK POSITION UP LOW

UP LOW

UP LOW

SPACER 2 mm

SUSPENSION SPACER 2.4 mm

ANTI-SQUAT SPACER 1.5 mm

UPPER CAMBER LINK 1 2

SHOCKS POSITION

TOE SPACER 0.5 mm

SWAY BAR mm

REAR

GROUND CLEARANCE 23 mm

CAMBER ANGLE 1 °

TOE ANGLE 3.6 °

REAR

SHOCK LENGTH 101.5 mm

STROKE 28.5 mm

PISTON 1.7X2 / OTHERS

OIL 350


SPRING RED

LIMITERS 1.5 mm

REBOUND 0 %

NOTES

DIFFERENTIAL




DIFFERENTIAL TYPE :
BALL GEAR


SETTING : _____

OIL : INCLUDED DIFF OIL


BATTERY POSITION




SHORTY PACK INLINE



SHORTY PACK BACKWARD



SHORTY PACK FORWARD



SQUARE PACK

FRONT TIRES

TIRE : _____

COMPOUND : _____

INSERT : _____

WHEEL : _____

NOTES : _____

REAR TIRES

TIRE : _____

COMPOUND : _____

INSERT : _____

WHEEL : _____

NOTES : _____

MOTOR : _____ ROTOR : _____ TIMING : _____

SPUR : _____ T PINION : _____ T RATIO : _____

ESC : _____ SETUP : _____ BATTERY : _____

STEERING EXPO : _____ BRAKE E.P. : _____ THROTTLE EXPO : _____

BODY : _____ WING : _____ ANGLE : 6° 8° 10°