

Oxford® Up

Supporting safe and efficient
patient transfer and rehabilitation



Oxford® Up

Safety and Efficiency

The Up is a manual stand-aid and seated transfer device, suitable for those who require assistance when standing but are able to contribute notable effort to the process. By encouraging user participation, the Up can play a fundamental role in patient rehabilitation and maintaining functional independence.

Key Features

- Safe Working Load 200kg / 31st / 440lbs
- Lightweight, and easy to manoeuvre
- Adjustable legs for access around furniture
- Contoured swing-away seat pads
- Ergonomic design considerations
- Compatible sling offer for additional support

- A** Carer Push Handles
- B** Patient Hand-hold Bar
- C** Attachment Point for Clip Belts/Slings
- D** Swing-away Seat Pads
- E** Knee Pad
- F** Leg Adjustment Pedals
- G** Braked Rear Castors (100mm)
- H** Base / Footplate with Non-slip Overlay
- I** Front Castors (75mm)



Lightweight and easy to manoeuvre

Made from aluminium and weighing just 22.5kg, the Up is among the lightest and most nimble in its category. High-grade castors ensures excellent manoeuvrability over a range of floor surfaces, even under load.

Even more impressively, the Up offers a remarkable maximum load capacity of 200kg (31st)!



Adjustable Legs

The legs can be opened and closed to help navigate around furniture. This enables closer access to the patient and promotes better posture and positioning when standing from or returning to a chair or bed-side.

Contoured swing-away seat pads

Padded and shaped for comfort, each seat pad pivots outwards to allow unobstructed access for the patient.



Ergonomic design considerations

The Up was designed with the five key principles of moving and handling in mind. This direct correlation ensures Oxford products are simple, safe and above all comfortable to use.

- 1 Get close to the load
- 2 Use a wide stable base
- 3 Ensure a comfortable firm grasp
- 4 Keep spine close to neutral
- 5 Make sure movement is smooth



Soft moulded knee pad for comfort



Castor mounted brakes for effortless braking



Contoured base for closer access around toilet bases



Oxford Deluxe Standing Sling

The Oxford Deluxe Standing Sling (with Clips) can be used in combination with the Up to provide additional seated support during transfer.



Product Dimensions



Technical Specifications

Safe Working Load	200 kg (31 st)
Overall Height (A)	1,065mm
Overall Length (B)	955mm
Overall Width (C)	640mm
Legs Open - External Width (D)	850mm
Legs Open - Internal Width	795mm
Legs Closed - External Width (E)	480mm
Legs Closed - Internal Width	405mm
Leg Height	95mm
Knee Pad Height (Top of Pad)	465mm
Foot Plate Height	65mm
Ground Clearance	15mm
Turning Radius	1,165mm
Front Castors	75mm
Rear Castors (Braked)	100mm
Intended Operating Environment	+5°C to 40°C

Weight

Total	22.5kg
-------	--------

Testing Standards

The Oxford® Up is fully compliant with the following standards and directives:

- BS EN ISO 12182
- BS EN ISO 14971
- BS EN ISO 13485
- EU 2017/745

Warranty

Please reference the user manual or contact your authorised representative for details.



Elite Healthcare Ltd.
Phone: +353 (0) 1 8903932
Fax: +353 (0) 1 8903937

Dublin: F1 Swords Enterprise Park,
Feltrim Road, Swords, Co Dublin,
K67 E984, Ireland.

Web: www.elitehealthcare.ie
Email: info@elitehealthcare.ie

Cork: 602 Harbour Point Business
Park, Little Island, Cork, T45 X624,
Ireland.