

# *Electronic Cruise Control for* **BMW F800GT**



**NOTE: - This cruise control kit is NOT designed for LED brake/tail lights. If your bike is fitted with LED brake/tail lights, either OE (Original Equipment - built in from new) or aftermarket accessory parts, you MUST order the LED brake light modification when ordering your cruise control kit for this bike.**

The following provides a brief description of the power consumption and component locations of the MotorCycle Setup electronic cruise control.

Installed weight of the cruise control is approximately 2.5kg.

Current draw while the cruise is switched on, but not engaged, is approximately 0.250 amp (3 watts). Current draw while the cruise is engaged is nominally 0.50~0.80 amp (6~10 Watts).

By comparison, a head light bulb typically draws about 4 amps (55 Watts), and a tail light bulb (running light) draws about 0.4 amp (5 Watts).

Refer to the line drawing on the back of this sheet to identify the components from the numbers in the text.

The **Computer (1)** mounts on the left side of the fuel tank under the seat fairing. The photo below left shows the computer under the seat fairing panel, the photo below right is with the panel removed.



The **Electric Throttle Servo (2)** is mounted in front of the engine on the left side. The throttle servo is entirely hidden from view by the bike's fairing from the left side. The photo shows the throttle servo with the fairing fitted viewed from the right side of the bike.



The **CIU (3)** is located on the left side of the bike beside the cylinder head. It is fully covered by the fairing panel. A new **cable (4)** connects it to the bike's throttle bodies.

The photo shows the top of the throttle servo and the CIU with the fairing removed.



The **Speed sensor (5)** is mounted below the right hand front brake caliper. The original caliper mounting bolt is removed and a new bolt and spacer washers fitted to allow the speed sensor to be mounted. Nickel-plated magnets are placed in the heads of the bolts that mount the brake disc.



The **Control Switch (6)** is mounted on the left hand (clutch) lever clamp bolt. The switch is located just above the left switch block.



## ***MotorCycle Cruise Controls***

**6 Kingston Street  
Mount Waverley VIC 3149  
AUSTRALIA**

**Web Site:** <http://www.mccruise.com>

**International:** Phone (International Access Code) 61 3 9808 2804

Fax (International Access Code) 61 3 9808 2445

**Australia:** Phone (03) 9808 2804


Fax (03) 9808 2445

**E-mail:** [sales@mccruise.com](mailto:sales@mccruise.com)

To ensure that the cruise control installation is as safe as possible, an additional **hydraulic pressure switch (7)** is fitted to the bikes front brake circuit. This is to provide a back up method of disengaging the cruise control in the event of failure of the bikes brake light circuit. Fitment of this switch involves replacing one of the brake line 'banjo' bolts with a new bolt that has a pressure switch built in to it. This switch is fitted to the front brake master cylinder (front brake lever assembly).



The **Wiring Harness (8)** is cut to length and terminated to suit the bike. Three connections must be spliced to the bike's wiring harness. Power for the cruise control is taken from the positive wire to the bike's accessory power plug. Brake sensing is taken from the bikes brake light circuit. Tach (engine speed) sensing is detected from the bike's ignition primary circuit. . These connections must be spliced. Splice terminals and heat shrink tube are supplied in the kit to make this connection. Tach sensing is used to disengage the cruise if the clutch is operated. The cruise control is grounded on the negative battery terminal. The wiring harness is a 'custom' finished item, with all parts of the harness cut length and terminated appropriately.



## *MotorCycle Cruise Controls*

6 Kingston Street  
Mount Waverley VIC 3149  
AUSTRALIA

Web Site: <http://www.mccruise.com>

International: Phone (International Access Code) 61 3 9808 2804

Fax (International Access Code) 61 3 9808 2445

Australia: Phone (03) 9808 2804

Fax (03) 9808 2445

E-mail: [sales@mccruise.com](mailto:sales@mccruise.com)