

SE; PDM; IN 1x1; OUT 1x9

Item No.: 830-800/000-313



SE; PDM; IN 1x1; OUT 1x9

MarkingRoHS ✓
Compliant**Business data**

Supplier	WAGO
Item no.	830-800/000-313
GTIN / EAN	4055143379380
Content	1
Order amount	1
Customer item number	

Notes**Technical data****Miscellaneous**

Wire connection 1	WAGO 745 Series
Operating voltage	250 V AC/DC
Ambient operating temperature	-20 °C ... +50 °C
Max. current per connection [A]	10 [A]
Connection technology	CAGE CLAMP®
Solid sizes	1.5 ... 16 mm ² / 16 ... 6 AWG
Strip length	12 ... 13 mm / 0.47 ... 0.51 in
Connection type 2	CAGE CLAMP®
solid, connectable 2	0.08 ... 2.5 mm ² / 28 ... 12 AWG
Strip length 2	5 ... 6 mm / 0.2 ... 0.24 in

Technical data	
<i>Weight [g]</i>	<i>57 [g]</i>
<i>Width</i>	<i>21 mm / 0.81 in</i>
<i>Height from upper-edge of DIN-rail</i>	<i>62 mm / 2.44 in</i>
<i>Length</i>	<i>85 mm / 3.35 in</i>
<i>Relative air humidity (no condensation) [%]</i>	<i>95 [%]</i>
<i>Standards/specifications</i>	<i>cULus 61010-2-201 (pending)</i>
<i>Type of mounting</i>	<i>DIN-35 rail</i>
<i>Mounting type</i>	<i>DIN-rail mount (EN 60715)</i>

Images & drawings



Address

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27

32423 Minden

Telefon: 0571/887-0

Fax: 0571/887-169

<http://www.wago.com>

© WAGO Kontakttechnik GmbH & Co. KG

Technische Änderungen und Irrtümer vorbehalten.