

SE; PDM; IN 2x2; OUT 2x8; fused

Item No.: 830-800/000-319



SE; PDM; IN 2x2; OUT 2x8; fused

Marking

RoHS ✓
Compliant

Business data

Supplier	WAGO
Item no.	830-800/000-319
GTIN / EAN	4055143377393
Content	1
Order amount	1
Customer item number	

Notes

Technical data

Miscellaneous

Wire connection 1	WAGO 745 Series
Operating voltage	250 V AC/DC
Max. fuse capacity [A]	6.3 [A]
Ambient operating temperature	-20 °C ... +50 °C
Connection technology	CAGE CLAMP®
Solid sizes	0.5 ... 6 mm ² / 20 ... 10 AWG
Strip length	11 ... 12 mm / 0.43 ... 0.47 in
Connection type 2	CAGE CLAMP®
solid, connectable 2	0.08 ... 2.5 mm ² / 28 ... 12 AWG
Strip length 2	5 ... 6 mm / 0.2 ... 0.24 in

Technical data

Weight [g]	163 [g]
Width	98 mm / 3.85 in
Height from upper-edge of DIN-rail	48 mm / 1.89 in
Length	106 mm / 4.18 in
Relative air humidity (no condensation) [%]	95 [%]
Standards/specifications	cULus 61010-2-201
Type of mounting	DIN-35 rail
Mounting type	DIN-rail mount (EN 60715)

Images & drawings



Address

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27

32423 Minden

Telefon: 0571/887-0

Fax: 0571/887-169

<http://www.wago.com>

© WAGO Kontakttechnik GmbH & Co. KG

Technische Änderungen und Irrtümer vorbehalten.