



# ACOUSTIC REMEDY

CLIMASTAND ASSEMBLY & USE



# ACOUSTIC REMEDY

## CLIMASTAND ASSEMBLY & USE

### Introduction:

Your ClimaStand will ship in two boxes. They may arrive at different times although shipped at the same time. The larger box will contain the case and the smaller box will contain the base.

Our wall mounted version, the ClimaCase, is the ClimaStand minus the base. If you choose to convert your ClimaStand to a ClimaCase you can do so by simply removing the base and mounting to the wall.

You can visit our Document Download page by scanning the QR code on page four to access key documents for all Acoustic Remedy products.

### Important Information Before You Begin:

- **PLEASE NOTE: If there are any damages to either component of the ClimaStand, please retain all items including the box and packaging material. Photograph damage and email us at [acousticremedycases@gmail.com](mailto:acousticremedycases@gmail.com). We will file a claim and get another case shipped out ASAP at no cost to you.**
- Assembly should take ~ 10-15 minutes and setting up for use ~ 5 minutes. Inside this booklet, you will find a ClimaStand Component ID call out, introducing you to key components.
- All screws are self-tapping, meaning no pre-drilling into the bottom of the case. There are pre-drilled holes on the bottom of the base, which the screws go through and into the case<sup>^</sup>

### Packing List:

- (1) Case
- (1) Base
- (7) - 1 1/4" self-tapping screws
- (1) - Caliber IV Digital Hygrometer
- (4) - Boveda 49% 2-Way Humidity Control Packets
- (2) - Boveda Cedar 2-Packet Holders
- (1) - LED battery powered light and batteries
- (6) - 1/2" Wood Plugs: (2) per top of case, bottom of case, and sides of base

### Recommended Tools for Assembly:

- Powered drill, preferably cordless but not required
- #2 Phillips or #2 square drill bit with a magnetic bit holder or a longer bit to properly secure in drill chuck
- Adequate lighting
- Padded surface
- Rubber mallet
- Vacuum

### Legend:

<sup>^</sup> - certain species of wood, especially exotic species, tend to be very dense and require holes to be pre-drilled into the bottom of the case to avoid screws breaking during insertion. This will be done at the shop prior to shipping and will not require you to do so. For the vast majority of species, the self-tapping screws are sufficient

# - Acoustic Remedy has discontinued the packet shelves in mid-2019; however, inventory still remains and your case may have those already installed. Simply place the Boveda holders on top of the three wood strips in the lower corners of the ClimaStand.



# ACOUSTIC REMEDY

## CLIMASTAND ASSEMBLY & USE

### ClimaStand Component ID Call Out:





# ACOUSTIC REMEDY

## CLIMASTAND ASSEMBLY & USE

### Assembly Instructions:

1. Open large box first and remove the glass protection foam first. Next, remove the side foam pieces to make removal easier. Make sure the latches are snapped shut. Stand the box up on end and grab onto the case back just below the top foam end cap. Gently pull forward and the top foam end cap should start to come out of the box. Once the top end cap has come completely out, grab it and toss aside. Next, lift the case out of the bottom end cap and place glass side up on a padded surface.
2. Open the door and remove the small box above the String Swing. This box will include all components in the Packing List.
3. Re-latch the door and flip the case glass side down on a flat, stable, padded surface. It helps to have the bottom of the case near the edge of an elevated, padded surface to properly mount the base.
4. Remove one of the 1 1/4" screws and insert the tip of the drill bit into the head of the screw. Set the drill/screw aside.
5. Open the small box and remove the base. Unfold the base and set aside.
6. Line up the base with the lightly drawn pencil lines on the bottom of the case. Place the base onto the case with the top, thinner portion (cross support) on the back of the case.
7. Insert the first screw through the bottom of the base in any of the four pre-drilled holes while applying pressure to the base pressing it against the case. Repeat with remaining 3 screws through bottom.

8. Insert three screws through the top cross support of the base into the back of the case.

10. Once all screws are secure, carefully place the ClimaStand upright on the floor.

11. Vacuum out any dust, debris, or other material in the inside and outside of the ClimaStand. Using standard glass cleaner, clean the glass inside and out. Note: We have an additional document titled "Acoustic Remedy Care and Cleaning Guidelines" which highlights how to care for your ClimaStand.

**SCAN THIS QR CODE TO ACCESS  
ACOUSTIC REMEDY DOCUMENT  
DOWNLOADS:**



**ALTERNATIVELY, YOU CAN VISIT THIS  
WEBSITE TO ACCESS THE SAME  
INFORMATION:**

[https://www.acousticremedycases.com/  
pages/document-downloads](https://www.acousticremedycases.com/pages/document-downloads)



# ACOUSTIC REMEDY

## CLIMA STAND ASSEMBLY & USE

### ClimaStand Use:

1. Place the included Boveda 2-Way Humidity packets into the packet holders. The holders are designed to hold either one or two packets. Nearly every ClimaStand gets the Cedar 2-packet holders, with the exception being the ukulele/mandolin/violin ClimaStands which get the Brushed Aluminum 1-packet holders. Place the packet holders in the lower left and right corners or utilize the included magnetic/velcro mounting accessories by Boveda to mount along the left and right side of the ClimaStand. Please take precaution if using the packet holders on the left and right side in case the adhesive were to be compromised in some way and let loose risking a fall onto your guitar. Acoustic Remedy is not liable for any damages to your instrument if the packet holders were to fall onto it by foregoing the recommended storage location in the lower left/right bottom.
2. Place the Caliber IV hygrometer onto the pre-installed magnet on the bottom of the ClimaStand.
3. Place the LED light onto the pre-installed magnet at the top of the ClimaStand.
4. Place your guitar into the ClimaStand to determine desired alignment and positioning. The String Swing can be adjusted tighter or looser into the insert to align left to right, moved to either of the two positions to center up and down and the yoke can be adjusted by squeezing gently on each side to accommodate thinner headstocks.

### ClimaStand Use (Continued):

5. To maximize the life span of the Boveda packets, it's imperative to keep the door shut and the latches engaged at all times except when removing or inserting your instrument.
6. The Boveda 2-Way Humidity Control Packets should give you many months of reliable humidity control depending on several factors, including interior home humidity levels, the starting RH of your instrument humidity, and the number of times you exchange exterior air with interior air. If the packets become stiff, this means they've emitted all the moisture available and need to be replaced. Simply remove the packets, discard, and replace. Acoustic Remedy recommends checking the packets every week or so to determine if they require replacement.
7. We offer a subscription program to deliver replacement sets of the Boveda packets directly to you every 3 months. The price for this service is comparable if not better than other suppliers and provides you with the peace of mind knowing that you will not have gaps in your humidity control regimen. Please scan the QR code or visit the website link below the code to learn more.



<https://www.acousticremedycases.com/pages/packet-renewal-program>



# ACOUSTIC REMEDY

## CLIMASTAND ASSEMBLY & USE INSTRUCTIONS

### Other Important Documents:

Supporting documents can be found on our Document Download page.

**SCAN THIS QR CODE TO ACCESS  
ACOUSTIC REMEDY DOCUMENT  
DOWNLOADS:**



**ALTERNATIVELY, YOU CAN VISIT THIS  
WEBSITE TO ACCESS THE SAME  
INFORMATION:**

**[https://www.acousticremedycases.com/  
pages/document-downloads](https://www.acousticremedycases.com/pages/document-downloads)**

### Questions/Comments/Concerns:

You can contact us via phone or email. In addition, some answers to common questions may be found on our FAQ page.

Adam, Co-Owner: 608-406-9860

Ryan, Co-Owner: 651-341-9955

Email: [acousticremedycases@gmail.com](mailto:acousticremedycases@gmail.com)

FAQ: You can scan the code below or visit  
<https://www.acousticremedycases.com/pages/faq>



### **Other Acoustic Remedy Products:**

- ClimaCase: floor mounted, single instrument humidior
- ClimaCab: multi-instrument humidior
- Open Air Stands: DualStand, DualStand Deluxe, and String Stand
- String Racks: available in Petite (32"), Traditional (48"), and Grand (64")
- Wood Guitar Picks: explore your tone options with handmade picks in a variety of hardwoods
- Pedal Boards: hardwood pedal boards are a unique option to add some class to your music space.
- Musician Seating: stools and stairs to sit and strum on





AR

[WWW.ACOUSTICREMEDYCASSES.COM](http://WWW.ACOUSTICREMEDYCASSES.COM)