



aimée wilder

timewave layout and color guide
for cement & ceramic tiles

timewave

size and color specifications

16 x 8 inches = 0.88 sq. feet per tile

41 x 20 centimeters = 0.08 sq. meters
per tile

16" | 40 cm



8"
20 cm




* Color and size can be customized for this product.

to view more products and styles, visit
aimeewilder.com

to place an order, email
info@aimeewilder.com


aimee wilder




plum grenadine




plum clay




clay terracotta




terracotta grenadine




terracotta coral




oleander clay




spruce verde



verde moss



snow oleander




spruce rainstorm




moss snow



regatta snow




verde rainstorm




snow spruce



spruce regatta



inkwell maia



snow inkwell



inkwell regatta

to view more products and styles, visit
aimeewilder.com

to place an order, email
info@aimeewilder.com

aimee wilder

timewave

hourglass in snow inkwell



what to order

Timewave in Snow Inkwell

Cement tile minimum: 15 boxes of 8 tiles
= 120 tiles per style

Ceramic tile minimum: 8 boxes of 10 tiles
= 80 tiles per style

We recommend a 20% overage on all tile orders.


info and design consultation

Please visit the tile info section on our website for more details on specs, testing, installation, and commercial orders. We are happy to help calculate quantities plus necessary overage and to assist you in your customized tile layout. Please email info@aimeewilder.com.


layout

For this pattern, each row must be mirrored. Place the first row so that the dark waves go up, like hills. Align the next row so that it mirrors the previous row — now the dark waves go down, like drops. Repeat this process in a straight alignment, so that every other row alternates between the dark hills and dark drops.

tile direction




up




down

tile alignment



straight

tile placement



4 x 4.67 feet = 18.33 square feet

1.21 x 1.42 meters = 1.7 square meters

to view more products and styles, visit
aimeewilder.com

to place an order, email
info@aimeewilder.com

aimee wilder

timewave

dual-tone hourglass in spruce verde and snow spruce



what to order

Timewave in Spruce Verde and
Snow Spruce

Cement tile minimum: 15 boxes of 8 tiles
= 120 tiles per style

Ceramic tile minimum: 8 boxes of 10 tiles
= 80 tiles per style

*We recommend a 20% overage on all
tile orders.*


info and design consultation

Please visit the tile info section on
our website for more details on
specs, testing, installation, and
commercial orders. We are happy
to help calculate quantities plus
necessary overage and to assist you
in your customized tile layout. Please
email info@aimeewilder.com.


layout

For this pattern, follow the directions for the Hourglass layout, but use
2 colorways with the same color wave. For the first Hourglass line, use 2 rows
of the same colorway. For the next Hourglass line, use 2 rows of the other
colorway. Make sure that the common color is touching between
respective colorways!

tile directions




up




down

tile alignment



straight

tile placement



4 x 4.67 feet = 18.33 square feet

1.21 x 1.42 meters = 1.7 square meters


to view more products and styles, visit
aimeewilder.com

to place an order, email
info@aimeewilder.com

aimee wilder

timewave

flow hourglass in regatta snow



what to order

Timewave in Regatta Snow

Solid Rectangle in Regatta

Cement tile minimum: 15 boxes of 8 tiles
= 120 tiles per style

Cement tile minimum: 20 boxes of 8 tiles
= 160 tiles per solid

Ceramic tile minimum: 8 boxes of 10 tiles
= 80 tiles per style

We recommend a 20% overage on all tile orders.


info and design consultation

Please visit the tile info section on our website for more details on specs, testing, installation, and commercial orders. We are happy to help calculate quantities plus necessary overage and to assist you in your customized tile layout. Please email info@aimeewilder.com.


layout

For this pattern, follow the Hourglass instructions on the previous page, but place a row of solid rectangles after every two rows. Make sure that the row of solid rectangles is placed between edges of the same color.

tile directions




up




down

tile alignment



straight

tile placement



4 x 4.67 feet = 18.33 square feet

1.21 x 1.42 meters = 1.7 square meters

to view more products and styles, visit
aimeewilder.com

to place an order, email
info@aimeewilder.com

aimee wilder

timewave

split hourglass in snow inkwell



what to order

Timewave in Snow Inkwell

Cement tile minimum: 15 boxes of 8 tiles
= 120 tiles per style

Ceramic tile minimum: 8 boxes of 10 tiles
= 80 tiles per style

We recommend a 20% overage on all tile orders.


info and design consultation

Please visit the tile info section on our website for more details on specs, testing, installation, and commercial orders. We are happy to help calculate quantities plus necessary overage and to assist you in your customized tile layout. Please email info@aimeewilder.com.

layout


For this pattern, every other row must shift over half the length of the tile above — this is a subway alignment. Place the first row so that the dark waves create hills. For the second row, align the top of each hill with the valleys above. Place the third row in line with the first row, and the fourth row in line with the second, and so on.

tile direction




up

tile alignment



subway

tile placement



4 x 4.67 feet = 18.33 square feet

1.21 x 1.42 meters = 1.7 square meters


to view more products and styles, visit
aimeewilder.com

to place an order, email
info@aimeewilder.com

aimee wilder

timewave

seismic in spruce verde



what to order

Timewave in Spruce Verde

Cement tile minimum: 15 boxes of 8 tiles
= 120 tiles per style

Ceramic tile minimum: 8 boxes of 10 tiles
= 80 tiles per style

We recommend a 20% overage on all tile orders.


info and design consultation

Please visit the tile info section on our website for more details on specs, testing, installation, and commercial orders. We are happy to help calculate quantities plus necessary overage and to assist you in your customized tile layout. Please email info@aimeewilder.com.

layout


For this pattern, all tiles face the same direction. Place the first row of tile so that the dark waves go down, like drops. Place the next row of tile in the same direction, in straight alignment with the previous row. Repeat these rows to complete the rest of the area.

tile directions



down

tile alignment




straight

tile placement

4' | 1.21 m

down



4' 8"
1.42 m

4 x 4.67 feet = 18.33 square feet

1.21 x 1.42 meters = 1.7 square meters


to view more products and styles, visit
aimeewilder.com

to place an order, email
info@aimeewilder.com

aimee wilder

timewave

dual-tone seismic in snow oleander and moss snow



what to order

Timewave in Snow Oleander and Moss Snow

Cement tile minimum: 15 boxes of 8 tiles
= 120 tiles per style

Ceramic tile minimum: 8 boxes of 10 tiles
= 80 tiles per style

We recommend a 20% overage on all tile orders.



info and design consultation

Please visit the tile info section on our website for more details on specs, testing, installation, and commercial orders. We are happy to help calculate quantities plus necessary overage and to assist you in your customized tile layout. Please email info@aimeewilder.com.


layout

This pattern is essentially the Seismic layout alternating between two colorways that share a common color. This example features a Snow wave against Moss, and an Oleander wave against Snow.


tile directions



tile alignment




tile placement



timewave

single wave in snow spruce



what to order

Timewave in Snow Spruce

Solid Rectangle in Spruce

Cement tile minimum: 15 boxes of 8 tiles
= 120 tiles per style

Cement tile minimum: 20 boxes of 8 tiles
= 160 tiles per solid

Ceramic tile minimum: 8 boxes of 10 tiles
= 80 tiles per style

We recommend a 20% overage on all tile orders.


info and design consultation

Please visit the tile info section on our website for more details on specs, testing, installation, and commercial orders. We are happy to help calculate quantities plus necessary overage and to assist you in your customized tile layout. Please email info@aimeewilder.com.


layout

The Single Wave pattern is 2 rows of Timewave tiles surrounded by Solid Rectangle tiles. The bottom Single Wave row mirrors the top, but in a subway alignment — shifted over half the length of the row above. In the bottom row, the wave shapes match the Solid Rectangle color below — in the top row, the drop shapes match the Solid Rectangle color above.

tile directions




up



down


tile alignment



subway

tile placement

4' | 1.21 m



4 x 4.67 feet = 18.33 square feet

1.21 x 1.42 meters = 1.7 square meters

to view more products and styles, visit
aimeewilder.com

to place an order, email
info@aimeewilder.com

aimee wilder

timewave ombré waves



what to order

Timewave in Clay Terracotta, Oleander Clay, Snow Oleander, Regatta Snow, Spruce Regatta, and Spruce Verde

Cement tile minimum: 15 boxes of 8 tiles
= 120 tiles per style

Ceramic tile minimum: 8 boxes of 10 tiles
= 80 tiles per style

We recommend a 20% overage on all tile orders.


info and design consultation

Please visit the tile info section on our website for more details on specs, testing, installation, and commercial orders. We are happy to help calculate quantities plus necessary overage and to assist you in your customized tile layout. Please email info@aimeewilder.com.

layout


For this pattern, tiles all face the same direction, but change colorways for each row. The up color for the first row will be the down color for the next row, so that the Wave is bordered by different colors above and below. Arrange the tiles into as many Waves of color as you want. Repeat this to create your full ombré pattern.

tile directions




down

tile alignment



straight

tile placement



4 x 4.67 feet = 18.33 square feet

1.21 x 1.42 meters = 1.7 square meters

to view more products and styles, visit
aimeewilder.com

to place an order, email
info@aimeewilder.com

aimee wilder

timewave

split sea in spruce regatta



what to order

Timewave in Spruce Regatta
Solid Rectangle in Regatta and Spruce

Cement tile minimum: 15 boxes of 8 tiles
= 120 tiles per style

Cement tile minimum: 20 boxes of 8 tiles
= 160 tiles per solid

Ceramic tile minimum: 8 boxes of 10 tiles
= 80 tiles per style

We recommend a 20% overage on all tile orders.


info and design consultation

Please visit the tile info section on our website for more details on specs, testing, installation, and commercial orders. We are happy to help calculate quantities plus necessary overage and to assist you in your customized tile layout. Please email info@aimeewilder.com.

layout


This pattern uses a single row of Timewave tiles to join two areas of Solid Rectangle tiles that match the Timewave’s colors. Place the row where you’d like and add as many solid rows of the corresponding color above and below.

tile directions




down

tile alignment



straight

tile placement



4 x 4.67 feet = 18.33 square feet


1.21 x 1.42 meters = 1.7 square meters

to view more products and styles, visit aimeewilder.com

to place an order, email info@aimeewilder.com

aimee wilder

timewave peninsula in clay terracotta



what to order

Timewave in Clay Terracotta

Solid Rectangle in Clay

Cement tile minimum: 15 boxes of 8 tiles
= 120 tiles per style

Cement tile minimum: 20 boxes of 8 tiles
= 160 tiles per solid

Ceramic tile minimum: 8 boxes of 10 tiles
= 80 tiles per style

We recommend a 20% overage on all tile orders.


info and design consultation

Please visit the tile info section on our website for more details on specs, testing, installation, and commercial orders. We are happy to help calculate quantities plus necessary overage and to assist you in your customized tile layout. Please email info@aimeewilder.com.


layout

For this pattern, consult the guide for Single Wave. The Peninsula layout is formed by 2 rows of Single Waves (in subway alignment) bordered by Solid Rectangle tiles in each of the corresponding colors of your colorway. The Single Wave is laid in subway alignment, but the Solid Rectangle areas are laid in straight alignment. Use as many rows of Solid Rectangles as you like to separate the Single Waves.

tile directions




up



down

tile alignment



straight and subway

tile placement

4' | 1.21 m

up

down

up

down

up

4' 8"

1.42 m

4 x 4.67 feet = 18.33 square feet

1.21 x 1.42 meters = 1.7 square meters

to view more products and styles, visit
aimeewilder.com

to place an order, email
info@aimeewilder.com

aimee wilder

timewave ebb and flow



what to order

Timewave in Plum Clay, Clay
Terracotta, Terracotta Grenadine,
and Plum Grenadine

Cement tile minimum: 15 boxes of 8 tiles
= 120 tiles per style

Ceramic tile minimum: 8 boxes of 10 tiles
= 80 tiles per style

*We recommend a 20% overage on all
tile orders.*

info and design consultation

Please visit the tile info section on
our website for more details on
specs, testing, installation, and
commercial orders. We are happy
to help calculate quantities plus
necessary overage and to assist you
in your customized tile layout. Please
email info@aimeewilder.com.


layout

This pattern uses 4 colorways to create both Hourglasses and Waves.
Consult the previous layout guides for Hourglass and Wave, and make sure
that common colors are touching.

tile directions




up



down

tile alignment



straight

tile placement

4' | 1.21 m

up

down

down

down

up

down

down

4' 8"

1.42 m

4 x 4.67 feet = 18.33 square feet

1.21 x 1.42 meters = 1.7 square meters

to view more products and styles, visit
aimeewilder.com

to place an order, email
info@aimeewilder.com

aimee wilder

timewave

chutes and ladders in oleander clay and plum clay



what to order

Timewave in Oleander Clay and Plum Clay

Cement tile minimum: 15 boxes of 8 tiles
= 120 tiles per style

Ceramic tile minimum: 8 boxes of 10 tiles
= 80 tiles per style

We recommend a 20% overage on all tile orders.


info and design consultation

Please visit the tile info section on our website for more details on specs, testing, installation, and commercial orders. We are happy to help calculate quantities plus necessary overage and to assist you in your customized tile layout. Please email info@aimeewilder.com.


layout

By using 2 colorways with a shared wave color, you can make flowing Single Waves with stair-step "ladders" running diagonally behind. The ladders are formed by taking advantage of the subway alignment and alternating the 2 colorways. The Waves in Chutes & Ladders can run either horizontally or vertically!

tile directions




tile alignment



subway (shown horizontal)

tile placement



4 x 4.67 feet = 18.33 square feet

1.21 x 1.42 meters = 1.7 square meters

to view more products and styles, visit aimeewilder.com

to place an order, email info@aimeewilder.com

aimee wilder

timewave

reflection in verde moss and snow spruce



what to order

Timewave in Verde Moss and Snow Spruce

Cement tile minimum: 15 boxes of 8 tiles
= 120 tiles per style

Ceramic tile minimum: 8 boxes of 10 tiles
= 80 tiles per style

We recommend a 20% overage on all tile orders.


info and design consultation

Please visit the tile info section on our website for more details on specs, testing, installation, and commercial orders. We are happy to help calculate quantities plus necessary overage and to assist you in your customized tile layout. Please email info@aimeewilder.com.


layout

This pattern is made with 2 colorways alternating like a checkerboard, but each row mirrors the shape of the one above or below.

tile directions




up



down

tile alignment



straight

tile placement

4' | 1.21 m

up

down


up

down

up

down

up



4' 8"

1.42 m

4 x 4.67 feet = 18.33 square feet

1.21 x 1.42 meters = 1.7 square meters

to view more products and styles, visit
aimeewilder.com

to place an order, email
info@aimeewilder.com

aimee wilder

timewave

scallops in inkwell regatta



what to order

Timewave in Inkwell Regatta
Solid Rectangle in Inkwell

Cement tile minimum: 15 boxes of 8 tiles
= 120 tiles per style

Cement tile minimum: 20 boxes of 8 tiles
= 160 tiles per solid

Ceramic tile minimum: 8 boxes of 10 tiles
= 80 tiles per style

We recommend a 20% overage on all tile orders.


info and design consultation

Please visit the tile info section on our website for more details on specs, testing, installation, and commercial orders. We are happy to help calculate quantities plus necessary overage and to assist you in your customized tile layout. Please email info@aimeewilder.com.


layout

A Scallops layout creates a border of Timewave tiles above and below an area of Solid Rectangle tiles. The solid area can be as many rows high as you want. Each Timewave tile's wave shape will rise or fall from the outer edges, while the background color touches the common color of Solid Rectangle tiles.

tile directions




up




down

tile alignment



straight

tile placement



4 x 4.67 feet = 18.33 square feet


1.21 x 1.42 meters = 1.7 square meters

to view more products and styles, visit aimeewilder.com

to place an order, email info@aimeewilder.com

aimee wilder

timewave scallop border in spruce verde



what to order

Timewave in Spruce Verde

Solid Rectangle in Verde

Cement tile minimum: 15 boxes of 8 tiles
= 120 tiles per style

Cement tile minimum: 20 boxes of 8 tiles
= 160 tiles per solid

Ceramic tile minimum: 8 boxes of 10 tiles
= 80 tiles per style

We recommend a 20% overage on all tile orders.


info and design consultation

Please visit the tile info section on our website for more details on specs, testing, installation, and commercial orders. We are happy to help calculate quantities plus necessary overage and to assist you in your customized tile layout. Please email info@aimeewilder.com.


layout

In this pattern, Timewave tiles create a border around the room. The remaining floorspace is filled with Solid Rectangle. When laying the Timewave tiles, make sure the wave shape rises from the edges of the room, and that common colors touch. Tiles must be cut professionally to make this pattern work.

tile directions




tile alignment



straight

tile placement



4 x 4.67 feet = 18.33 square feet

1.21 x 1.42 meters = 1.7 square meters

to view more products and styles, visit
aimeewilder.com

to place an order, email
info@aimeewilder.com

aimee wilder