

FEDERAL / GSA DATA DESTRUCTION GUIDE

2018/2019

WHITAKER BROTHERS

Data destruction specialists since 1945
800.243.9226 | www.whitakerbrothers.com



TOP SECRET • SCI



CONFIDENTIAL • SENSITIVE • HIPAA/FACTA • PII • CUI •

FOUO • SBU



Level 7 Shredders
High Security Deployment Shredders
CD/DVD Destruction
Hard Drive Degaussers & Shredders
Data Disintegrators
Industrial Shredders
Low, Medium & High Volume Shredders
Shredder Oil & Bags

GSA Contracts

#GS-02F-0110P (Schedule 75)
#GS-35F-309DA (Schedule 70)



HARD DRIVE Destruction Solutions



The NSA requires the use of an **APPROVED** degausser for the sanitization of **CLASSIFIED** hard drives and magnetic tape media. After using an **APPROVED** degausser, the NSA recommends that "...classified hard drives be physically damaged prior to release."

Whitaker Brothers has combined both operations into ONE UNIT with the . . .

Datastroyer® "One Touch"

A Dual Hard Drive Destruction Unit that is virtually Hands-Free!

Sanitizes and Deforms Magnetic Media in ONE STEP, simply place hard drive in top slot and push START - the drive is degaussed and automatically crushed and deposited in the collection bin at the bottom.

There's no handling of destroyed media between degaussing & crushing!

Custom Wheeled Cart (with collection bin) allows for easy relocation to other departments or storage when not in use.

Please Call for Pricing



"ONE TOUCH" Components Include . . . Datastroyer® 105 Hard Drive® Degausser



NSA/CSS Evaluated and Listed for destruction of 0.65 inch, 1 inch, and 1.65 inch high drives and 2.5" high laptop hard drives

- **APPROVED** for degaussing of **CLASSIFIED** hard drives up to 5,000 Oe and tape media up to 3,000 Oe
- Utilizes unique reverse polarity EMP (Electromagnetic Pulse) technology
- Produces 20,000 Gauss positive pulse and 20,000 Gauss negative pulse
- Includes internal gaussmeter and counter for audit preparation
- Dual voltage (110V/220V) power
- GSA Price if purchased separately: \$15,997.00



Datastroyer® ACD-HS Automatic Crushing Device



NSA/CSS Evaluated and Listed for destruction of 1-inch, .65-inch, 1.65-inch, & Laptop Hard Drives

- **Automatic operation for hands free hard drive destruction**
- Manual crank can continue destruction if power goes out
- Media size: standard 0.65" - 1.65" drives and laptop drives
- Render a hard drive unreadable in less than 10 seconds
- Compact and transportable
- GSA Price if purchased separately: \$5,224.86



Custom Cart

- Best-in-class casters for easy transportation
- Ergonomically designed
- 38"H x 17"W x 38.5"D



Please Call for Pricing

The Datastroyer® 105 Hard Drive® line of hard drive destruction equipment provides several solutions to the challenge of sanitizing hard drives before physically destroying them. Combining a degausser with a crusher or shredder is one way to meet your Top Secret/Classified destruction requirements.

HARD DRIVE DEGAUSSERS

Datastroyer® 105 Hard Drive® Degausser

With Built-In Magnetic Field Verification System



*Listed on NSA Degausser
EPL - capable of erasing
perpendicular and longitudinal
hard drives up to 5,000 Oersteds
and magnetic tape media up to
3,000 Oersteds!*

Datastroyer® 105 Hard Drive® Drawer Degausser

An automatic, drawerstyle degausser that destroys data on longitudinal and perpendicular hard drives.



Duty Cycle	Continuous
Drawer Opening	1" x 4.3" x 6"
Degausser System	Electromagnetic Pulse technology via capacitive discharge
Erasure Cycle Time	Less than 5 seconds
Erasure Capabilities	Manufacturer guaranteed up to 4 TB hard drives
Weight	48 lbs
Power	Dual voltage switches between 120V or 240V (60/50 Hz)
Effective Magnetic Field	15,000 G (1.5 Tesla)
Size (H x W x D)	12" x 12" x 20"
GSA Price	\$5,825.00

Model 1100 Degaussing Wand

Degausses longitudinal and perpendicular media up to 5,000 Oe.

NSA evaluated and meets or exceeds the specifications for secure erasure of hard disk drives and other magnetic media as established by the U.S. DEPARTMENT OF DEFENSE & the NATIONAL SECURITY AGENCY.

- Comes with magnetic shield to ensure safe degaussing wand storage
- No Power Required (Fixed High Energy Magnetic Field)
- 5,000 Oersted mag field intensity
- Weight: 4 oz / Size: 7.5"L x 0.2"H x 1.5"W
- Please Call for Pricing



Duty Cycle	Continuous
Cycle Time	45 - 60 seconds
Degausser System	Capacitive Discharge, Single Pass Bi-Directional
Media Size	Accommodates all magnetic media within 1" x 6" x 4.3"
Field Strength	20,000 Gauss positive (+2 Tesla) & 20,000 Gauss negative (-2 Tesla). Manufacturer Guaranteed up to 8 TB!
Weight	128 lbs
Power	Dual Voltage - Automatically converts between 110V and 220V; 60/50 Hz; single phase
Altitude	Operates at up to 25,000 feet (7,620 meters)
Size (H x W x D)	19" x 10" x 26"
GSA Price	\$15,997.00

Produces a bi-directional field that provides a 20,000 Gauss positive field and a 20,000 Gauss negative field using a unique, patented "Reverse Polarity" technology. This creates the HIGHEST flux field of any degausser available! The 105 HD Degausser will degauss the highest coercivity media available today and is projected to sanitize future media coercivities for years to come.

- Fully automatic - no drawer to open and close. Insert media into top slot and push start.
- Patented "Reverse Polarity" Electro Magnetic Pulse (EMP) technology.
- The built-in magnetic field verification system guarantees consistent performance by reporting the magnetic field strength of every cycle numerically on a blue LCD display. It also has a digital cycle counter and status display.

HARD DRIVE CRUSHERS

For "SECOND STAGE DESTRUCTION" (after the use of an approved degausser) the NSA "highly recommends that CLASSIFIED hard drives be physically damaged prior to release."



Datastroyer® ACD-HS



Automatic
Hard Drive Crusher

NSA/CSS Evaluated and Listed for destruction of 0.65", 1", 1.65" and Laptop Hard Drives

Power	100 to 250 VAC, 50 or 60 Hz (specify when ordering)
Weight	63 lbs. (shipping weight: 84 lbs.)
Size (H x W x D)	21" x 7.25" x 11.625"
GSA Price	\$ 5,224.86

The ACD-HS provides an automatic, motor driven operation - simply insert the hard drive and sensors will automatically start the destruction cycle. A unique feature of the ACD-HS is its ability to operate manually if power is ever interrupted or unavailable. Simply grab the crank handle to continue securely destroying hard drives. No stoppage or setup necessary!

- **Tested and used by NSA and DoD for destroying hard drives.**
- Handles all 3.5" Form Factor Drives including 0.65", 1" and 1.65" high drives. Destroys 2.5" laptop hard drives with included laptop carrier. Also handles SSDs (not NSA evaluated for SSDs) in 3.5" Form Factor and 2.5" Form Factor with the laptop carrier.
- Automatic cycle provides fast, safe and reliable hard drive destruction in 10 seconds or less (60 Hz); with hand crank it's 8 seconds or less.
- Generates 12,000 lbs. of force to bend/crush each drive.
- Can operate with or without power (manually for emergency situations).
- Hard drives are bent approximately 90 degrees, which bends/breaks the platters and damages the heads, motor and circuit board.
- Maintenance free and completely self-contained. No messy fluids or external components to deal with and no adjustments or calibration necessary.
- Ask about options to customize your ACD-HS.



NSA/CSS Evaluated and Listed for destruction of 0.65", 1", 1.65" and Laptop Hard Drives

Datastroyer® MCD-HS



Manual
Hard Drive Crusher

Weight	49 lbs. (shipping weight: 64 lbs.)
Size (H x W x D)	16.5" x 7.25" x 9.25"
GSA Price	\$ 4,247.13

The MCD-HS is designed to physically destroy all standard hard drives without the use of power in 8 seconds or less. Insert the hard drive into the slot and crank the handle 8 rotations to destroy the drive. After the process is finished the hard drive is ejected into the front debris drawer; an optional rear output chute is also available.

- **Tested and used by the NSA and DoD for destroying hard drives.**
- Compact and rugged design is portable and easily deployable.
- Less than 8 second cycle time.
- Media Destroyed: handles all 3.5" Form Factor Drives including 0.65", 1" and 1.65" high drives. Destroys 2.5" laptop hard drives with included laptop carrier. Also handles SSDs (not NSA evaluated for SSDs) in 3.5" Form Factor and 2.5" Form Factor with the laptop carrier.
- Specifically designed for emergency situations where power may not be available.
- Provides a "green" energy saving solution for hard drive destruction.
- Hard drives are bent approximately 90 degrees, which bends/breaks the platters and damages the heads, motor and circuit board
- Maintenance free and completely self-contained. No messy fluids or external components to deal with and no adjustments or calibration necessary.
- Ask about options to customize your MCD-HS.





Shredding alone will NOT SANITIZE magnetic and/or solid-state storage devices - for complete high security destruction use the machines on this page, or the crushers on page 4, in conjunction with degaussing (see our solutions on page 3).

HARD DRIVE & SSD DESTRUCTION

105 Hard Drive® Shredders

High performance single cut and cross cut hard drive/magnetic tape shredders that can handle CDs, DVDs, flash sticks, cell phones, and more!

Feature	<ul style="list-style-type: none"> • Multi-functional display for continuous and reverse operation • All metal feed chute with plexiglass safety inspection window • Protective cover over feed opening • Lockable casters
Throughput	2,000 items per hour* (single cut); 2,500 items per hour* (cross cut)
Sound Rating	65 - 70 dB (extremely quiet operation!)
Cutting Sizes	3/4" x random (single cut); 2/5" x 1-1/5" (cross cut)
Voltage	220V/3 Ph/50-60 Hz
Size (H x W x D)	67" x 41" x 72" approx
GSA Price	Single Cut Price: \$24,997.00; Cross Cut Price: \$38,999.00



104/2 Hard Drive Shredder

COMPACT durable mixed media destroyers that can handle hard drives, CDs, DVDs, solid state drives, USB sticks, credit/store cards, magnetic tapes up to 3.5" and other media storage devices.

Feature	<ul style="list-style-type: none"> • Cutting rollers made of hardened solid steel • Integrated hour meter • Bin full signal and shut off • Low Power Consumption Energy savings mode after 5 minutes of idle running • Energy-saving power unit for long periods of operation at low noise level • Casters for complete mobility • Model 104/2 (requires 20 Amp line) destroys 750 disks/hour • Model 104/3 (requires 30 Amp line) destroys 1250 disks/hour 		
Shred Width	6.5" x 11.5" x 2.4"	Weight	1,646 lbs.
Throughput	1.5"	Size (H x W x D)	3.5" x 46.8" x 31.3"
Sound Rating	57 dB	GSA Price	104/2: \$19,999.00; 104/3: \$20,999.00
Motor (HP)	2 HP		



Datastroyer® 108 Solid State Drive Shredder

Shred smartphones, mini tablets, SSD drives, and USB sticks into small, variable sized particles. Performs like an industrial shredder but with a small, office sized footprint!

Feature	7" feed opening
Capacity/hour	75 - 80 SSDs (approx.); 500 USB sticks/drives; 100 Cell Phones; 1500 CDs/DVDs
Sound Rating	Particle Size
Motor	2.6 HP
Power	120 V/60 Hz/20 Amps or 220 V/50 Hz
Weight	260 lbs.
Size (H x W x D)	37.5" x 22.6" x 24"



MIXED MEDIA DESTRUCTION

The term "Optical Media" includes CDs and DVDs but the more general term "Mixed Media" can include other non-paper storage devices such as phones, tablets, thumb drives, credit cards, ID badges, SIM cards, and other general access cards. All of these items can contain vast amounts of data and even a small fragment can put your security at risk.



DCS 36/6

Paper &
CD/DVD Shredder

NSA Evaluated and meets NSA/CSS Specification 02-01 for paper and 04-02 for CD & DVD destruction.


NSA Rated at 15reams/hour & 7 sheets/pass, 2000 disks/hour.

Residue Size	1mm x 5mm
Capacity	16 sheets/pass or 2,500 discs/hr
Throat	13" (paper) • 5" (CDs/DVDs)
Power	Standard 115V/60 Hz
Bin Volume	39 gallons
Size (H x W x D)	36.9" x 22.8" x 21.7"
Weight	163 lbs
GSA Price	\$3,497.00

Equipped with Smart Operator Interface drive & operating concept that offers "silent", "standard", and "performance" modes for destroying data.

Separate slot, cutting system and residue collection bins for paper & CDs/DVDs; "JamStop Anti-Jam Technology"; Energy Management Control System for up to 90% reduction in energy use; Continuous motor operation & base with casters.

Includes Integrated Automatic Oiler!



OPTICAL MEDIA DESTRUCTION

The NSA requires that all Optical Media (CDs and DVDs) be destroyed to a particle no larger than 2.2mm x 4mm (reference NSA/CSS Specification 04-02).



Datastroyer® 103-DVD

CD/DVD Shredder

NSA Evaluated and meets NSA/CSS Specification 04-02 for Optical Media (CDs and DVDs) destruction.

NSA Rated at 1500 disks/hour.

Residue Size	2.2mm x 4mm
Capacity	Up to 2,500 discs/hr
Throat	16"
Power	Standard 115V/60 Hz
Bin Volume	39 gallons
Size (H x W x D)	39" x 23.4" x 18.5"
Weight	230 lbs
GSA Price	\$3,132.47

Also designed for General Destruction of credit cards, ID badges, etc. Keypad for constant operation and reverse with auto stop for full residue bag or open door.

Specially adjusted thermally protected motor and standby operation for power savings. Convenient pull-out system for residue bag.

No Oiler Required!





NSA Evaluated – All of these models meet NSA/CSS Specification 02-02 (paper) for High Security Disintegrators, 04-02 (CDs & DVDs), and 04-01 (keytape).

MULTIMEDIA OFFICE SHREDDER/DISINTEGRATORS

Datastroyer® DCS 300

Heavy Duty Office Disintegrator with Crosscut Pre-Shredder



NSA Rated: 100 lbs/hr DOD with 3/32" screen



3 Rotor / 2 Bed Knives

2 HP Motor (4 HP Peak)

Crosscut Pre-Shredder

3,500 CDs/DVDs per hour

High Capacity Vacuum

Quiet operation

46-3/8"H x 23-7/8"W x 28"D

GSA Price: \$12,796.30

Datastroyer® DCS 600

Heavy Duty Office Disintegrator with One Micron Filter



NSA Rated: 100 lbs/hr DOD with 3/32" screen



3 Rotor / 2 Bed Knives

Fan Cyclone & Feed Rate Meter included

Crosscut Pre-Shredder for high production

Media feed slot for GENERAL destruction credit cards, memory sticks, ID cards, etc.

Large 55 gallon collection capacity

72.5"H x 48"W x 28"D (includes micron filter)

Price: \$18,589.00



Whitaker Brothers Datastroyer® Disintegrators are NSA Evaluated and meet or exceed the requirements for destruction of CDs, DVDs, paper and keytape to NSA/CSS Specification 02-02 for High Security Disintegrators, 04-02 for Optical Media (CDs & DVDs), and 04-01 (keytape).

HIGH VOLUME MIXED MEDIA DESTRUCTION

Don't see the system you need?
Ask about our other models!

Only Datastroyer® Disintegrators provide the following value-added standard features: Solid Steel, Open Rotor Design for greater airflow, cooler operation & efficient destruction • High Chrome/High Carbon D2 Steel Knives for greater durability • NEMA 12 Controls (the highest rating for operator safety & equipment protection) • Reversible Bed Knives which reduce resharping costs • Welded Plate Construction inside the hopper with Multiple Safety Flaps to reduce noise and provide operator safety. **All of these models are MADE IN THE USA**

Datastroyer® 120

(Includes Evacuation System)



Optional Screen Sizes

3/32", 1/8", 3/16", 1/4" and more



Datastroyer® 240

(Includes Evacuation System)



Datastroyer® 310

(Includes Evacuation System)



BASIC SPECIFICATIONS

120

Up to 450 lbs/hr DOD (1,100 lbs/hr general)

10" x 12" throat

5 blades (3 rotor/2 bed)

10 HP motor (options avail.)

240

Up to 850 lbs/hr DOD (1,300 lbs/hr general)

12" x 20" throat

7 blades (5 rotor/2 bed)

20 HP motor (options avail.)

310

Up to 1,050 lbs/hr DOD (1,400 lbs/hr general)

14" x 24" throat

7 blades (5 rotor/2 bed)

25 HP motor (options avail.)

Call for Your Custom System Pricing

HIGH SECURITY PAPER SHREDDERS

All Whitaker Brothers High Security shredders are NSA Evaluated and Meet or Exceed NSA/CSS Specification 02-01 (Level6/P-7, DIN66399) for High Security Crosscut Shredders.



Shredder features may include: "SPS" Safety Protection System, "ECC" Electronic Control Capacity monitoring, "Easy Switch" Control element, "ESM" Energy Savings Mode, "Jam Stop" anti-jam technology, enclosed cabinet on casters, auto start/stop via phone cell, "Whisper quiet" design, i-control Operational Center, "DLS" Dynamic Load Sensor, etc.

007SF Pkg

With Oiler, Oil & Bags




702SF

With Oiler, Oil & Bags



Datastroyer® 1628 MS

With Oiler, Oil & Bags



4014/2 SMC

With Oiler, Oil & Bags



0077 SL

With Oiler, Oil & Bags



Datastroyer® 1615 MS

With Oiler, Oil & Bags



2605 SMC Pkg

With Oiler, Oil & Bags



502 SF

With Oiler, Oil & Bags



2603/2 SMC Pkg

With Oiler, Oil & Bags



Model	NSA Durability Rating	Shred Size (mm)	Sheet Capacity (up to...)*	Throat Width	Motor** (HP) Actual • Peak	Shred Bag#	GSA Price
007SF Pkg.	26 reams/hr & 10 shts/pass	0.8 x 4.5	20	13"	2.7 • 5.4	800	\$5,399.00
702 SF	29 reams/hr & 11 shts/pass	0.8 x 4.5	20	16"	2.5 • 5	800	\$4,767.00
1628 MS	25 reams/hr & 10 shts/pass	0.8 x 4.8	18	16"	2.82 • 5.5	800	\$3,499.00
4014/2 SMC	24 reams/hr & 10 shts/pass	0.8 x 5	18	16"	2.15 • 4	800	\$4,950.00
0077 SL	15 reams/hr & 8 shts/pass	0.65 x random	16	16"	2.6 • 5.2	800	\$8,299.00
1615 MS	11 reams/hr & 4 shts/pass	0.8 x 4.8	12	16"	1.93 • 3.86	800	\$2,958.31
2605 SMC Pkg.	17 reams/hr & 8 shts/pass	0.8 x 5	13	10-1/4"	1.75 • 3.5	917	\$2,489.00
502 SF	17 reams/hr & 6 shts/pass	0.8 x 4.5	13	12-1/4"	2.4 • 4.8	917	\$2,595.00
2603/2 SMC Pkg.	15 reams/hr & 6 shts/pass	0.8 x 5	11	10-1/4"	1 • 2	917	\$2,299.00

Please Call to Confirm Pricing

* Capacity varies with grain, size, quality & paper weight and sufficient power supply.
 ** Please use actual HP as a specification for determine value. Use of Peak HP is for comparison purposes only where other than Actual HP is used.



All Whitaker Brothers High Security shredders are NSA Evaluated and Meet or Exceed NSA/CSS Specification 02-01 (Level6/P-7, DIN66399) for High Security Crosscut Shredders

HIGH SECURITY PAPER SHREDDERS

Shredder features may include: "SPS" Safety Protection System, "ECC" Electronic Control Capacity monitoring, "Easy Switch" Control element, "ESM" Energy Savings Mode, "Jam Stop" anti-jam technology, enclosed cabinet on casters, auto start/stop via phone cell, "Whisper quiet" design, i-control Operational Center, "DLS" Dynamic Load Sensor, etc.

Datastroyer® 1215 MS

With Oiler, Oil & Bags



2600/2 SMC

With Oil & Bags



402/302/202 SF

With Oil & Bags



Datastroyer® 1010 MS

With Oiler, Oil & Bags



2360 SMC

With Oil & Bags



Model	Shred Size (mm)	Capacity (up to... shts/pass)*	Throat Width	Motor** (HP) Actual • Peak	Shred Bag#	GSA Price
1215 MS	0.8 x 4.8	12	12"	1.93 • 3.86	917	\$2,399.00
2600/2 SMC	0.8 x 5	11	10-1/4"	1 • 2	917	\$2,089.00
402 SF	0.8 x 4.5	7	10-1/4"	0.93 • 1.86	917	\$1,962.51
302 SF	0.8 x 4.5	7	10-1/4"	0.93 • 1.86	917	\$1,770.75
1010 MS	0.8 x 4.8	7	10"	0.9 • 1.8	917	\$1,699.00
202 SF	0.8 x 4.5	7	10-1/4"	0.93 • 1.86	917	\$1,470.56
2360 SMC	0.8 x 5	7	9-1/2"	0.5 • 1	907	\$999.00



Shredder Oil

6 Pints: \$34.99
2 Gallons: \$54.99



Shredder Bags

#800 Bags: \$99.99/100
#917 Bags: \$79.99/100
#907 Bags: \$79.95/100

Meet NSA/CSS Spec 02-01 · ATA 300 Certified · Cases Lined with Cross-linked Polyethylene Foam · Heavy Duty Casters · Recessed Handles & Latches · MILSPEC Cases Available

Model	Shred Size (mm)	Capacity (up to... shts/pass)*	Throat Width	GSA Price
DS-3	0.8 x 5	7	9-1/2"	\$1,699.00
DS-4	0.8 x 5	7	9-1/2"	\$1,989.00
DS-5	0.8 x 5	11	10-1/4"	\$2,852.25
DS-6	0.8 x 5	11	10-1/4"	\$3,495.00
DS-7	0.8 x 4.5	20	13"	\$6,799.00
DS-8	0.8 x 4.8	12	16"	\$4,699.00
DS-9	0.8 x 4.8	18	16"	\$5,299.00
DS-10	0.8 x 4.5	20	16"	\$6,639.00

Datastroyer® DS-3



Datastroyer® DS-4



Datastroyer® DS-5



Please Call to Confirm Pricing

800-243-9226 | www.whitakerbrothers.com

LOW TO MID-VOLUME SHREDDERS



- 2270** 2 separate cutting heads and collection bins for paper & media • Transparent view window • Safety shield in feed opening • Uses bag #907
- 202/302/402** DLS Dynamic Load Sensor • i-control® panel • 2x2 Cut & Collect system • Silentec noise reduction • Bag #917 (202, 302); #907 (402)
- 2604** "SPS" Safety Protection System • "ESM" Energy Saving Mode • "Easy Switch" control element • "ECC" Electronic Capacity Control • Auto start/stop via photo cell • Auto power cutoff for door open or full shred bag • Uses shred bag #917
- 502** DLS Dynamic Load Sensor for controlled performance • i-control® panel for operation status • 2 x 2 Cut & Collect system uses separate cutters and collection bins for paper and media • Silentec noise reduction • Uses shred bag # 917
- 1220** Standby mode for minimal power usage engages when shredder is not in use • "Jam Stop" anti-jam technology • Light barrier-activated automatic start/stop control • Powerful, thermally protected motor • Safety element • Takes clips, staples, credit cards, CDs & DVDs • Uses shred bag #917
- 1620** Jam-prevention technology • Photo cell for automatic start/stop control • Safety element instantly shuts off motor • Thermally protected motor takes clips, staples, CDs/DVDs and credit cards • Power-saving technology for when not in use • Uses shred bag #800
- 4002** "SPS" Safety Protection System • "ESM" Energy Saving Mode • "Easy Switch" control element • "ECC" Electronic Capacity Control • Auto start/stop via photo cell • Auto power cutoff for door open or full shred bag • Uses shred bag #800

10

Model #	Shred Size	Security Level	Throat Width	Capacity * (Up to ...)	Motor** (HP) Actual • Peak	Dimensions (H x W x D)	Weight** (lbs.)	Takes clips, staples & credit cards	GSA PRICE
2270 CC	1/8" x 1"	4	8-3/4"	6	1/5 • 2/5	21" x 13.5" x 8.75"	32	✓ & CDs	\$ 510.18
202 CC	5/32" x 1-13/32"	4	10-1/4"	18	0.92 • 1.84	26" x 16.5" x 15.4"	70.5	✓ & CDs	\$ 767.77
202 CC	1/16" x 9/16"	5	10-1/4"	13	0.92 • 1.84	26" x 16.5" x 15.4"	70.5	✓ & CDs	\$ 825.09
302 CC	5/32" x 1-13/32"	4	10-1/4"	18	0.92 • 1.84	30.3" x 16.5" x 15.4"	75	✓ & CDs	\$ 778.29
302 CC	1/16" x 9/16"	5	10-1/4"	13	0.92 • 1.84	30.3" x 16.5" x 15.4"	75	✓ & CDs	\$ 823.21
402 CC	5/32" x 1-13/32"	4	10-1/4"	18	0.92 • 1.84	39" x 16.5" x 15.4"	84	✓ & CDs	\$ 819.96
402 CC	1/16" x 9/16"	5	10-1/4"	13	0.92 • 1.84	39" x 16.5" x 15.4"	84	✓ & CDs	\$ 862.52
2604 CC	3/16" x 1-1/2"	4	10-1/4"	22-27	1 • 2	36.5" x 19.5" x 18.5"	123	✓ & CDs	\$1,486.00
2604 CC	3/32" x 5/8"	5	10-1/4"	14-17	1 • 2	36.5" x 19.5" x 18.5"	123	✓ & CDs	\$1,486.00
1220 CC	3/16" x 1-1/8"	4	12"	27	0.8 • 1.6	35" x 24.5" x 19"	140	✓ & CDs	\$1,336.97
502 CC	5/32" x 1-13/32"	5	12-1/4"	25	2.4 • 4.8	38.6" x 21.3" x 15.7"	104	✓ & CDs	\$1,159.98
502 CC	5/64" x 19/32"	4	12"	17	2.4 • 4.8	38.6" x 21.3" x 15.7"	104	✓ & CDs	\$1,274.97
1620 CC	3/16" x 1-1/8"	4	16"	27	0.8 • 1.6	35" x 24.5" x 19"	149	✓ & CDs	△Please Call
4002 CC	3/16" x 1-1/2"	4	16"	26-30	1.75 • 3.5	38.25" x 25.25" x 23.25"	240	✓ & CDs	\$2,478.00
4002 CC	3/32" x 5/8"	5	16"	16-18	1.75 • 3.5	38.25" x 25.25" x 23.25"	240	✓ & CDs	\$2,478.00

* Capacity varies depending upon vendor source plus grain, size, quality & paper weight and sufficient power supply

** Shipping weight | ΔGSA Pending

Please use Actual HP as a specification for determining value. Use of Peak, Max or Developed HP is for comparison purposes only where other than Actual HP is used.

Please Call to Confirm Pricing

HIGH VOLUME / INDUSTRIAL SHREDDERS

**Datastroyer®
1630 CC**

4605

852/802

4108

1650/1687



1630

Jam-prevention technology • Photo cell for automatic start/stop control • Comprehensive safety system • Thermally protected, continuous duty motor • Power-saving technology for when not in use • Uses shred bag #800

702

DLS Dynamic Load Sensor for controlled performance • i-control® panel for operation status • 2 x 2 Cut & Collect system uses separate cutters and collection bins for paper and media • Silentec noise reduction • Ecologic energy management system • Uses shred bag # 800

852

Includes large hopper and paddle wheel for crumpled paper • Auto start/stop via a light barrier • Simple keyboard operation with a rotary main switch • LED alerts for paper jam, bin full or door open • Large hinged shelf • 220V/3 Phase power • Uses shred bag # 800

802

Auto start/stop via light barrier • LEDs for paper jam, bin full and door open conditions • Large, hinged shelf • 220V/3 Phase power • Large collecting bin in a dustproof cabinet • Mounted on rollers • Great for shredding passports, ID cards and CDs/DVDs • Uses shred bag # 800

4605

Visual and audible signals when shred basket is full • Soft-touch controls • Top-loading feed hopper can be tilted for safe, convenient clearing • Main switch and emergency STOP button • Mobile shred bin • 220V/3 Phase power • Fold-away feed table • Uses shred bag # 915

4108

Centralized oiler included • Conveyor-belt delivery with hand guard • Large collapsible feeding table • Safety lock and key, emergency STOP button • Detachable side tables • 208/220V / 3 Phase • Easy-access back door • Large shred bin • Uses shred bag # 922

1495

ON/OFF control is a rotary selector switch • Extensive safety systems for all functions • "Bin full" warning with simultaneous auto stop • Movable on two fixed and two lockable casters • 220V/3 Phase power • Can be moved through standard size door • Uses shred bag # 915

1650

Wide emergency STOP bar • 20" wide conveyor input • Lockable master switch and key switch • Visual display & audible "container full" signal • 208/220V, 3 Phase motor • Thermosensor for motor protection • Available as Model 1687 with Baler • Uses shred bag # 915

Model #	Shred Size	Security Level	Throat Width	Capacity * (Up to ...)	Motor** (HP) Actual • Peak	Dimensions (H x W x D)	Weight** (lbs.)	Takes clips, staples & credit cards	GSA PRICE
1630 CC	3/16" x 1-1/8"	4	13"	40	2.8 • 5.6	38" x 23" x 21.5"	186	✓ & CDs	Δ\$ 2,899.35
702 CC	5/32" x 1-13/32"	4	16"	47	2.5 • 5	41.375" x 26" x 22"	263	✓ & CDs	\$ 2,918.43
702 CC	5/64" x 19/32"	5	16"	26	2.5 • 5	41.375" x 26" x 22"	263	✓ & CDs	\$ 3,266.38
852 CC	1/8" x 1-1/2"	4	17"	80	5.33 • 10	63" x 30" x 22"	419	✓ & CDs	\$ 7,285.11
802 CC	1/16" x 9/16"	5	17"	40	5.33 • 10	50.375" x 30" x 22"	408	✓ & CDs	\$ 8,300.88
4605 CC	3/16" x 2-3/8"	4	18"	60-70	3 • 6	67" x 29" x 30"	715	✓ & CDs	\$ 9,330.35
4605 CC	3/32" x 5/8"	5	18"	37-40	3 • 6	67" x 29" x 30"	715	✓ & CDs	\$ 9,330.35
4108 CC	1/4" x 2"	3	16"	82-90	5.36 • 10	56.75" x 48.75" x 67"	983	✓ & CDs	\$ 9,430.14
1495 CC	1/4"	4	17"	130	10 • 20	65" x 31.5" x 66"	977	✓ & CDs	\$ 9,999.00
1650 CC	1/4" x 2"	4	20"	420	10 • 20	61" x 47" x 77"	1,600	✓ & CDs	\$ 20,061.25
1650 CC	1/2" x 2"	2	20"	550	10 • 20	61" x 47" x 77"	1,600	✓ & CDs	\$ 20,578.20

* Capacity varies depending upon vendor source plus grain, size, quality & paper weight and sufficient power supply

** Shipping weight | ΔGSA Pending

Please use Actual HP as a specification for determining value. Use of Peak, Max or Developed HP is for comparison purposes only where other than Actual HP is used.

Please Call to Confirm Pricing

WHITAKER BROTHERS... a GLOBAL leader in sales and service and a local source to meet all of your data destruction requirements.



- We have the largest factory-trained service department for data destruction equipment
- We can provide delivery, installation, and operator training to most locations
- We are an authorized service center for the world's leading manufacturers
- We offer Preventive Maintenance Contracts to extend the performance and investment of your equipment
- We maintain a full parts inventory, including consumables (oil, bags, etc.)
- We provide tours of our facility in the Washington, DC area . . . come see us!

Whitaker Brothers Ordering Information

GSA Contract Numbers	Schedule 75: GS-02F-0110P Schedule 70: GS-35F-309DA Schedule 36: GS-25F-0006M
Contract Expiration Dates	September 30, 2021 (Schedule 75) May 12, 2021 (Schedule 70) September 30, 2021 (Schedule 36)
SPECIAL ITEM NUMBERS	75-200 Office Products/Supplies & Service (Schedule 75) 132-8 Purchase of New Equipment (Schedule 70) 51-212 Paper Cutters, Kutrimmers, Bookletmakers & Collators (Schedule 36) 50-177 Time & Date Stamps (Schedule 36) 50-287 Perforators (Schedule 36)
FEDERAL ID #	52-1357073
DUNS NUMBER	02-429-2732
CAGE CODE	2B154
GEOGRAPHIC DELIVERY	Worldwide (FOB: Destination see below)
PAYMENT TERMS	Net 30 days
F.O.B. DESTINATION	48 contiguous states, Washington, DC or to port of embarkation
REMIT TO ADDRESS	Whitaker Brothers, 3 Taft Court, Rockville, MD 20850

***Proudly Serving our Military
Forces Around the World***



CORPORATE OFFICE | 800.243.9226

○ 301.354.3000 F 301-354-3003
3 Taft Court, Rockville, MD 20850

WEST COAST OFFICE | 800.689.9226

○ 858.689.9600 F 858-689-8239
9265 Dowdy Drive, #108, San Diego, CA 92126



International power (220V/50 Hz/1 Ph) is available on most models at no additional charge

800-243-9226 | www.whitakerbrothers.com