

产品名称 (Products) NY16-11E 平/高头带灯环形自复/自锁金属按钮型  
号/ 料号 (Part No) NY16-P(G)11/(Z)/J 确  
认者 (Confirmedby) \_\_\_\_\_ 确  
认公司 (Company) 温州诺宜电气科技有限公司

工程部:

品质部:

业务部

---

---

电器性能：

ELECTRICAL CHARACTERISTICS:

1. 开关额定值：3A/250VAC  
Switch rating: 3A/250VAC
2. 接点形式：一常开一常闭触点（具有三个端子的单断点快动转换触头开关）  
ContactType: Inormalopen,Inormalclose(1contactfastswitchcomact switch with 3 breaking point)
- 3.接线方式：焊接脚  
Terminal type: pin terminal
- 4.接触电阻：≤50mΩ  
Point resistanc: Max50mΩ
- 5.绝缘电阻：≥100MΩ  
Isolation resistance: ≥100MΩ
- 6.绝缘强度：1500VAC 50Hz/60Hz  
Isolation intensity: 1500VAC, 50Hz/60Hz
7. 工作环境温度：-25℃~+55℃ Operating temperature: -25℃~+55℃
- 8.机械寿命：50万次以上  
Mechanical life: More than 500000 times
- 9.电气寿命：10万次以上  
Electrical life: More than 100000 times
- 10.安装面板厚度：1~9mm  
Panel thickness: 1~9mm
- 11.操作压力：约4N  
Operating pressure: Abou 4N
- 12.操作行程：约3mm  
Operation travel: about3mm
- 13.螺母扭矩：5~14N.m  
Nuttoorque: 5~14N.m
- 14.防护等级：IP67 IP degree: IP67
- 15 触点材料：银合金  
The material of contact: silver alloy
- 16.按键材料：不锈钢/黄铜镍  
Thematerial of button: stainless steel/Nickel plated brass
- 17.外壳材料：不锈钢/黄铜镀镍  
The material of body: stainless steel/Nickel plated brass
- 18.基座：PBT  
The material of base:PBT

### 19.灯珠规格 Lamp parameters

灯珠类型: 高亮度LED 灯珠, 冷色

Led type:High brightness LED lamp,cool

发光颜色: 红, 绿, 蓝, 黄, 白, 橙, 紫色

Luminous color:R,G,B,Y,W,Q,P

额定电压: AC/DC 3V,5V,6V,12V,24,36V,48V,110V,220V Rated voltage:

AC/DC 3V,5V,6V,12V,24,36V,48V,110V,220V

额定电流:  $\leq 20$  mA

Rated current:  $\leq 20$  mA

参考寿命: 40000 小时 (参考值)

Reference life :40000 hours(reference value)

20.附件: 产品结构图

