

Cleans, Disinfects, Deodorizes Germicidal, Tuberculocidal, Fungicidal, and Virucidal*

Active Ingredient: Citric Acid	0.60%
Inert Ingredients:	99.40%
Total	.100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUTIONARY STATEMENTS: HAZARD TO HUMANS AND DOMESTIC ANIMALS. CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. FIRST AID: IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing. Call a Poison Control Center or doctor for further treatment advice.

In the presence of 5% blood serum and a contact time of 5 minutes, is effective against: BACTERICIDAL: Pseudomonas aeruginosa, Staphylococcus aureus, Salmonella enterica (formerly Salmonella choleraesuis), Carbapenem-resistant Klebsiella pneumoniae, Listeria monocytogenes, Escherichia Coli O157:H7, Staphylococcus aureus - MRSA, Staphylococcus epidermidis - MRSE, Enterococcus faecalis Vancomycin Resistant (VRE) VIRUCIDAL*: Respiratory Syncytial Virus, Rotavirus, Human Immunodeficiency Virus Type 1, Herpes Simplex Type 1 Virus, Herpes Simplex Type 2 Virus, Vaccinia Virus, Influenza A Virus, Pandemic 2009 H1N1 Influenza A Virus (formerly called swine flu), Adenovirus Type 2, Feline Calicivirus (surrogate for Norovirus) FUNGICIDAL: Trichophyton interdigitale TUBERCULOCIDAL: Effective against Mycobacterium bovis in 5 minutes at 20°C / 68°F on previously cleaned hard non-porous inanimate surfaces.

AREAS OF USE: Hospitals, Health care facilities, Medical offices, Dental offices, Day care centers, Nursing homes, Schools, Bathrooms, Nurseries, Institutional facilities. TYPES OF SURFACES: Suitable for use on Floors, Walls, Fixtures, Countertops, Kitchen surfaces, Medical equipment surfaces, Stainless steel, Chrome, Glass, Vinyl, CuVerro® antimicrobial copper, Glazed ceramic tile, Plastic, Appliances, Children's toys, Changing tables, High chairs.

EPA Reg. No. 34810-36 Net Contents: 6 lbs. 7 oz. EPA Est. No. 34810-MO-1 400 Wet Wipes (7.1" x 7.1") DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Product is ready to use. Preclean areas with gross filth and visible soil prior to disinfection. DISPENSER DIRECTIONS: Open lid. Pull out wipe from center of roll and through lid. Close lid to retain moisture. TO CLEAN: Unfold premoistened cloth and wipe area to be cleaned for 30 seconds or until clean. TO DISINFECT: Unfold premoistened cloth and wipe hard non-porous area or item to be disinfected. Wet all surfaces thoroughly. Leave for 5 minutes. Wipe or let air dry. No rinsing or wiping is required, except on direct food contact surfaces which require a potable water rinse after treatment. FUNGICIDAL DIRECTIONS: This product is effective against Trichophyton interdigitale (athlete's foot fungus and a cause of ringworm) on inanimate surfaces in locker rooms, dressing rooms, exercise facilities, and shower and bath areas. Follow disinfection directions.

DECONTAMINATION OF CRITICAL OR SEMI-CRITICAL DEVICES PRIOR TO TERMINAL STERIL-IZATION/HIGH LEVEL DISINFECTION: This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or, (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

CLEANCIDE WIPES KILLS HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in all settings in which there is an expected likelihood of soiling of hard, non-porous surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS virus).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATING SURFACES/OBJECTS SOILED WITH BLOOD AND BODY FLUIDS WHICH MAY CONTAIN HIV-1 (AIDS virus). PERSONAL PROTECTION: When handling objects soiled with blood or body fluids use disposable latex gloves, gowns, mask and eye coverings. CLEANING PROCEDURE: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of the disinfectant. CONTACT TIME: Leave precleaned surfaces wet for five minutes using mop, cloth or sponge to mitigate HIV-1 virus. Use a 5 minute contact time to kill all bacteria, viruses* and fungi listed on the label.

DISPOSAL OF INFECTIOUS MATERIAL: Blood and other fluids should be autoclaved and disposed of according to Federal, State and Local regulations for infectious waste disposal.

STORAGE AND DISPOSAL: Do not leave containers open during storage. No special handling is required. **Towelette**: Do not reuse towelette, Dispose of used towelette in trash. **Dispenser**: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available.

Distributed by: Goldstar Products, Inc. PO Box 291630 Davie, FL 33329