This product is for use as a disinfectant on hard, non-porous non-food contact surfaces such as: Doorknobs, light switches, Toilet surfaces^{*}, sinks, Kitchen appliance surfaces[†], bathtubs, showers and garbage cans.

This product is for use as a disinfectant on food contact surfaces such as toys, countertops, tables, appliancest.

This product is effective as a disinfectant on food contact surfaces in Kitchens, Restaurants, Commercial establishments and Homes.

This product sanitizes and kills 99.9% of *Staphylococcus aureus* (staph) and *Enterobacter aerogenes* in 3 minutes on pre-cleaned, hard, non-porous surfaces.

This product kills the following bacteria, fungi, and viruses * in 3 minutes on pre-cleaned, hard, non-porous surfaces:

Bacteria: Pseudomonas aeruginosa (ATCC 15442), Salmonella enterica (ATCC 10708), Staphylococcus aureus (ATCC 6538), Acinetobacter baumanii Multi Drug Resistant (ATCC 19606), Carbapenem Resistant Escherichia coli (CDC 81371), Carbapenem Resistant Klebsiella pneumoniae (ATCC 8AA-1705), Enterobacter aerogenes (ATCC 19048), Enterococcus faecium (ATCC 5159), Escherichia coli (ATCC 11229), Klebsiella pneumonia (ATCC 4352), Listeria monocytogenes (ATCC 19117), Staphylococcus aureus-MRSA (ATCC 33592), Staphylococcus aureus- CA-MRSA Genotype USA 300 (NARSA NRS 384), Staphylococcus aureus- CA-MRSA Genotype USA 400 (NARSA NRS 123), Shigella dysenteriae (ATCC 11835), Stretococcus progenes (ATCC 19615), Staphylococcus aureus - VISA (CDC HIP 5836), Enterococcus faecalis –VRE (ATCC 51575), Campylobacter jejuni (ATCC 2428).

Viruses*: "SARS-CoV-2 virus that may cause COVID-19, "Adenovirus Type 2 (VR-846), "Influenza A virus (HINI) (Strain A/Mexico/H08/2009) "Influenza B virus (VR-823), "Human Immunodeficiency virus type 1 (HIV-1) (Strain HTLV-IIIB), "Herpes simplex virus type 1 (VR-733), "Herpes simplex virus type 2 (VR-734), "Rotavirus (VR-2018), "Vaccinia virus (VR-119), "Rhinovirus type 37 (VR-1147).

Fungus: Candida albicans (ATCC 10231)

Fungi: Trichophyton interdigitale (Athlete's Foot Fungus) (ATCC 9533) Kills Poliovirus type 1 (VR-1562) in 5 minutes on pre-cleaned hard, non-porous surfaces.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Shake Well Before Each Use. Point valve opening toward area to be cleaned, press down firmly and spray evenly.

To Disinfect: Preclean all hard, non-porous surfaces prior to disinfection. After hard, non-porous surface is cleaned, hold can upright 6" to 8" from area to be treated. Spray until surface is thoroughly wet. Allow to dry without wiping or allow spray to contact treated surface for a minimum of 3 minutes prior to wiping. Reapplication is necessary if surface is dried before contact time is achieved. When used on toys or food contact surfaces such as countertops, tables and appliances, thoroughly rinse surfaces with potable water before use. Do not use on utensils, dishes or glasses.

To Sanitize Non-Food Contact Surfaces: Preclean all hard, non-porous surfaces prior to sanitization. After hard, non-porous surface is cleaned, hold can upright 6" to 8" from area to be treated. Spray until surface is throughly wet. Allow to dry without wiping or allow spray to contact treated surface for a minimum of 3 minutes prior to wiping. Reapplication is necessary if surface is dried before contact time is achieved.

To Kill (Tb) Mycobacterium bovis: Pre-clean surfaces, hold can upright 6" to 8" from area to be treated. Spray until surface is thoroughly wet. Allow to dry without wiping or allow spray to contact treated surface for a minimum of 10 minutes prior to wiping. Reapplication is necessary if surface is dried before contact time is achieved. When used on toys of food contact surfaces such as countertops, tables and appliancest, thoroughly rinse surfaces with potable water before use. Do not use on utensils, dishes or glasses.

To Kill "Poliovirus Type 1: After surface is cleaned, hold can upright 6" to 8" from area to be treated. Spray until surface is thoroughly wet. Allow to dry without wiping or allow spray to contact treated surface for a minimum of 5 minutes prior to wiping. Reapplication is necessary if surface is dried before contact time is achieved. When used on toys or food contact surfaces such as countertops, tables and appliancest, thoroughly rinse surfaces with potable water before use. Do not use on utensils, dishes or glasses. For use as a fungicide against Trichophyton interdigitale (Athlete's Foot): Preclean all hard, non-prorus surfaces prior to disinfection. Apply to clean surface holding can upright 6" to 8" from area to be treated. Spray until surface is thoroughly wet. Allow to dry without wiping or allow spray to contact treated surface for a minimum of 10 minutes prior to wiping. Reapplication is necessary if surface is dried before contact time is achieved.



HOSPITAL DISINFECTANT

LEMON SCENT

- MULTISURFACE DISINFECTANT
- KILLS 99.9% GERMS ON HARD NON-POROUS SURFACES
 - KILLS SARS-CoV-2 ON HARD, NON-POROUS SURFACES (IN 3 MINUTES)

CONTROLS MOLD AND MILDEW

• ELIMINATES ODORS

• BACTERICIDAL • ANTIBACTERIAL

• FUNGICIDAL • VIRUCIDAL*

For Use on Hard, Non-porous Environmental Surfaces and Soft Spot Surface Sanitizer applications.

This product is effective as a disinfectant on hard, non-porous, non-food contact surfaces in: Healthcare, Schools, Hotels, Restaurants,

Commercial Establishments, Homes, Hospitals, Nursing Homes, Businesses, Motels and Institutions

Active Ingredients

Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₈ , 5% C ₁₇)	
dimethyl benzyl ammonium chloride	0.16%
Alkyl (68% C ₁₂ , 32% C ₁₄)	
dimethyl ethylbenzyl ammonium chloride	0.16%
Other Ingredients	99.68%
Total	

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for First Aid and additional Precautionary Statements.

EPA REG. NO. 706-111- 68562 EPA EST. 10088-WI-1

NET WT: 17 oz (482 g)

For Spot Sanitization of Soft Non-food Contact Surfaces: Preclean all hard, non-porous surfaces prior to sanitization. Hold can upright 6" to 8" from area to be treated. Spray until surface is thoroughly wet. Allow to dry without wiping or allow spray to contact treated surface for a minimum of 3 minutes prior to wiping. Reapplication is necessary if surface is dried before contact time is achieved.

For Control of Mold and Mildew: Preclean all hard, non-porous surfaces. Apply by holding can upright 6" to 8" from surface to be treated. Spray until surface is completely wet. Let air dry. Repeat application at weekly intervals or when mildew growth reappears.

*Kills HIV on Pre-Cleaned Environmental Surfaces Previously Soiled with Blood/Body Fluids in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of "human immunodefiency virus Type I (HIV) (associated with AIDS): Special Instructions for Cleaning and Decontamination Against HIV on Surfaces/Objects Soiled with Blood/Body Fluids: Personal Protection: When handling items soiled with blood or body fluids, use barrier protection: disposable latex gloves, gowns, masks and eye coverings. Cleaning Procedure: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant. Contact Time: Spray surface to be treated 3-4 seconds, from a distance of 6-8 inches, until surface is wet. Allow spray to dry without wiping or allow spray to contact treated surface for a minimum of 3 minutes except for *Poliovirus Type I which requires five minutes, prior to wiping. Disposal of Infectious Materials: Autoclave blood and other body fluids and dispose of according to federal, state and local regulations for infectious waste disposal.

This product is not for use on medical devices or medical equipment surfaces.

‡Allow surface to come to room temperature before using this product. ^ For use on exterior surfaces above the water line.

STORAGE AND DISPOSAL

Pesticide Storage: Store in a cool, dry (preferably locked) place inaccessible to children and pets and away from direct sunlight, windows, flames and other sources of heat or ignition. Pesticide Disposal: Wastes resulting from the use of this product may be disposed on site or at an approved waste disposal facility. Container Disposal: Non-refillable container. Do not refill or reuse this container. Do not puncture or incinerate! If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions

PRECAUTIONARY STATEMENTS Hazards to Humans & Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

First Aid

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-866-836-8855 for emergency medical treatment information.

Physical or Chemical Hazards

Flammable. Contents under pressure. Do not use or store near fire, sparks or heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Incineration of container may cause explosion.

