Safety Data Sheet



SECTION 1: Product and company identificationProduct name: Hospital DisinfectantUse of the substance/mixture: Aerosol
DisinfectantProduct code: 8421Company: Goldstar Products
P.O. Box 291630
Davie, FL 33329 - USA
T (800) 239-5699Emergency number: Chemtec: (800) 424-9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Flam. Aerosol 1 H222 Eye Irrit. 2A H319 Full text of H-phrases: see section 16

2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	GHS02 GHS07
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: Extremely flammable aerosol Causes serious eye irritation
Precautionary statements (GHS-US)	 Keep away from heat, sparks, open flames, hot surfaces No smoking Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use Wash thoroughly after handling Wear eye protection, face protection If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F Dispose of contents/container to comply with local/regional/national/international regulations.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance Not applicable

Full text of H-phrases: see section 16

3.2. Mixture Name **Product identifier** % **Classification (GHS-US)** (CAS No) 64-17-5 Flam. Liq. 2, H225 STOT SE 3, H336 ethanol 40 - 60 (CAS No) 106-97-8 10 - 20 Flam. Gas 1, H220 butane Compressed gas, H280 (CAS No) 74-98-6 Flam. Gas 1, H220 2.5 - 10 propane Compressed gas, H280 Skin Irrit. 2, H315 2-phenylphenol (ISO), biphenyl-2-ol, 2-hydroxybiphenyl (CAS No) 90-43-7 0.1 - 1 Eye Irrit. 2A, H319 STOT SE 3, H335 Aquatic Acute 1, H400


SECTION 4: First aid measures 4.1. Description of first aid measures

Safety Data Sheet

First-aid measures general

Name

sodium nitrite



First-aid measures after i	inhalation :	:	Remove the victim into fresh air. Get medical advice/attention if you feel unwell.
First-aid measures after	skin contact :	:	Wash with water and soap. If skin irritation occurs: Get medical advice/attention.
First-aid measures after	eye contact :		Rinse immediately with plenty of water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after i	indestion		Indestion unlikely. Get medical advice/attention

hiet ala medealee alter mgeeten	
4.2. Most important symptoms and effe	cts, both acute and delayed
Symptoms/injuries	: Causes eye irritation. Irritation of the nasal mucous membranes.

considered necessary.

ymptoms/injuries	: Causes eye irritation. Irritation of the nasal mucous membranes.	

Symptoms/injuries after eye contact	: Causes serious eye irritatior
-------------------------------------	---------------------------------

4.3. Indication of any immediate medical attention and special treatment needed

:

themselves.

Treat symptomatically.

SECTION 5: Firefighting meas	ures		
5.1. Extinguishing media			
Suitable extinguishing media	: Powder. Alcohol-resistant foam. Water. Carbon dioxide.		
Unsuitable extinguishing media	: No unsuitable extinguishing media known.		
5.2. Special hazards arising from th	5.2. Special hazards arising from the substance or mixture		
Explosion hazard	: Pressurized container: may burst if heated.		
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.		
5.3. Advice for firefighters			
Firefighting instructions	Move containers away from the fire area if this can be done without risk. Use water spray or fog for cooling exposed containers. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.		

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
General measures	: Evacuate unnecessary personnel. Stay upwind/keep distance from source. Gas is denser than air. May accumulate in low areas e.g. close to the ground.		
6.1.1. For non-emergency personnel			
Protective equipment	: Do not enter without an appropriate protective equipment. DO NOT touch spilled material. Ventilate the area thoroughly, especially low lying areas (basements, work pits etc.). Advice local authorities if		

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Avoid release to the environment. Advice local authorities if considered necessary. Stop leak if safe to do so. Do not contaminate water with the product or its container. Do not allow to enter drains or water courses.

6.3. Methods and material for containmen	it and cleaning up
For containment :	Eliminate every possible source of ignition. Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop leak if safe to do so. Move the cylinder to a safe and open area if the leak is irreparable. Isolate area until gas has dispersed. Collect spillage. Prevent the product from entering drains or confined areas. Following product recovery, flush area with water. For further information refer to section 8 : Exposure-controls/personal protection"".

6.4. Reference to other sections No additional information available

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Pressurized container: Do not pierce or burn, even after use.

Safety Data Sheet



,		
Precautions for safe handling	Do not use if spray button is missing or defective. Do not spray on a naked flame or any incandescent material. Do not smoke while handling product. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Ground/bond container and receiving equipment. Do not re-use empty containers. Use only outdoors or in a well-ventilated area.	
Hygiene measures	: Avoid contact with eyes. Use good personal hygiene practices. Wash thoroughly after handling.	
7.2. Conditions for safe storage, including any incompatibilities		
Technical measures	: Pressurized container. Do not puncture, incinerate or crush. Take precautionary measures against static discharge.	
Storage conditions	: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.	
Incompatible materials	: Heat sources. Sources of ignition.	
Storage area	: Aerosol 2.	

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

ethanol (64-17-5)			
ACGIH	ACGIH STEL (ppm)	1000 ppm	
ACGIH	Remark (ACGIH)	URT irr	
butane (106-97-8)			
ACGIH	ACGIH TWA (ppm)	1000 ppm	
propane (74-98-6)			
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm	

8.2. Exposure controls

Appropriate engineering controls

- : Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
- Personal protective equipment
- Gloves. Safety glasses. Protective clothing.



- Materials for protective clothing Hand protection Eye protection Respiratory protection Thermal hazard protection
- : Chemically resistant protective gloves.
- : Protective gloves.

:

- : Wear eye/face protection. Chemical goggles or safety glasses.
- : If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an airsupplied respirator.
- : Use appropriate personal protective equipment when risk assessment indicates this is necessary.

Consumer exposure controls

- : When using do not smoke. Use good personal hygiene practices. Wash hands immediately after
- handling the product. Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work. Take off contaminated clothing and wash before reuse.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties		
Physical state	: Gas	
Appearance	: Aerosol.	
Odor	: No data available on odour	
Odor threshold	: No data available	
рН	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: -156 °F Propellant estimated	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability (solid, gas)	: No data available	
Explosion limits	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	

Hospital Surface Disinfectant

Safety Data Sheet

Vapor pressure	: 6.1 - 6.8 atm @70F estimated
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 0.79 g/ml estimated
Solubility	: No data available
Log Pow	: No data available
Log Kow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerization does not occur.

10.4. Conditions to avoid

Aerosol containers are unstable at temperatures above 49°C. Avoid temperatures exceeding the flash point.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information


11.1. Information on toxicological effects

Acute toxicity	: Not classified	
ethanol (64-17-5)		
LD50 oral rat	10740 mg/kg body weight (Rat; OECD 401: Acute Oral Toxicity; Experimental value)	
LD50 dermal rabbit	> 16000 mg/kg (Rabbit; Literature study)	
ATE CLP (oral)	10740.000 mg/kg body weight	
sodium nitrite (7632-00-0)		
ATE CLP (oral)	100.000 mg/kg body weight	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified.	
2-phenylphenol (ISO), biphenyl-2-ol, 2-hydr	oxybiphenyl (90-43-7)	
IARC group	3 - Not Classifiable	
Reproductive toxicity	: Not classified	
Specific target organ toxicity (single exposure)	: Not classified.	
Specific target organ toxicity (repeated exposure)	: Not classified	
Aspiration hazard	: Not classified	

Symptoms/injuries after eye contact

SECTION 12: Ecological information			
2.1. Toxicity			
ethanol (64-17-5)			

: Causes serious eye irritation.







Safety Data Sheet

ethanol (64-17-5)



LC50 fish 1	14200 mg/l (96 h; Pimephales promelas)		
EC50 Daphnia 1	9300 mg/l (48 h; Daphnia magna)		
LC50 fish 2	13000 mg/l 96 h; Salmo gairdneri (Oncorhynchus mykiss)		
EC50 Daphnia 2	10800 mg/l (24 h; Daphnia magna)		
Threshold limit other aquatic organisms 1	65 mg/l (72 h; Protozoa)		
Threshold limit algae 1	1450 mg/l (192 h; Microcystis aeruginosa; Growth rate)		
Threshold limit algae 2	5000 mg/l (168 h; Scenedesmus quadricauda; Growth rate)		
12.2. Persistence and degradability			
ethanol (64-17-5)			
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Highly mobile in soil.		
Biochemical oxygen demand (BOD) 0.8 - 0.967 g O /g substance			
Chemical oxygen demand (COD)	1.70 g O /g substance		
ThOD	2.10 g O /g substance		
BOD (% of ThOD)	ThOD) 0.43 % ThOD		
12.3. Bioaccumulative potential			
ethanol (64-17-5)			
BCF fish 1	1 (72 h; Cyprinus carpio)		
Log Pow	-0.31 (Experimental value)		
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).		
SECTION 13: Disposal consideration	15		
13.1. Waste treatment methods			
Waste treatment methods : Collect and reclaim or dispose in sealed containers at licensed waste disposal site Contents under pressure. Do not puncture, incinerate or crush. Do not allow into drains or water courses or dispose of where ground or surface waters may be affected. Do not contaminate ponds, waterways or ditches with chemical or used container Dispose of contents/container to comply with			

local/regional/national/international regulations.

Waste disposal recommendations Additional information

: Dispose in a safe manner in accordance with local/national regulations. Handle empty containers with care because residual vapors are flammable. Handle unclean empty containers as full ones.

SECTION 14: Transport information

Department of Transportation (DOT)

Transport document description UN-No.(DOT) Proper Shipping Name (DOT)	 UN1950 Aerosols (flammable, (each not exceeding 1 L capacity)), 2.1 UN1950 Aerosols flammable, (each not exceeding 1 L capacity) 	
Transport hazard class(es) (DOT)	: 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115	
Hazard labels (DOT)	: 2.1 - Flammable gas	
DOT Packaging Non Bulk (49 CFR 173.xxx)	: None	
DOT Packaging Bulk (49 CFR 173.xxx)	: None	
DOT Special Provisions (49 CFR 172.102)	: N82	
DOT Packaging Exceptions (49 CFR 173.xxx)	: 306	
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 75 kg	
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 150 kg	
DOT Vessel Stowage Location	: A	

:



Additional information Other information	14,126 - Segregation same as for Class 9, miscellaneous hazardous materials	
	. This product may be divible to be chinned as a Limited Quantity or Consumer Commedity OPM D	
Other information	This product may be aligible to be abipped as a Limited Quantity or Consumer Commedity OPM D	
	: This product may be eligible to be shipped as a Limited Quantity or Consumer Commodity ORM-D utilizing the exception found at 49 CFR 173.306.	
ADR		
No additional information available		
Transport by sea		
UN-No. (IMDG)	: UN1950	
Proper Shipping Name (IMDG)	: Aerosols	
Class (IMDG)	IMDG) : 2.1 - Flammable gases	
Air transport		
UN-No.(IATA)	: UN1950	
Proper Shipping Name (IATA)	: Aerosols	
Class (IATA)	: 2.1 - Gases : Flammable	

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

2-phenylphenol (ISO), biphenyl-2-ol, 2-hydroxybiphenyl	CAS No 90-43-7	0.1 - 1
sodium nitrite	CAS No 7632-00-0	0.1 - 1

butane (106-97-8)	
Not listed on SARA Section 313 (Specific toxic ch	emical listings)
propane (74-98-6)	
Not listed on SARA Section 313 (Specific toxic ch	emical listings)
2-phenylphenol (ISO), biphenyl-2-ol, 2-hydroxyb	iphenyl (90-43-7)
Listed on SARA Section 313 (Specific toxic chem	ical listings)
sodium nitrite (7632-00-0)	
Listed on SARA Section 313 (Specific toxic chem	cal listings)
RQ (Reportable quantity, section 304 of EPA's List of Lists)	100 lb

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer and/or reproductive toxicity.

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labelling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. NOTE: This product contains a chemical(s) known to the state of California to cause cancer.

SECT	ION 16: Other infor	mation			
Trainin	g advice	: Normal use of this product shall imply use in accordance with the instructions on the packaging.		ıg.	
Full tex	t of H-phrases:				
	Acute Tox. 3 (Oral)		Acute toxicity (oral) C	Category 3	
	Aquatic Acute 1		Hazardous to the aqu	atic environment - Acute Hazard C	ategory 1
Date of	issue: 9/1/2015	Revision date: 05/15/2015	Version: 1.0	P GHS SDS	Page 6 of 7




Carc. 1B	Carcinogenicity Category 1B
Compressed gas	Gases under pressure Compressed gas
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Aerosol 1	Flammable aerosol Category 1
Flam. Gas 1	Flammable gases Category 1
Flam. Liq. 2	Flammable liquids Category 2
Ox. Sol. 3	Oxidizing solids Category 3
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H220	Extremely flammable gas
H222	Extremely flammable aerosol
H225	Highly flammable liquid and vapor
H272	May intensify fire; oxidizer
H280	Contains gas under pressure; may explode if heated
H301	Toxic if swallowed
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H350	May cause cancer
H400	Very toxic to aquatic life

NFPA health hazard : 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given. : 3 - Liquids and solids that can be ignited under almost all ambient conditions.

NFPA fire hazard NFPA reactivity

: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.