



NON-SELECTIVE HERBICIDE

Multi-Purpose Herbicide Provides Powerful Control.

Cattails, Japanese bamboo and many other tough aquatic and brushy weeds are no match for Nufarm Polaris® Herbicide. Nufarm Polaris can be used in wetlands, riparian zones, estuaries and wetlands, as well as wildlife openings, utility and roadside rights-of-way and other non-crop areas. The long-lasting control offered by Nufarm Polaris can help reduce the need for re-treatments, and a low use rate means there's less product to handle and apply. Like all Nufarm products, Nufarm Polaris delivers the performance you expect.

BROAD-SPECTRUM CONTROL

- Provides control of various broadleaf weeds, annual and perennial grasses as well as many brush and vine species
- Labeled for application in lakes, rivers, streams, ponds, seeps, drainage ditches, canals, reservoirs, swamps, bogs, marshes, estuaries, bays, brackish water, transitional areas between terrestrial and aquatic sites and seasonal wet areas

LONG-LASTING RESULTS

- Highly effective herbicide providing long-term control of unwanted vegetation
- Prevents re-sprouting or germination of labeled weeds and brush in treated areas when used at recommended rates

EPA REG. NO. 228-534

ACTIVE INGR. isopropylamine salt

of imazapyr (27.7%)

FORMULATION liquid

CHEM, FAMILY imidazolinones

GROUP NO.

NOUP NO. D

MODE OF ACT. inhibition of acetolactate

synthase (ALS)

SIGNAL WORD caution

RESTRICTED NOT FOR SALE IN MY

PACKAGE SIZE 2 x 2.5 gal



NON-SELECTIVE HERBICIDE

KEY USES

Aquatic sites

Fence rows, non-irrigation ditch banks and wildlife openings

Industrial non-cropland areas

Unimproved bermudagrass and bahiagrass turf, roadsides and utility rights-of-way

KEY WEEDS CONTROLLED

(See product label for complete list)

AQUATIC:

Alligatorweed

Arrowhead, duck-potato

Bacopa, lemon

Bamboo, Japanese

Brazilian pepper, Christmasberry

Cattail

Chinese tallowtree

Cogon grass

Cordgrass, prairie

Cutgrass

GRASSES:

Annual bluegrass

Bahiagrass

Barnyardgrass

Beardgrass

Bermudagrass

BROADLEAF WEEDS:

Chickweed, mouseear

Clover

Knotweed, prostrate

Kochia

Lambsquarters

Pigweed

Plantain

Puncturevine

Rush

Shepherd's-purse

Sowthistle

Spurge, annual

VINES AND BRAMBLES:

Blackberry

Honeysuckle

McCartney rose

Morningglory

Poison ivy

Virginia creeper

Wild rose, multiflora rose

APPLICATION RECOMMENDATIONS

RATES: Based on weed type

Tanza Bacca on Moca typo	
Aquatic	1 to 6 pts/A
Grasses	
Broadleaf Weeds	2 to 6 pts/A
Vines and Brambles	1 to 6 pts/A
Brush	4 to 6 pts/A

Naturally occurring biotypes of some weeds listed on this label may not be effectively controlled. If naturally occurring resistant biotypes are present in the area, Nufarm Polaris should be tank-mixed or applied sequentially with an appropriate registered herbicide with a different mode of action.

See label for specific application rates and recommendations.