



# SURE STUNT<sup>®</sup> LIQUID GROWTH RETARDANT

	SECTI	ON 1: MATERIAL IDE	NTIFICATION
Product Name: EPA Reg. No.: Product Usage:	<b>Sure Stun</b> 19713-1 Growth Re	t <sup>®</sup> Liquid Growth Retardant etardant	
Manufacturer: Address:	3343 N Ur	tan Compounds niversity Drive d, FL 33024 - USA 4-6781	
	gistered pest superseded	HEMICAL COMPANY ticide. Some of the classifica by federal law governed by	800-424-9300 901-774-4370 tions on this SDS are not the same as the FIFRA label. EPA for a registered pesticide. Refer to SECTION 15:
		FION 2: HAZARD IDEN by the OSHA Hazard Commu	
Label Elements: Signal Word:	~		
WARNING	$\langle ! \rangle$		
Classifications:	×		
Hazard Class:		<b>tudy:</b> sion/ irritation re damage / Irritation	<u>Category:</u> Category 2 Category 2B
Hazard Statements:	<u>H Code:</u> H315 H319	<u>Statement:</u> Causes skin irritation. Causes serious eye irritati	on.
Precautionary Statements:			
Prevention: Response:	Do not had Wash face Do not ead Wear prot Avoid brea Use only c In case of	e, hands and any exposed ski t, drink or smoke when using	ons have been read and understood. n thoroughly after handling. g this product. thing/eye protection/face protection. /apors/spray. ed area.
Response: If in Eyes:	Rinse caut	iously with water for severa	I minutes. Remove contact lenses, if present and easy
If Swallowed: If Inhaled:	to do so. Continue rinsing. Get immediate medical advice/attention. Call a POISON CENTER or doctor/physician if you feel unwell. Treat symptomatically. Remove person to fresh air and keep comfortable for breathing. Call POISON CENTER or		
If on Skin or Clothing:	doctor if you feel unwell. Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.		
If exposed or concerned:		ontaminated clothing and w lable, get medical attention.	



Storage:	Store in a cool, dry, ventilated and secure area designated specifically for pesticides and away from heat sources. Keep container tightly closed. Store locked up Keep in original containers and keep containers closed when not in use.
Disposal:	Dispose of contents/container in accordance with your local or area regulatory authorities.
Specific hazards:	None available.

# **SECTION 3: COMPOSITION INFORMATION**

<u>Chemical Name:</u> Active Ingredient:	<u>Synonym:</u>	CAS No.:	<u>EC No.:</u>	<u>RTECS:</u>	<u>% By Wt.:</u>
Potassium Salt of Maleic Hydrazide	Maleic Hydrazide	28382-15-2	204-619-9 (Maleic Hydrazide)	UR5950000 (Maleic Hydrazide)	30.2%
	Potassium Salt of Maleic Hydrazide		249-000-4 (Potassium Salt of MH)		
Inert Ingredients:	N/A	N/A	N/A	N/A	69.8%

Product contains a nominal concentration of 30.2% w/w of active as its potassium salt which is equivalent to 22.7% w/w of active maleic hydrazide (CAS 123-33-1).

# **SECTION 4: FIRST-AID MEASURES**

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also call CHEMTREC at 800-424-9300 for emergency medical treatment information.

Eye Contact:	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If Swallowed:	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
Skin/Clothing Contact:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.
If Inhaled:	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
Indication of Medical Attention and Special Treatment Needed:	None / Treat symptomatically

## **SECTION 5: FIRE FIGHTING MEASURES**

Fire Fighting Media:	Use foam, dry chemical, carbon dioxide, or water fog when fighting fires involving this
	product. Do not use water jet, as this may spread burning material. Minimize the use of
	water to avoid environmental contamination. Contain all runoff.



Fire Fighting Procedures:	Keep people away. Isolate fire and deny unnecessary entry. Evacuate the area and fight the fire from upwind at a safe distance to avoid hazardous vapors or decomposition products. Cool containers with water if possible. Dike and collect fire-extinguishing water to prevent environmental damage and excessive waste runoff.
Special Protective Equipment for Firefighters:	Wear positive-pressure self-contained breathing apparatus (SCBA) and protective firefighting clothing (includes firefighting helmet, coat, trousers, boots, and gloves). Use full face shield and operate in positive pressure mode. Avoid contact with this material during firefighting operations. If contact is likely, change to full chemical resistant firefighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location. For protective equipment in post-fire or non-fire clean-up situations, refer to the relevant sections.
Specific Fire Hazards:	Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure. Thermal decomposition during a fire can produce fumes and irritating gases. Flammability classification (OSHA 29 CFR 1910.1200): Non-combustible Flash point: >200°F Lower flammable limit (% by volume): N/Av Upper flammable limit (% by volume): N/Av
Hazardous Combustion Products:	Carbon oxides, nitrogen oxides, irritating fumes and smoke.

#### National Fire Protection Association:

NFPA:	Health		Fire	Reactivity
200	2		0	0
Ratings:	4-Extreme	3-High	2-Moderate 1	1-Slight 0-Insignificant

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### **Personal Precautions:**

Isolate area. Keep unnecessary and unprotected personnel from entering the area. Refer to SECTION 7: HANDLING AND STORAGE, for additional precautionary measures. Ventilate area of leak or spill. Use appropriate safety equipment. For additional information, refer to SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION.

#### Environmental Precautions:

Prevent from entering soil, ditches, sewers, waterways and/or groundwater. Refer to SECTION 12: ECOLOGICAL INFORMATION.

#### Steps to be taken if Material is Released or Spilled:

Control the spill at its source.

- Small spills: Stop the flow of material, if this is without risk. Apply suitable absorbent and sweep up. Collect in suitable and properly labeled containers. Prevent entry into waterways, sewers, basements or confined areas.
- Large spills: Stop the flow of material, if this is without risk. Apply suitable absorbent and sweep up. Collect in suitable and properly labeled containers. Contact Drexel Chemical Company for clean-up assistance. Refer to SECTION 13: DISPOSAL CONSIDERATIONS, for additional information. Prevent entry into waterways, sewers, basements or confined areas.



### **SECTION 7: HANDLING AND STORAGE**

#### **KEEP OUT OF REACH OF CHILDREN**

- Handling: General Handling: Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Do not swallow. Avoid breathing dust. Avoid breathing vapors. Do not eat, drink or smoke when using this product. Use with adequate ventilation. Wear chemical protective equipment when handling. Wear long-sleeved shirt, long pants and shoes with socks when handling. Keep away from heat, sparks and flame. Refer to SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION
- Storage: Store in a cool, dry, ventilated and secure area designated specifically for pesticides and away from heat sources. Keep in original containers and keep containers closed when not in use. Do not store in excessive heat. Do not store near children, food, foodstuffs, drugs or potable water supplies. Always use oldest stock first.

### **SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION**

Occupational Exposure Limits:				
Components:	OSHA PEL	ACGIH TLV		
Maleic Hydrazide, Potassium Salt	N/A	5 mg/m <sup>3</sup>		

THIS SECTION IS FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS. APPLICATORS AND HANDLERS SHOULD REFER TO THE PRODUCT LABEL FOR PROPER PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING.

#### **Engineering Controls:**

Ventilation: Investigate engineering techniques to reduce exposures. When handling this product proper ventilation is required to maintain exposure below the TLV. Ventilate all transport vehicles prior to unloading. Facilities storing or utilizing this material should be equipped with an eyewash facility / station and safety shower. Use engineering controls to maintain airborne level below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use only with adequate ventilation. Local exhaust ventilation may be necessary for some operations.

#### **Personal Protection:**

- Eye/FaceEye contact should be avoided through the use of chemical safety glasses, goggles, or a face shield selected inProtection:regard to exposure potential. Wear chemical splash goggles to prevent vapors or mists from entering the eyes.<br/>Where there is potential for eye contact have eye flushing equipment available. Safety glasses with side-<br/>shields.
- **Ingestion:** Avoid ingestion of even very small amounts; do not consume or store food or tobacco in the work area; wash hands and face thoroughly with soap and water before smoking or eating. Avoid getting wash water in eyes.
- Hand Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include:
  Protection: Neoprene, Nitrile/butadiene rubber ("nitrile" or "NBR") or Viton, Polyvinyl chloride ("PVC" or "vinyl"). The selection of gloves for a particular application and duration of use in the workplace should also be taken into account all relevant workplace factors such as, but not limited to: other chemicals which may be handled, physical requirements (cut/ puncture protection, dexterity, thermal protection), potential body reactions to gloves materials, as well as the instructions / specs provided by the supplier of gloves.
- Skin Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task. Safety shower should be located in immediate work area. Remove contaminated clothing immediately, wash skin area with soap and water, and launder clothing before reuse or dispose of properly. Items which cannot be decontaminated, such as shoes, belts and watchbands, should be removed and disposed of properly.



#### Respiratory Protection:

Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. When handling in enclosed areas, when large quantities of dusts are generated or prolonged exposure is possible in excess of the TLV, use a respirator with either an organic vapor-removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C) or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G).

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Property Physical State Appearance / Color Odor Odor threshold pH Melting point Freezing point Boiling point Flash point Evaporation rate Flammability Upper flammability/explosive limits Lower flammability/explosive limits Vapor pressure Vapor density Relative density Solubility in water Solubility in organic solvents Partition coefficient (n-octanol/water)	Reported Value Liquid Yellow Odorless Not available 9.0 – 9.7 Not available 32°F 220°F >200°F Not available Not available Not available Not available Not available Not available 9.93 Lbs. / gal. Complete Not available
Solubility in water	Complete

### **SECTION 10: STABILITY AND REACTIVITY**

Reactivity:	Thermally stable at typical use temperatures and in closed containers.
Chemical Stability:	Stable under recommended storage conditions.
Hazardous Polymerization:	Will not occur.
Conditions to Avoid:	Avoid heat of open flame. Avoid high temperatures above 130°F (54.4°C).
Incompatible Materials:	Avoid contact with: Strong acids. Strong bases. Strong oxidizers.
Hazardous Decomposition Products:	Decomposition products can include and are not limited to: Carbon oxides, nitrogen oxides.



# **SECTION 11: TOXICOLOGICAL INFORMATION**

#### ACUTE TOXICITY

Potential routes of exposure/potential health effects:		Skin contact. Eye contact.	
Acute Oral:	LD <sub>50</sub> (Rat):	>5,000 mg/kg	
Acute Dermal:	LD <sub>50</sub> (Rat):	>5,000 mg/kg	
Acute Inhalation:	LC <sub>50</sub> (Rat):	>2.04 mg/L	
Eye Irritation:	(Rabbit):	Mildly irritating	
Skin Irritation:	(Rabbit):	Slightly irritating	
Skin Sensitization:	(Guinea Pig):	Non-sensitizer	
Chronic Toxicity:	No data available		
Carcinogenicity:	Not expected to be carcinogenic in humans.		
Mutagenicity:	No data available		
Teratogenicity:	No data available		
Reproductive Toxicity:	No data available		
Developmental Toxicity:	No data available		
Specific target organ toxicity- single exposure:	No data available / Not classified		
Specific target organ toxicity- repeated exposure:	No data available / Not classified		

Other Hazards Effects:

No data available

# **SECTION 12: ECOLOGICAL INFORMATION**

ENVIRONMENTAL FATE Potassium Salt of Maleic Hydrazide	Practically non-toxic to fish, aquatic organisms and bees.		
ECO-ACUTE TOXICITY Aquatic Toxicity:	Rainbow Trout, LC <sub>50</sub> 96 hour Bluegill Sunfish, LC <sub>50</sub> 96 hour Daphnia magna, LC <sub>50</sub> 48 hour	>1000 mg/L (Potassium salt) 1608 mg/L (Potassium salt) >1000 mg/L (Potassium salt)	
Arthropod Toxicity:	Bees, Acute LD <sub>50</sub>	>100mg/bee (Maleic Hydrazide)	
Bird Toxicity:	Mallard Duck, LD₅₀ Bobwhite Quail, LD₅₀	>4640 mg/kg (Maleic Hydrazide) No data available	
Algal Toxicity:	Green Algae, LC <sub>50</sub> 96 hour	No data available	
Soil Organism Toxicity:	Earthworm acute toxicity	No data available	
Persistence and degradability: Bioaccumulation: Mobility in soil: Other adverse effects:	Mobile especially in sandy soils, not persistent in the environment Mobile especially in sandy soils, not persistent in the environment Mobile especially in sandy soils, not persistent in the environment Do not contaminate water supplies, lakes, streams, ponds or drains with this product.		



# **SECTION 13: DISPOSAL CONSIDERATIONS**

If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

### **SECTION 14: TRANSPORT INFORMATION**

DOT:	Packages ≤2,233 gallons Packages >2,233 gallons	Not Regulated UN3082, Environmentally Hazardous Substance, Liquid, n.o.s.			
		(Maleic hydrazide), 9, PG-III, RQ 5,000 lbs.			
IMDG:	UN3082, ENVIRONMENTA	LY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Maleic hydrazide),			
	9, PG-III, RQ 5,000 lbs.				
IATA / ICOA:	UN3082, Environmentally	Hazardous Substance, Liquid, n.o.s. (Maleic hydrazide), 9, PG-III,			
	RQ 5,000 lbs.				
UN Identification No.:	UN 3082				
Proper Shipping Name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Maleic hydrazide)				
Hazard Class:	9				
Packing Group:	111				
Reportable Quantity:	5,000 lbs. (Maleic Hydrazi	de)			
Environmental Hazard:	Not applicable				
Freight Description:	Plant Growth Regulator Me	odifier and Inhibitor, Liquid. N.O.S.			
ERG Guide No.:	171				
Transport Information Note:	Not available				

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

### **SECTION 15: REGULATORY INFORMATION**

OSHA Hazard Communication Standard:	This product is a hazardous chemical as defined by the OSHA Hazard Communication Standard, 29 CFR1910.1200.
Pesticide Registration:	This product is a pesticide registered by the Environmental Protection Agency (EPA) and is subject to certain FIFRA labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals.
EPA Reg. No.: FIFRA Label Signal Word: FIFRA Label Information: FIFRA Label Information:	19713-1 CAUTION KEEP OUT OF REACH OF CHILDREN Hazards to Humans and Domestic Animals CAUTION: Causes moderate eye irritation. Harmful if swallowed, absorbed through skin or inhaled. Avoid contact with eyes, skin or clothing. Avoid breathing spray mist.



EPCRA SARA Title III Classificat	ion:					
Section 302: Extremely Hazardo		us Substance	This material is not known to contain any			
	Notification:		Extremely Hazardous Substances.			
Sections 311 and 312:	•	Immediate (Acute) Health Hazard:		Yes		
	Delayed (Chroni	c) Health Hazard:	No			
		Fire Hazard:	No			
		Reactive Hazard:	No			
Sudden Release of Pressure Hazard:			No			
Section 313 Toxic Release Inventory (TRI):		This material does not contain any chemical components with known CAS numbers that exceed the threshold reporting levels established by SARA Title III, Section 313.				
CERCLA/SARA 304 Reportable Quantity (RQ):		5,000 lbs. (Maleic Hydrazide)				
RCRA Hazardous Waste Classification (40 CFR 261):		U148 (Maleic Hydrazide)				
US EPA Toxic Substances Control Act (TSCA):		All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.30.				
California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986):		Potassium S Maleic Hydr		Listed as causing: Listing date: Listing basis:	Not listed Not listed Not listed	
		This product does not contain any chemicals known to the Sta				
		California to cause cancer, birth defects or any other reproductive harm.				
SECTION 16: OTHER INFORMATION						

Date Issued:	March 30, 2021	Date Supersedes:	April 06, 2020	Revision:	2
	nergency questions about please contact:	Goldstar Products P.O. Box 291630 Da T (800) 239-5699	avie, FL 33329 - USA		

Goldstar Product Inc. recommends that each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific SDSs, we are not and cannot be responsible for SDSs obtained from any source other than ourselves. If you have obtained an SDS from another source or if you are not sure that the SDS you have is current, please contact us for the most current version.