TRUETRAC

MATERIAL SAFETY DATA SHEET

SECTION 1 - MATERIAL IDENTIFICATION

PRODUCT	NAME

TrueTrac Dust Control and Road Stabilization

TELEPHONE NU

REVISION DATE PHYSICAL FORM COLOR ODOR C.A.S. CHEMICAL NAME SYNONYMS

CHEMICAL FAMILY EMPIRICAL FORMULA INTENDED USE

June 2013 (supersedes November 2006) Mobile liquid Milky White (transparent once cured) Mild / Slight (no odor once cured) Mixture Soil stabilizer, soil stabilization agent, soil solidifier, soil amendment, soil additive, soil crusting agent, dust control agent, dust inhibitor, dust palliative, dust suppressant, dust retardant Vinyl Copolymer Emulsion Mixture Soil stabilization, soil solidification, fugitive dust control, dust suppression, dust abatement, tackifler, dust abatement, PM,o and

		SECT	TION 2 - INGREDIENTS
	%	CAS Number	Chemical Name
1.	50-60	Proprietary	Vinyl Copolymer
2.	40-50	7732-18-5	Water
		SECTIO	DN 3 - HEALTH HAZARDS
ROU	TES OF ENTR	RY	
	Eve Contact.	Skin Contact. Ingestion and Ir	nhalation
SIGN	S AND SYM	PTOMS OF ACUTE EXPO	SURE
	Eyes: Direct	contact with this material may	y cause eye irritation including lachrymation (tearing).
	Skin: Contac	nhalation of vapor or aerosol i t may cause skin irritation. o hazard in normal industrial i	may cause irritation to the respiratory tract (nose, throat, and lungs).
SIGN	S AND SYM	PTOMS OF CHRONIC EX	KPOSURE
	Prolonged o	r repeated contact with skin m	nay cause irritation and dermatitis (inflammation).
CAR	CINOGENICI	TY	
	Cancer (IARC		ore of any chemical listed by the International Agency for Research on ogram (NTP), or regulated by the Occupational Safety and Health

SECTION 4 - FIRST AID

EYE CONTACT

Flush eyes with clean water for at least 15 minutes. Get immediate medical attention.

SKIN CONTACT

Remove contaminated clothing and shoes. Wash affected area with soap and water. Get medical attention if irritation develops or persists.

INHALATION

Move patient to fresh air. If breathing has stopped or is labored give assisted respiration (e.g. mouth-to-mouth). Supplemental oxygen may be indicated. Seek medical advice.

INGESTION

Give the victim one or two glasses of water or milk to drink. Get immediate medical attention. Never give anything by mouth to an unconscious **person**.

SECTION 5 - FIRE AND EXPLOSION DATA

FLASH POINT (closed cup) UPPER EXPLOSION LIMIT (UEL) LOWER EXPLOSION LIMIT (LEL) AUTOIGNITION TEMPERATURE FIRE HAZARD CLASSIFICATION (OSHA/NFPA) EXTINGUISHING MEDIA Not applicable Not applicable Not applicable Not applicable Non-Combustible

Product does not burn. The product will only burn after the water it contains is driven off. For dry polymer use carbon dioxide, foam, dry chemical or water fog to extinguish fire. Aqueous solution **is not flammable**.

FIRE FIGHTING EQUIPMENT

Wear self-contained breathing apparatus (SCBA) and full fire-fighting protective clothing. Thoroughly decontaminate all protective equipment after use.

FIRE FIGHTING INSTRUCTIONS

Containers of this material may build up pressure if exposed to heat (fire). Use water spray to cool fire-exposed containers.

FIRE AND EXPLOSION HAZARDS

This material **will not burn** unless it is evaporated to dryness. Closed containers may rupture when exposed to extreme heat.

HAZARDOUS COMBUSTION PRODUCTS

When dried polymer bums, water (H₂0), carbon dioxide (CO₂), carbon monoxide (CO) and smoke are produced.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

CONTAINMENT TECHNIQUES (Removal of ignition sources, diking etc)

Stop the leak. if possible. Ventilate the space involved.

CLEAN-UP PROCEDURES

Wear suitable protective equipment. If recovery is not feasible, admix with dry soil, sand or non-reactive absorbent and place in an appropriate chemical waste container. Prevent spilled material from entering sanitary sewers, storm sewers, drainage systems and from entering bodies of water or ditches that lead to waterways. Transfer to containers by suction, preparatory for later disposal. Place in metal containers for recovery or disposal. Flush area with water spray. Wash contaminated property (e.g., automobiles) quickly before the material dries. For large spills, recover spilled material with a vacuum truck.

OTHER EMERGENCY ADVICE

Spilled polymer emulsion is very slippery. Use care to avoid falls. A film will form on drying. Remove saturated clothing and wash contacted skin area with soap and water. Product imparts a milky white color to contaminated waters. Foaming may result. Sewage treatment plants may not be able to remove the white color imparted to the water.

SECTION 7 - HANDLING AND STORAGE

STORAGE

Keep from freezing. Store in a dry area. Keep containers closed when not in use to minimize contact with atmospheric air and prevent inoculation with microorganisms.

HANDLING

Use only in well-ventilated areas. Avoid contact with eyes. Avoid breathing vapors. Avoid prolonged or repeated contact with skin. Wash hands thoroughly after handling and before eating or drinking.

SECTION 8 - DEDS	SONAL PROTECTION / EXPOSURE CONTROLS
EXPOSURE GUIDELINES	SOMAL PROTECTION / EXPOSORE CONTROLS
There are no Occupational Safety ar Governmental Industrial Hygienists established for the component(s) of	nd Health (OSHA) Permissible Exposure Limits (PEL) or American Conference of (ACGIH) Threshold Limit Values (TLV) or Short Term Exposure Limits (STEL) f this product.
EYE PROTECTION Chemical safety glasses.	
HAND PROTECTION	me of the selected glove(s) must be greater than the intended use period.
RESPIRATORY PROTECTION	me of the selected glove(s) must be greater than the intended use period.
Not required under normal use.	
PROTECTIVE CLOTHING	
No specific recommendation. ENGINEERING CONTROLS	
	sufficient to control airborne levels of irritating vapors.
	ICAL PHYSICAL AND CHEMICAL PROPERTIES
PHYSICAL FORM	liquid
COLOR	Milky White (transparent once cured)
ODOR pH	Mild / Slight (no odor once cured) 4.5-6.0
EVAPORATION RATE	4.5-6.0 < 1 (BuAc=I)
VAPOR DENSITY	>1(Air=1)
BOILING POINT	>1 00.00 ℃ (>212.00° F)
FREEZING POINT	<0°c (<32°F)
SOLUBILITY IN WATER	Completely (100%) (until cured)
SPECIFIC GRAVITY (Water = 1)	1.05-1.10
SECTIO STABILITY	ON 10 - STABILITY AND REACTIVITY
INCOMPATIBILITY (Materials to Av No incompatibilities have been iden HAZARDOUS DECOMPOSITION PRO Thermal decomposition may form: A hydrocarbons and irritating, acrid va HAZARDOUS POLYMERIZATION Will not occur CONDITIONS TO AVOID	ntified. ODUCTS Acetic acid and Acrolein. Thermal decomposition may produce various apors.
Freezing temperatures (until cured).	N 11 - TOXICOLOGICAL PROPERTIES
ACUTE EYE TOXICITY	NTT TOXICOLOGICAL PROPERTIES
No Information is available.	
ACUTE ORAL TOXICITY	
No Information is available.	
ACUTE SKIN TOXICITY	
No Information is available. ACUTE INHALATION TOXICITY	
No Information is available.	
	6 or more of any chemical listed by the International Agency for Research on gy Program (NTP), or regulated by the Occupational Safety and Health gen.

SECTION 12 - ECOLOGICAL INFORMATION

FCOT	OXICITY	
	OVICILL	

Species Test Result

Concentration					
Green Algae	Raphidocelus Subcapitata	96-hr chronic LCSO	>1,000	Undiluted	
Fathead Minnow	Pimephales Promelas	96-hr acute LCSO	>1,208	Undiluted	
Rainbow Trout	Oncorhynchus Mykiss	96-hr acute LCSO	>1,000	Undiluted	
ENVIRONMENTAL FATE					

No data is available.

Common Name

SECTION 13- DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD

This material is not a RCRA hazardous waste. Disposal of this material is not regulated under RCRA. Consult federal, state and local regulations to ensure that this material and its containers, if discarded, is disposed of in compliance with all regulatory requirements. NOTE: As supplied or diluted, product material (foam included), when splashed on automobiles or other personal property, is difficult to remove if allowed to dry.

SECTION 14 - TRANSPORT INFORMATION

RCRA HAZARD CLASS

This material is not a RCRA hazardous waste. When discarded in its purchased form, this material would not be re ulated as a RCRA Hazardous waste under 40 CFR 261.

DOT NON-BULK SHIPPING NAME

DOT BULK SHIPPING NAME IMO SHIPPING DATA ICAO/IATA SHIPPING DATA dangerous goods CFR IMDG CTC dangerous goods Refer to Bill of Lading. Refer to Bill of Lading. Refer to Bill of Lading - Not IATA Regulated *11* Keep From Freezing// Not Not Regulated // Keep From Freezing// Not dangerous goods Not Regulated *11* Keep From Freezing *11* Not dangerous goods Not Regulated *11* Keep From Freezing *11* Not dangerous goods

Refer to Bill of Lading• Not DOT Regulated // Keep From Freezing // Not

SECTION 15	- REGULATORY INFORMATION
TSCA SECTION 8(b) INVENTORY STATUS	
All components are included in the EPA T	Toxic Substances Control Act (TSCA) Chemical Substance Inventory.
TSCA SECTION 12(b) EXPORT NOTIFICA	TION
	ponents that are subject to the U.S. Toxic Substances Control Act (TSCA)
Section 12 (b) Export Notification require	ements.
OSHA Hazard Communication Standar	
	us under the criteria of the U.S. Occupational Safety and Health
Administration (OSHA) Hazard Communi	ication Standard, 29 CFR 1910.1200
EPA SARA Title III Section 304 CERCLA	
	ablished for any of this material's components.
	ARD COMMUNICATION STANDARD (HCS)
This material i1wl1 a hazardous chemica	
EPA SARA Title II Section 313 TOXIC C	
This product does not contain Section 31	13 Reportable Ingredients.
CANADIAN INVENTORY STATUS	
	on the Canadian Domestic Substances List (DSL)
CANADIAN WHMIS	Had an about under the Consultant Manhalana the La Manhadal
	lled product under the Canadian Workplace Hazardous Material
Information System. ADDITIONAL CANADIAN REGULATORY	
above the specified concentration limit.	ce present on the WHMIS Ingredient Disclosure List (IDL) which is at or
EUROPEAN INVENTORY STATUS (EINEC	(
	nanufactured from reactants which are listed on EINECS and meets the
EINECS definition of an exempt polymer.	
AICS (Australia)	
Included on inventory	
ENCS Uapan)	
Included on inventory	
ECL (South Korea)	
Included on inventory	
SEPA (China)	
Included on inventory	
	I 16 – OTHER INFORMATION
HMIS and NFPA Classification	
Health : I	
Health : I Flammability : 0	
Health : I Flammability : 0 Reactivity : 0	
Health : I Flammability : 0	