

# Brake Down

## Safety Data Sheet

### SECTION 1: Product and company identification

Product name : Brake Down  
Use of the substance/mixture : Solvent  
Product code : 0453  
Company : Goldstar Products  
P.O. Box 291630  
Davie, FL 33329 - USA  
T (800) 239-5699  
Emergency number : Chemtrec: (800) 424-9300

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### GHS-US classification

Flam. Liq. 4 H227  
Eye Dam. 1 H318  
Skin Sens. 1 H317  
Asp. Tox. 1 H304

#### 2.2. Label elements

##### GHS-US labeling

Hazard pictograms (GHS-US) :



Signal word (GHS-US) :

Danger

Hazard statements (GHS-US) :

Combustible liquid  
May be fatal if swallowed and enters airways  
May cause an allergic skin reaction  
Causes serious eye damage

Precautionary statements (GHS-US) :

Keep away from heat, open flames, sparks. - No smoking.  
Avoid breathing mist, spray.  
Contaminated work clothing must not be allowed out of the workplace  
Wear eye protection, protective clothing, protective gloves.  
If swallowed: Immediately call a doctor, a POISON CENTER  
If on skin: Wash with plenty of soap and water.  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
Immediately call a doctor  
Specific treatment (see First aid measures on this label)  
Do NOT induce vomiting.  
If skin irritation or rash occurs: Get medical advice/attention.  
Wash contaminated clothing before reuse.  
In case of fire: Use carbon dioxide (CO<sub>2</sub>), dry extinguishing powder, foam to extinguish.  
Store in a well-ventilated place. Keep cool.  
Store locked up.  
Dispose of contents/container to comply with local/regional/national/international regulations.

#### 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

### SECTION 3: Composition/Information on ingredients

#### 3.1. Substances

Not applicable

Full text of H-phrases: see section 16

#### 3.2. Mixtures

| Name  | Product identifier   | %     | GHS-US classification                         |
|---|----------------------|-------|---|
| hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics | (CAS-No.) 64742-47-8 | 55-70 | Flam. Liq. 4, H227<br>Asp. Tox. 1, H304       |
| Alkanes, C14-16   | (CAS-No.) 90622-46-1 | 10-20 | Asp. Tox. 1, H304                             |
| Linear Alcohol Ethoxylate   | (CAS-No.) 34398-01-1 | 5-10  | Acute Tox. 4 (Oral), H302<br>Eye Dam. 1, H318 |

# Brake Down

## Safety Data Sheet

| Name         | Product identifier  | %   | GHS-US classification  |
|--------------|---------------------|-----|--|
| (+)-limonene | (CAS-No.) 5989-27-5 | 1-5 | Flam. Liq. 3, H226<br>Skin Irrit. 2, H315<br>Skin Sens. 1, H317<br>Asp. Tox. 1, H304 |

A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

- First-aid measures general : If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : Remove the victim into fresh air. If you feel unwell, seek medical advice.
- First-aid measures after skin contact : Take off immediately all contaminated clothing and wash it before reuse. Wash skin with plenty of water. Soap may be used. If skin irritation or rash occurs: Get medical advice/attention.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
- First-aid measures after ingestion : Rinse mouth with water. Do NOT induce vomiting. Immediately call a poison center or doctor/physician.

#### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects : May be fatal if swallowed and enters airways. Causes serious eye damage. May cause an allergic skin reaction.
- Symptoms/effects after inhalation : EXPOSURE TO HIGH CONCENTRATIONS: May cause respiratory irritation. May cause drowsiness or dizziness. Headache.
- Symptoms/effects after skin contact : May cause an allergic skin reaction. Repeated exposure may cause skin dryness or cracking.
- Symptoms/effects after eye contact : Causes serious eye damage.
- Symptoms/effects after ingestion : May be fatal if swallowed and enters airways. Gastrointestinal complaints.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : Foam. Carbon dioxide. Dry chemical powder.
- Unsuitable extinguishing media : Do not use a water jet since it may cause the fire to spread.

#### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : Combustible liquid.
- Reactivity : Upon combustion: CO and CO<sub>2</sub> are formed.

#### 5.3. Advice for firefighters

- Firefighting instructions : Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Take account of environmentally hazardous firefighting water.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : No flames, no sparks. Eliminate all sources of ignition.

##### 6.1.1. For non-emergency personnel

- Protective equipment : Protective goggles. Gloves. Protective clothing.
- Emergency procedures : Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area.

##### 6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Stop leak if safe to do so. Stop release. Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters.

#### 6.3. Methods and material for containment and cleaning up

- For containment : Contain released product, pump into suitable containers.
- Methods for cleaning up : This material and its container must be disposed of in a safe way, and as per local legislation.

#### 6.4. Reference to other sections

No additional information available

# Brake Down

## Safety Data Sheet

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Precautions for safe handling : Comply with the legal requirements. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not eat, drink or smoke when using this product.
- Hygiene measures : Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Comply with applicable regulations.
- Storage conditions : Store in a well-ventilated place. Keep cool. Store locked up.
- Incompatible products : Oxidizing agent.
- Incompatible materials : Sources of ignition. Heat sources.
- Storage area : Store away from heat. Store in a cool area. Store in a dry area.
- Special rules on packaging : Keep only in original container. meet the legal requirements.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

**(+)-limonene (5989-27-5)**

Not applicable

**hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8)**

Not applicable

**Alkanes, C14-16 (90622-46-1)**


Not applicable

**Linear Alcohol Ethoxylate (34398-01-1)**

Not applicable

#### 8.2. Exposure controls

- Personal protective equipment : Use appropriate personal protective equipment when risk assessment indicates this is necessary. Gloves. Protective clothing. Protective goggles. Safety glasses.



### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

- Physical state : Liquid
- Appearance : clear, orange liquid.
- Odor : Citrus scent
- Odor threshold : No data available
- pH : No data available
- Melting point : No data available
- Freezing point : No data available
- Boiling point : No data available
- Flash point : 182 °F Closed Cup
- Relative evaporation rate (butyl acetate=1) : No data available
- Flammability (solid, gas) : No data available
- Explosion limits : No data available
- Explosive properties : No data available
- Oxidizing properties : No data available
- Vapor pressure : No data available
- Relative density : No data available
- Relative vapor density at 20 °C : No data available
- Specific gravity / density : 0.854 g/ml

# Brake Down

## Safety Data Sheet

|                           |                        |
|---------------------------|------------------------|
| Solubility                | : Emulsifies in water. |
| Log Pow                   | : No data available    |
| Log Kow                   | : No data available    |
| Auto-ignition temperature | : No data available    |
| Decomposition temperature | : No data available    |
| Viscosity                 | : No data available    |
| Viscosity, kinematic      | : < 20 cSt             |
| Viscosity, dynamic        | : No data available    |
| VOC content               | : < 3 %                |

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Upon combustion: CO and CO<sub>2</sub> are formed.

#### 10.2. Chemical stability

No additional information available

#### 10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

#### 10.4. Conditions to avoid

No additional information available

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

|  |   |
|--|---|
| <b>(+)-limonene (5989-27-5)</b>  |   |
| LD50 oral rat  | > 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Read-across) |
| LD50 dermal rabbit   | > 5000 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Weight of evidence)                      |
| <b>hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, &lt; 2% aromatics (64742-47-8)</b> |   |
| LD50 dermal rabbit   | > 5000 mg/kg body weight (Rabbit, Literature)   |
| <b>Alkanes, C14-16 (90622-46-1)</b>  |   |
| LD50 oral rat  | > 2000 mg/kg  |
| LD50 dermal rabbit   | > 2000 mg/kg  |
| LC50 inhalation rat (mg/l)   | > 5.8 mg/l/4h   |
| <b>Linear Alcohol Ethoxylate (34398-01-1)</b>  |   |
| LD50 oral rat  | > 1400 mg/kg  |

|  |   |
|--|---|
| Skin corrosion/irritation                          | : Not classified  |
| Serious eye damage/irritation                      | : Causes serious eye damage.  |
| Respiratory or skin sensitization                  | : May cause an allergic skin reaction.  |
| Germ cell mutagenicity                             | : Not classified  |
| Carcinogenicity                                    | : Not classified  |
| Reproductive toxicity                              | : Not classified  |
| Specific target organ toxicity – single exposure   | : Not classified  |
| Specific target organ toxicity – repeated exposure | : Not classified  |
| Aspiration hazard                                  | : May be fatal if swallowed and enters airways.   |
| Symptoms/effects after inhalation                  | : EXPOSURE TO HIGH CONCENTRATIONS: May cause respiratory irritation. May cause drowsiness or dizziness. Headache. |
| Symptoms/effects after skin contact                | : May cause an allergic skin reaction. Repeated exposure may cause skin dryness or cracking.                      |
| Symptoms/effects after eye contact                 | : Causes serious eye damage.  |
| Symptoms/effects after ingestion                   | : May be fatal if swallowed and enters airways. Gastrointestinal complaints.                                      |
| Likely routes of exposure                          | : Skin and eye contact  |

# Brake Down

## Safety Data Sheet

### SECTION 12: Ecological information

#### 12.1. Toxicity

|  |  |
|--|--|
| (+)-limonene (5989-27-5)   |  |
| LC50 fish 1  | 720 µg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)  |
| EC50 Daphnia 1   | 0.36 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value) |
| hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8) |  |
| LC50 fish 1  | > 100 mg/l (Pisces)  |
| EC50 Daphnia 1   | > 100 mg/l (Invertebrata)  |
| Linear Alcohol Ethoxylate (34398-01-1)   |  |
| LC50 fish 1  | < 10 mg/l  |
| EC50 Daphnia 1   | < 10 mg/l  |
| ErC50 (algae)  | < 10 mg/l  |

#### 12.2. Persistence and degradability

|  |                                    |
|--|------------------------------------|
| (+)-limonene (5989-27-5)   |                                    |
| Persistence and degradability  | Readily biodegradable in water.    |
| ThOD   | 3.29 g O <sub>2</sub> /g substance |
| hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8) |                                    |
| Persistence and degradability  | Readily biodegradable in water.    |

#### 12.3. Bioaccumulative potential

|  |  |
|--|--|
| (+)-limonene (5989-27-5)   |  |
| BCF fish 1   | 864.8 - 1022 (Pisces, QSAR, Fresh weight)  |
| Log Pow  | 4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 37 °C) |
| Bioaccumulative potential  | Potential for bioaccumulation (4 Log Kow 5).   |
| hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8) |  |
| Log Pow  | 6 - 8.2  |
| Bioaccumulative potential  | High potential for bioaccumulation (Log Kow > 5).  |

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

### SECTION 14: Transport information

#### Department of Transportation (DOT)

In accordance with DOT : Not regulated for transport

#### Additional information

Other information : No supplementary information available.

#### ADR

No additional information available

#### Transport by sea

No additional information available

#### Air transport

No additional information available

### SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

|  |  |
|--|--|
| Linear Alcohol Ethoxylate (34398-01-1) |  |
|--|--|

# Brake Down

## Safety Data Sheet

Linear Alcohol Ethoxylate (34398-01-1)

SARA Section 311/312 Hazard Classes

Immediate (acute) health hazard

**⚠ WARNING**

This product can expose you to ethylene oxide, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### SECTION 16: Other information

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.


Full text of H-phrases:

|      |  |
|------|--|
| H226 | Flammable liquid and vapour                  |
| H227 | Combustible liquid                           |
| H302 | Harmful if swallowed                         |
| H304 | May be fatal if swallowed and enters airways |
| H315 | Causes skin irritation                       |
| H317 | May cause an allergic skin reaction          |
| H318 | Causes serious eye damage                    |

NFPA health hazard : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.

NFPA fire hazard : 2 - Materials that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur.

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



Prepared by: Technical Department

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.*