Stick Proof Release Agent Safety Data Sheet



SECTION 1: Product and company identification				
Product name	Stick Proof			
Use of the substance/mixture	: Release Agent			
Product code	: 0701			

Company	 Goldstar Products Inc P.O. Box 291630 Davie, FL 33329 1-800-239-5699
Emergency number	: Chemtrec: (800) 424-9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Met. Corr. 1 H290 Skin Irrit. 2 H315 Eye Dam. 1 H318 H351 Carc. 2

2.2. Label elements

GHS-US labeling	
Hazard pictograms (GHS-US)	: GHS05 GHS08
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: May be corrosive to metals Causes skin irritation Causes serious eye damage Suspected of causing cancer
Precautionary statements (GHS-US)	 Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep only in original container. Wash thoroughly after handling Wear eye protection, protective clothing, protective gloves. If on skin: Wash with plenty of soap and water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If exposed or concerned: Get medical advice/attention. Immediately call a doctor, a POISON CENTER Specific treatment (see supplemental first aid instruction on this label) If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. Absorb spillage to prevent material-damage. Store locked up. Store in corrosive resistant container with a resistant inner liner. Dispose of contents/container to comply with local/regional/national/international regulations.
2.3. Other hazards	

No additional information available

```
2.4. Unknown acute toxicity (GHS US)
```

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

Full text of H-phrases: see section 16

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
tetrasodium ethylenediaminetetracetate	(CAS-No.) 64-02-8	1-5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
potassium hydroxide	(CAS-No.) 1310-58-3	1-5	Met. Corr. 1, H290 Acute Tox. 3 (Oral), H301 Skin Corr. 1A, H314

Name	Product identifier	%	GHS-US classification
trisodium nitrilotriacetate	(CAS-No.) 5064-31-3	0.05-1	Acute Tox. 4 (Oral), H302 Eye Irrit. 2A, H319 Carc. 2, H351

A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
First-aid measures after skin contact	: If skin irritation or rash occurs: Get medical advice/attention. Take off immediately all contaminated clothing and wash it before reuse. Wash with water and soap.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
First-aid measures after ingestion	: Rinse mouth with water. Do NOT induce vomiting. Get medical advice/attention if you feel unwell.
4.2. Most important symptoms and e	fects, both acute and delayed
Symptoms/effects	: Causes serious eye damage. Causes skin irritation. Suspected of causing cancer.
Symptoms/effects after inhalation	: None under normal use.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage.
Symptoms/effects after ingestion	: Gastrointestinal complaints. Cramps. Nausea.
	ical attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measu	res
5.1. Extinguishing media	
Suitable extinguishing media	: All extinguishing media allowed.
5.2. Special hazards arising from the	
Reactivity	: Upon combustion: CO and CO2 are formed.
5.3. Advice for firefighters	
Firefighting instructions	: Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed
	containers. Take account of environmentally hazardous firefighting water.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release	measures
	equipment and emergency procedures
General measures	: Isolate from fire, if possible, without unnecessary risk.
6.1.1. For non-emergency personnel	
Protective equipment	: Protective goggles. Gloves. Protective clothing.
Emergency procedures	: Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Stop leak if safe to do so. Stop release. Ventilate area.
6.2. Environmental precautions	
Avoid release to the environment. Preven	
6.3. Methods and material for contain For containment	iment and cleaning up : Contain released product, pump into suitable containers.
Methods for cleaning up	: This material and its container must be disposed of in a safe way, and as per local legislation.
6.4. Reference to other sections No additional information available	
SECTION 7: Handling and stora	ade
7.1. Precautions for safe handling	
Precautions for safe handling	: Comply with the legal requirements. Do not handle until all safety precautions have been read
	and understood. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Do not get in eyes, on skin, or on clothing.

Date of issue: 2/12/2018

: Wash thoroughly after handling. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage Technical measures	, including any incompatibilities : Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Store in original container.
Incompatible products	: Strong acids. Strong oxidizers.
Storage area	: Keep only in the original container. Store in a dry area. Store in a cool area.
Special rules on packaging	: meet the legal requirements.
SECTION 8: Exposure controls/personal protection	

3.1. Control paran	neters		
potassium hydrox	ide (1310-58-3)		
ACGIH	ACGIH Ceiling (mg/m ³)	2 mg/m ³	
ACGIH	Remark (ACGIH)	URT, eye, & skin irr	
tetrasodium ethylenediaminetetracetate (64-02-8)			
Not applicable			
trisodium nitrilotri	acetate (5064-31-3)		
Not applicable			
	tura la		

8.2. Exposure controls

Personal protective equipment

: Use appropriate personal protective equipment when risk assessment indicates this is necessary. Gloves. Safety glasses. Protective clothing.



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and c	
Physical state	: Liquid
Appearance	: clear. Yellow liquid.
Odor	: slight soy odor
Odor threshold	: No data available
рН	: 10 - 12.5
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 200 °F Closed Cup
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.03 g/ml
Solubility	: Soluble in water.
Log Pow	: No data available
Log Kow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
VOC content	: < 0.5 %

SECTION 10: Stability and reactivity	
10.1. Reactivity	
Upon combustion: CO and CO2 are formed.	
10.2. Chemical stability No additional information available	
10.3. Possibility of hazardous reactions Refer to section 10.1 on Reactivity.	
10.4. Conditions to avoid	
No additional information available	
10.5. Incompatible materials	
May be corrosive to metals. Strong acids. Oxidi	zing agents.
10.6. Hazardous decomposition products	
Under normal conditions of storage and use, ha	zardous decomposition products should not be produced.
SECTION 11: Toxicological informa	lion
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
potassium hydroxide (1310-58-3)	
LD50 oral rat	273 mg/kg (Rat)
ATE CLP (oral)	273 mg/kg body weight
tetrasodium ethylenediaminetetracetate (64	I-02-8)
LD50 oral rat	> 2000 mg/kg (Rat)
ATE CLP (oral)	500 mg/kg body weight
trisodium nitrilotriacetate (5064-31-3)	
LD50 oral rat	1740 mg/kg rat, male and female
LD50 dermal rabbit	> 2000 mg/kg
ATE CLP (oral)	1740 mg/kg body weight
Skin corrosion/irritation	: Causes skin irritation.
	pH: 10 - 12.5
Serious eye damage/irritation	: Causes serious eye damage.
	pH: 10 - 12.5
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Suspected of causing cancer.
trisodium nitrilotriacetate (5064-31-3)	· •
IARC group	2B - Possibly carcinogenic to humans
Reproductive toxicity	: Not classified
Specific target organ toxicity – single exposure	
Specific target organ toxicity – repeated exposure	: Not classified
Aspiration hazard	: Not classified
Symptoms/effects after inhalation	: None under normal use.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage.
Symptoms/effects after ingestion	: Gastrointestinal complaints. Cramps. Nausea.
Likely routes of exposure	: Skin and eye contact
LINGLY TOULES OF EXPOSULE	
SECTION 12: Ecological information	

SECTION 12: Ecological Information	
12.1. Toxicity	
potassium hydroxide (1310-58-3)	
LC50 fish 1	80 mg/l (96 h, Gambusia affinis)
tetrasodium ethylenediaminetetracetate (64-02-8)	
LC50 fish 1	121 mg/l (96 h, Lepomis macrochirus, Literature study)
EC50 Daphnia 1	625 mg/l (24 h, Daphnia magna, Literature study)
trisodium nitrilotriacetate (5064-31-3)	

alety Data Sheet	
trisodium nitrilotriacetate (5064-31-3)	
LC50 fish 1	114 mg/l Pimephales promelas (fathead minnow); Test Type: flow-through test
EC50 Daphnia 1	> 100 mg/l Daphnia magna (Water flea); Test Type: static test
ErC50 (algae)	91.5 mg/l Desmodesmus subspicatus (green algae); Exposure time: 72 h; Test Type: static test; Method: OECD Test Guideline 201
2.2. Persistence and degradability	
ootassium hydroxide (1310-58-3)	
Persistence and degradability	Biodegradability: not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
etrasodium ethylenediaminetetracetate (64-	.02-8)
Persistence and degradability	Not readily biodegradable in water.
Biochemical oxygen demand (BOD)	< 0.002 g O ₂ /g substance
Chemical oxygen demand (COD)	0.54 - 0.58 g O₂/g substance
2.3. Bioaccumulative potential	
ootassium hydroxide (1310-58-3)	
Bioaccumulative potential	Not bioaccumulative.
etrasodium ethylenediaminetetracetate (64-	.02-8)
Log Pow	-2.6
Bioaccumulative potential	Not bioaccumulative.
commendations ECTION 14: Transport informatio epartment of Transportation (DOT)	n
accordance with DOT : Not regulated for	or transport
dditional information	
	: No supplementary information available.
DR	
o additional information available ransport by sea	
o additional information available	
ir transport o additional information available ECTION 15: Regulatory informati	on
o additional information available ECTION 15: Regulatory informati Il components of this product are listed, or e	
o additional information available ECTION 15: Regulatory information Il components of this product are listed, or end SCA) inventory his product or mixture does not contain a tow FR §372.38(a) subject to the reporting requi	
o additional information available ECTION 15: Regulatory information Il components of this product are listed, or entry SCA) inventory his product or mixture does not contain a to-	excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Ad
o additional information available ECTION 15: Regulatory informati Il components of this product are listed, or e. SCA) inventory his product or mixture does not contain a tox FR §372.38(a) subject to the reporting requi nd 40 CFR Part 372.	xcluded from listing, on the United States Environmental Protection Agency Toxic Substances Control A xic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 irements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986
o additional information available ECTION 15: Regulatory information Il components of this product are listed, or en- SCA) inventory his product or mixture does not contain a tox FR §372.38(a) subject to the reporting requined 40 CFR Part 372. potassium hydroxide (1310-58-3)	xcluded from listing, on the United States Environmental Protection Agency Toxic Substances Control A xic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 irements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986

This product can expose you to Formaldehyde, which is known to the State of California to cause cancer, and methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information

Training advice

: Normal use of this product shall imply use in accordance with the instructions on the packaging.


Full text of H-phrases:

H290	May be corrosive to metals
H301	Toxic if swallowed
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H319	Causes serious eye irritation
H351	Suspected of causing cancer

NFPA health hazard : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.

NFPA fire hazard : 1 - Materials that must be preheated before ignition can occur.

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.