

Monday, May 8, 2023
Puori
Copenhagen, Denmark
<https://puori.com/>

Ellipse Analytics
7000 Broadway, Suite 307
Denver, CO 80221
info@ellipseanalytics.com

Batch/Lot Number: S22D040

RESULTS SUMMARY

| Analytes | Compliance |
|----------------------|------------|
| Heavy Metals | Pass |
| Bisphenols | Pass |
| Glyphosate | Pass |
| Label Claim Accuracy | Pass |
| Pesticides | Pass |
| Residual Solvents | Pass |



PRODUCT SUMMARY

Brand: Puori

Product Name: D3 Vitamin D - 2500

Product Description: Puori D3 is a natural, high quality and potent vitamin D product derived from sheep’s wool, combined with virgin organic coconut oil to ensure optimal absorption.

Batch/Lot Number: S22D040



Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

¹Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

²Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

³Residual Solvents Tolerance: https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf

⁴Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

ANALYTICAL RESULTS

Heavy Metals

| Analyte | Tolerance ¹ (ug/serving) | Findings (ug/serving) | Compliance |
|---------|-------------------------------------|-----------------------|------------|
| Arsenic | 10 | ND | Pass |
| Cadmium | 4.1 | ND | Pass |
| Mercury | 0.3 | ND | Pass |
| Lead | 0.5 | ND | Pass |

Bisphenols

| Analyte | Tolerance ² (ug/serving) | Findings (ug/serving) | Compliance |
|---------|-------------------------------------|-----------------------|------------|
| BPA | 3 | ND | Pass |
| BPS | 0.05 | ND | Pass |

Glyphosate

| Analyte | Tolerance (ug/serving) | Findings (ug/serving) | Compliance |
|------------|------------------------|-----------------------|------------|
| Glyphosate | 1,100 | Not Run | Pass |

Label Claim Accuracy

| Analyte | Claim | Findings | Compliance |
|------------|------------------|------------------|------------|
| Vitamin D3 | 2,500 IU/serving | 3,087 IU/serving | Pass |

Pesticides

| Analyte | Tolerance ⁴ | Findings (ug/serving) | Compliance |
|-------------------------------|------------------------|-----------------------|------------|
| 3-Hydroxycarbofuran | Varies | ND | Pass |
| Abamectin | Varies | ND | Pass |
| Acephate | Varies | ND | Pass |
| Acetamiprid | Varies | ND | Pass |
| Aldicarb | Varies | ND | Pass |
| Aldicarb-sulfoxide | Varies | ND | Pass |
| Aldoxycarb (Aldicarb sulfone) | Varies | ND | Pass |
| Ametryn | Varies | ND | Pass |
| Aminocarb | Varies | ND | Pass |
| Amitraz | Varies | ND | Pass |
| Azoxystrobin | Varies | ND | Pass |
| Baycor (Bitertanol) | Varies | ND | Pass |
| Benalaxyl | Varies | ND | Pass |
| Bendiocarb | Varies | ND | Pass |

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

¹Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

²Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

³Residual Solvents Tolerance: https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf

⁴Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

| | | | |
|---------------------|--------|----|------|
| Benzoximate | Varies | ND | Pass |
| Bifenazate | Varies | ND | Pass |
| Boscalid | Varies | ND | Pass |
| Bromuconazole | Varies | ND | Pass |
| Bupirimate | Varies | ND | Pass |
| Buprofezin | Varies | ND | Pass |
| Butafenacil | Varies | ND | Pass |
| Butoxycarboxim | Varies | ND | Pass |
| Carbaryl | Varies | ND | Pass |
| Carbendazim | Varies | ND | Pass |
| Carbetamide | Varies | ND | Pass |
| Carbofuran | Varies | ND | Pass |
| Carboxin | Varies | ND | Pass |
| Carfentrazone-ethyl | Varies | ND | Pass |
| Chlorantranilprole | Varies | ND | Pass |
| Chlorfluazuron | Varies | ND | Pass |
| Chlorotoluron | Varies | ND | Pass |
| Chloroxuron | Varies | ND | Pass |
| Clethodim | Varies | ND | Pass |
| Clofentezine | Varies | ND | Pass |
| Clothianidin | Varies | ND | Pass |
| Cyazofamid | Varies | ND | Pass |
| Cycluron | Varies | ND | Pass |
| Cymoxanil | Varies | ND | Pass |
| Cyproconazole | Varies | ND | Pass |
| Cyprodinil | Varies | ND | Pass |
| Cyromazine | Varies | ND | Pass |
| Desmedipham | Varies | ND | Pass |
| Diclotophos | Varies | ND | Pass |
| Diethofencarb | Varies | ND | Pass |
| Difenoconazole | Varies | ND | Pass |
| Diflubenzuron | Varies | ND | Pass |
| Dimethoate | Varies | ND | Pass |
| Dimethomorph | Varies | ND | Pass |
| Dimoxystrobin | Varies | ND | Pass |
| Diniconazole | Varies | ND | Pass |
| Dinotefuran | Varies | ND | Pass |

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

¹Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

²Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

³Residual Solvents Tolerance: https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf

⁴Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

| | | | |
|---------------------------|--------|----|------|
| Dioxacarb | Varies | ND | Pass |
| Diuron | Varies | ND | Pass |
| Doramectin | Varies | ND | Pass |
| Emamectin B1a | Varies | ND | Pass |
| Epoxiconazole | Varies | ND | Pass |
| Eprinomectin B1a | Varies | ND | Pass |
| Ethiofencarb | Varies | ND | Pass |
| Ethiprole | Varies | ND | Pass |
| Ethirimol | Varies | ND | Pass |
| Ethofumesate | Varies | ND | Pass |
| Etoxazole | Varies | ND | Pass |
| Famoxadone | Varies | ND | Pass |
| Fenamidone | Varies | ND | Pass |
| Fenarimol | Varies | ND | Pass |
| Fenazaquin | Varies | ND | Pass |
| Fenbuconazole | Varies | ND | Pass |
| Fenhexamid | Varies | ND | Pass |
| Fenobucarb | Varies | ND | Pass |
| Fenoxycarb | Varies | ND | Pass |
| Fenpropimorph | Varies | ND | Pass |
| Fenpyroximate | Varies | ND | Pass |
| Fenuron | Varies | ND | Pass |
| Fonicamid | Varies | ND | Pass |
| Flubendiamide | Varies | ND | Pass |
| Fludioxonil | Varies | ND | Pass |
| Flufenacet | Varies | ND | Pass |
| Flufenoxuron | Varies | ND | Pass |
| Fluometuron | Varies | ND | Pass |
| Fluoxastrobin | Varies | ND | Pass |
| Fluquinconazole | Varies | ND | Pass |
| Flusilazole | Varies | ND | Pass |
| Flutolanil | Varies | ND | Pass |
| Flutriafol | Varies | ND | Pass |
| Forchlorfenuron | Varies | ND | Pass |
| Formetanate Hydrochloride | Varies | ND | Pass |
| Fuberidazole | Varies | ND | Pass |
| Furalaxyl | Varies | ND | Pass |

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

¹Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

²Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

³Residual Solvents Tolerance: https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf

⁴Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

| | | | |
|--------------------|--------|----|------|
| Furathiocarb | Varies | ND | Pass |
| Halofenozide | Varies | ND | Pass |
| Hexaconazole | Varies | ND | Pass |
| Hexaflumuron | Varies | ND | Pass |
| Hexythiazox | Varies | ND | Pass |
| Hydramethylnon | Varies | ND | Pass |
| Imazalil | Varies | ND | Pass |
| Imidacloprid | Varies | ND | Pass |
| Indoxacarb | Varies | ND | Pass |
| Ipconazole | Varies | ND | Pass |
| Iprovalicarb | Varies | ND | Pass |
| Isoprocarb | Varies | ND | Pass |
| Isoprothiolane | Varies | ND | Pass |
| Isoproturon | Varies | ND | Pass |
| Ivermectin B1a | Varies | ND | Pass |
| Kresoxim-methyl | Varies | ND | Pass |
| Linuron | Varies | ND | Pass |
| Lufenuron | Varies | ND | Pass |
| Mandipropamid | Varies | ND | Pass |
| Mefenacet | Varies | ND | Pass |
| Mepanipyrim | Varies | ND | Pass |
| Mepronil | Varies | ND | Pass |
| Mesotrione | Varies | ND | Pass |
| Metaflumizone | Varies | ND | Pass |
| Metalaxyl | Varies | ND | Pass |
| Metconazole | Varies | ND | Pass |
| Methabenzthiazuron | Varies | ND | Pass |
| Methamidophos | Varies | ND | Pass |
| Methiocarb | Varies | ND | Pass |
| Methomyl | Varies | ND | Pass |
| Methoprotryne | Varies | ND | Pass |
| Methoxyfenozide | Varies | ND | Pass |
| Metobromuron | Varies | ND | Pass |
| Metribuzin | Varies | ND | Pass |
| Mevinphos | Varies | ND | Pass |
| Mexacarbate | Varies | ND | Pass |
| MGK-326 | Varies | ND | Pass |

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

¹Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

²Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

³Residual Solvents Tolerance: https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf

⁴Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

| | | | |
|-----------------------|--------|----|------|
| Monceren (Pencycuron) | Varies | ND | Pass |
| Monocrotophos | Varies | ND | Pass |
| Monolinuron | Varies | ND | Pass |
| Moxidectin | Varies | ND | Pass |
| Myclobutanil | Varies | ND | Pass |
| Neburon | Varies | ND | Pass |
| Nitenpyram | Varies | ND | Pass |
| Novaluron | Varies | ND | Pass |
| Nuarimol | Varies | ND | Pass |
| Omethoate | Varies | ND | Pass |
| Oxadixyl | Varies | ND | Pass |
| Oxamyl | Varies | ND | Pass |
| Oxyfluorfen | Varies | ND | Pass |
| Paclobutrazol | Varies | ND | Pass |
| Penconazole | Varies | ND | Pass |
| Phenmedipham | Varies | ND | Pass |
| Picoxystrobin | Varies | ND | Pass |
| Piperonyl butoxide | Varies | ND | Pass |
| Pirimicarb | Varies | ND | Pass |
| Prochloraz | Varies | ND | Pass |
| Promecarb | Varies | ND | Pass |
| Prometon | Varies | ND | Pass |
| Prometryn | Varies | ND | Pass |
| Propamocarb | Varies | ND | Pass |
| Propargite | Varies | ND | Pass |
| Propham | Varies | ND | Pass |
| Propiconazole | Varies | ND | Pass |
| Propoxur | Varies | ND | Pass |
| Prothioconazole | Varies | ND | Pass |
| Pymetrozine | Varies | ND | Pass |
| Pyracarbolid | Varies | ND | Pass |
| Pyraclostrobin | Varies | ND | Pass |
| Pyridaben | Varies | ND | Pass |
| Pyriproxyfen | Varies | ND | Pass |
| Quinoxifen | Varies | ND | Pass |
| Rotenone | Varies | ND | Pass |
| Secbumeton | Varies | ND | Pass |

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

¹Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

²Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

³Residual Solvents Tolerance: https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf

⁴Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

| | | | |
|--------------------|--------|----|------|
| Siduron | Varies | ND | Pass |
| Simetryn | Varies | ND | Pass |
| Spinetoram | Varies | ND | Pass |
| Spinosyn | Varies | ND | Pass |
| Spirodiclofen | Varies | ND | Pass |
| Spiromesifen | Varies | ND | Pass |
| Spirotetramat | Varies | ND | Pass |
| Spiroxamine | Varies | ND | Pass |
| Sulfentrazone | Varies | ND | Pass |
| Tebuconazole | Varies | ND | Pass |
| Tebufenozide | Varies | ND | Pass |
| Tebufenpyrad | Varies | ND | Pass |
| Tebuthiuron | Varies | ND | Pass |
| Teflubenzuron | Varies | ND | Pass |
| Temephos | Varies | ND | Pass |
| Terbumeton | Varies | ND | Pass |
| Terbutryn | Varies | ND | Pass |
| Tetraconazole | Varies | ND | Pass |
| Thiabendazole | Varies | ND | Pass |
| Thiacloprid | Varies | ND | Pass |
| Thiamethoxam | Varies | ND | Pass |
| Thidiazuron | Varies | ND | Pass |
| Thiobencarb | Varies | ND | Pass |
| Thiophanate-methyl | Varies | ND | Pass |
| Triadimefon | Varies | ND | Pass |
| Triadimenol | Varies | ND | Pass |
| Trichlorfon | Varies | ND | Pass |
| Tricyclazole | Varies | ND | Pass |
| Trifloxystrobin | Varies | ND | Pass |
| Triflumizole | Varies | ND | Pass |
| Triflumuron | Varies | ND | Pass |
| Triticonazole | Varies | ND | Pass |
| Vamidothion | Varies | ND | Pass |
| Zoxamide | Varies | ND | Pass |

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

¹Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

²Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

³Residual Solvents Tolerance: https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf

⁴Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

Residual Solvents

| Analyte | Tolerance (ppm) ³ | Findings (ug/serving) | Compliance |
|--------------------------------------|------------------------------|-----------------------|------------|
| 1,2-Dichloroethane | 1 | <LOQ | Pass |
| Acetone | 5000 | <LOQ | Pass |
| Acetonitrile | 410 | <LOQ | Pass |
| Benzene | 1 | <LOQ | Pass |
| n-Butane | 5000 | <LOQ | Pass |
| Chloroform | 1 | <LOQ | Pass |
| Ethanol | 5000 | <LOQ | Pass |
| Ethyl acetate | 5000 | <LOQ | Pass |
| Ethyl ether | 5000 | <LOQ | Pass |
| Ethylene oxide | 1 | <LOQ | Pass |
| n-Heptane | 5000 | <LOQ | Pass |
| n-Hexane | 290 | <LOQ | Pass |
| Isopropyl alcohol | 5000 | <LOQ | Pass |
| Methanol | 3000 | <LOQ | Pass |
| Methylene chloride | 1 | <LOQ | Pass |
| n-Pentane | 5000 | <LOQ | Pass |
| Propane | 5000 | <LOQ | Pass |
| Toluene | 890 | <LOQ | Pass |
| Total xylenes (ortho-, meta-, para-) | 2170 | <LOQ | Pass |
| Trichloroethylene | 1 | <LOQ | Pass |

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

¹Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

²Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

³Residual Solvents Tolerance: https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf

⁴Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>