


Garadry™




PRODUCT CATALOGUE

GARAGE DOOR THRESHOLD SEALS

sales@garadry.co.uk 

www.garadry.com 

01704 532 360 

WHO ARE GARADRY

We are GaraDry and we design our own range of innovative weather seal products for anybody with a garage / commercial door. We believe that weekends are for relaxing and not sweeping water and leaves out of your garage!

GaraDry™




WHAT DO WE SELL?

We design and sell an extensive range of garage door weather seal products, including our unique line of weather seal / flood prevention products. All of our products are easy to fit and once in place you will have one less job to do on the weekend.

Whether you have an old or a new garage door, we have a vast range of seals that are designed to keep your garage clean, dry, and looking great! GaraDry is a trusted, family-run business, that is meticulous about producing high-quality products at competitive prices to ensure customers always get excellent value for their money.



SHOP ONLINE AT WWW.GARADRY.COM OR CALL US ON 01704 532 360




ONLINE SHOPPING MADE SIMPLE!

- Easy to navigate website to quickly find and order the threshold that's right for you
- Visit our website and place orders via your mobile phone
- Explore our extensive range of seals with high-definition pictures and videos
- Access fitting instructions from your phone
- Pay with confidence via our secure checkout
- Rest assured by reading our online product reviews
- Benefit from online order-tracking that allows you to follow your parcel from our warehouse to your front door!
- Manage your account and invoices online
- Relax, all of our products come with a 5-year warranty


CUSTOMER SUPPORT

- Take advantage of our technical support phone line: 01704 532 360 (9am – 10pm Monday – Friday)
- Send us photographs via our online form so we can easily recommend the best solution for your installation
- Chat to us online via live chat (available 9am – 10pm Monday – Friday)



HOW DO I ORDER?

 **Order Online (24/7)**
www.garadry.com

 **Order by Phone**
01704 532 360 (9am-10pm Monday - Friday)

 **Order by Email**
sales@garadry.co.uk



Delivery & Returns

- For shipping charges please visit our website at www.garadry.com/delivery
- We offer delivery for all orders to any destination in the UK/Europe
- Orders are welcome for delivery to other locations worldwide, please contact us directly for shipping quotes
- Benefit from free online order tracking that allows you to track your order from our warehouse to your door!

How do I return unwanted goods?

Easily! If for any reason you're not happy with an item you've ordered, we'll gladly refund it. Simply contact our Customer Service team within 14 working days of receiving your order.

Please note that any unwanted goods must be returned to us within 14 working days from notifying us. Orders must be returned in a re-saleable condition. Items received after 14 working days from the date of receipt will not be refunded and you will be charged for the subsequent return of the items back to you. You must email sales@garadry.co.uk or telephone 01704 532 360 to alert us of your intention to return unwanted goods. We'll go through all your options with you and arrange your refund and return. Unsolicited returns will not be accepted.

Returns - if you wish to return an order please provide:

- Proof of purchase (e.g. a copy of your invoice)
- Your RMA number (as provided by a member of our returns team)

CONTENTS

GaraDry

Who is GaraDry?	2 - 3
How do I order?	4
Delivery	5
Which seal do I need?	6 - 7

Residential Thresholds

15mm high threshold seal	8
20mm high threshold seal	9
25mm high threshold seal	10
30mm high threshold seal	11
40mm high flood barrier seal	12
50mm high flood barrier seal	13

Commercial Thresholds

15mm high commercial threshold seal	14
25mm high commercial threshold seal	15

Industrial Strength

8mm high industrial strength threshold	16
--	----

Other Products

Top seal	17
Side seal	18
Insulation	19
Wrap around roller shutter seal	20

Design & Development

GaraDry adhesive and sealant	21
------------------------------	----

Contact

Notes	22-23
-------	-------



dpd

GARADRY GARAGE DOOR THRESHOLD SEALS

THRESHOLD SEAL SIZES

This is a guideline only, actual vehicle weights vary considerably.

Residential vehicle
weight up to 6000 pounds



Commercial vehicle
weight up to 50 ton



Industrial vehicle
weight 50 ton +



	Residential Threshold seals		
15mm (High) WS001	✓	—	—
20mm (High) WS003	✓	—	—
25mm (High) WS005	✓	—	—
30mm (High) WS009	✓	—	—
40mm (High) WS013	✓	—	—
50mm (High) WS436	✓	—	—
	Commercial Threshold seals		
8mm (High) WS437	✓	✓	✓
15mm (High) WS011	✓	✓	—
25mm (High) WS012	✓	✓	—

CONSULT THE WEIGHT GUIDE

The weight guide above briefly demonstrates the difference in strength and usability of the 'Domestic' and 'Commercial' Garage Door Threshold Seals.

***Note:** This is a guideline only as actual vehicle weights vary considerably

WHAT ARE THE GARAGE DOOR SEALS AND HOW DO THEY WORK

All our seals prevent leaves, dust or sand, debris and vermin from entering the garage as well as protect against drafts, wind-blown rainwater, standing water, cold air and snow.

Our flood barriers are suitable for when you have large amount of standing water.

The residential threshold seals are made from a durable, flexible thermoplastic and are completely watertight when fitted with our adhesive. They serve as a superior alternative to rubber as our products are 100% recyclable making them environmentally friendly, odourless and will not rot, decay or lose their colour with prolonged exposure to water or sunlight.

The seals prevent vermin such as small reptiles like snakes, mice or rats, spiders, or other insects from entering through the gap under your garage door.

CHOOSING THE CORRECT SEAL

Choosing the correct seal for you garage door is very simple and can be done in a few easy steps:

CHOOSING THE CORRECT HEIGHT

The hump of the threshold fits behind the garage door so that no adjustments to the door are required.


To find the correct height of threshold for your garage, all you need to do is measure the gap between the bottom of the garage door and the floor in a number of different places then note the largest measurement. As your floor is unlikely to be completely level you should measure the gap in at least three or four places to ensure you determine the largest gap. Then you choose a threshold that is higher than the gap.

CHOOSING THE CORRECT LENGTH

Allow approximately 40mm overhang to allow the threshold seals to be notched back around the door tracks.

To find the perfect length of garage door seal for your garage door you will need to measure the width of the opening. If the width of your garage door is 9'0" you would need the 10'3" length of Garage Door Threshold Seal. For example, the thresholds can easily be cut to size with a hacksaw, depending on the threshold material.

RESIDENTIAL GARAGE DOOR THRESHOLD SEALS



Central Profile

- Seals against door making watertight seal

Yellow Warning Line

- Designed with safety in mind to prevent tripping & falls.

Durable & Flexible Thermoplastic Material

- Durable & Flexible - 100% Recyclable.
- Does not degrade over time.

Serrated Bottom Edge

- Creates a stronger bond to adhesive.

COMMERCIAL DOOR THRESHOLD SEALS



Yellow Warning Lines

- Designed with safety in mind to prevent tripping & falls.

Top Cap


- Removable cap to hide/protect screws and to create a watertight seal between sections.

Bottom Insert Seal

- Compresses against floor.
- Creates a watertight seal.

Aluminium Material

- Extremely Durable - 100% Recyclable
- Designed to withstand heavier loads.



GARADRY 15mm HIGH GARAGE DOOR THRESHOLD SEAL KIT

GaraDry™


The GaraDry 15mm high garage door threshold seal kit has been designed to form a watertight seal between the garage door and the floor. The threshold seal will prevent water, leaves, dust, debris and vermin from entering under the garage door, thus ensuring a clean and dry environment.

The kit includes:

- GaraDry threshold seal
- GaraDry specialist floor threshold adhesive (290ml / Black)
- Fitting instructions

Features:

- High-visibility hazard warning line
- 100% recyclable - durable and flexible thermoplastic



WS001

Part No.	Length	Qty.
WS001-221	2.21m (7'3") Kit (Including 1 x adhesive)	Each
WS001-252	2.52m (8'3") Kit (Including 1 x adhesive)	Each
WS001-312	3.12m (10'3") Kit (Including 1 x adhesive)	Each
WS001-373	3.73m (12'3") Kit (Including 1 x adhesive)	Each
WS001-434	4.34m (14'3") Kit (Including 1 x adhesive)	Each
WS001-495	4.95m (16'3") Kit (Including 1 x adhesive)	Each
WS001-556	5.56m (18'3") Kit (Including 2 x adhesives)	Each
WS001-617	6.17m (20'3") Kit (Including 2 x adhesives)	Each
WS001-15	15.00m (50') Kit (Including 3 x adhesives)	Each
WS001-20	20.00m (65') Kit (Including 4 x adhesives)	Each


GARADRY 15mm GARAGE DOOR THRESHOLD SEAL COIL

Part No.	Length	Qty.
WS002		
WS002-15	15.00m (50') coil	Each
WS002-20	20.00m (65') coil	Each
WS017-1	GaraDry adhesive (Black)	Each
WS017-12	GaraDry adhesive (Black)	Box of 12
WS020	Adhesive applicator gun	Each





(Kits include adhesive)



GARADRY 20mm GARAGE DOOR THRESHOLD SEAL KIT

GaraDry™


The GaraDry 20mm high garage door threshold seal kit has been designed to form a watertight seal between the garage door and the floor. The threshold seal will prevent water, leaves, dust, debris and vermin from entering under the garage door, thus ensuring a clean and dry environment.

The kit includes:

- GaraDry threshold seal
- GaraDry specialist floor threshold adhesive (290ml / Black)
- Fitting instructions

Features:

- High-visibility hazard warning lines
- 100% recyclable - durable and flexible thermoplastic




WS003

Part No.	Length	Qty.
WS003-221	2.21m (7'3") Kit (Including 1 x adhesive)	Each
WS003-252	2.52m (8'3") Kit (Including 1 x adhesive)	Each
WS003-312	3.12m (10'3") Kit (Including 1 x adhesive)	Each
WS003-373	3.73m (12'3") Kit (Including 2 x adhesives)	Each
WS003-434	4.34m (14'3") Kit (Including 2 x adhesives)	Each
WS003-495	4.95m (16'3") Kit (Including 2 x adhesives)	Each
WS003-556	5.56m (18'3") Kit (Including 2 x adhesives)	Each
WS003-617	6.17m (20'3") Kit (Including 2 x adhesives)	Each
WS003-15	15.00m (50') Kit (Including 5 x adhesives)	Each


GARADRY 20mm GARAGE DOOR THRESHOLD SEAL COIL

Part No.	Length	Qty.
WS004	15.00m (50') coil	Each
WS017-1	GaraDry adhesive (Black)	Each
WS017-12	GaraDry adhesive (Black)	Box of 12
WS020	Adhesive applicator gun	Each





(Kits include adhesive)



GARADRY 25mm GARAGE DOOR THRESHOLD SEAL KIT

GaraDry™


The GaraDry 25mm high garage door threshold seal kit has been designed to form a watertight seal between the garage door and the floor. The threshold seal will prevent water, leaves, dust, debris and vermin from entering under the garage door, thus ensuring a clean and dry environment.

The kit includes:

- GaraDry threshold seal
- GaraDry specialist floor threshold adhesive (290ml / Black)
- Fitting instructions

Features:

- High-visibility hazard warning lines
- 100% recyclable - durable and flexible thermoplastic



Part No.	Length	Qty.
WS005-221	2.21m (7'3") Kit (Including 1 x adhesive)	Each
WS005-252	2.52m (8'3") Kit (Including 1 x adhesive)	Each
WS005-312	3.12m (10'3") Kit (Including 1 x adhesive)	Each
WS005-373	3.73m (12'3") Kit (Including 2 x adhesives)	Each
WS005-434	4.34m (14'3") Kit (Including 2 x adhesives)	Each
WS005-495	4.95m (16'3") Kit (Including 2 x adhesives)	Each
WS005-556	5.56m (18'3") Kit (Including 2 x adhesives)	Each
WS005-617	6.17m (20'3") Kit (Including 2 x adhesives)	Each
WS005-15	15.00m (50') Kit (Including 5 x adhesives)	Each


GARADRY 25mm GARAGE DOOR THRESHOLD SEAL COIL

Part No.	Length	Qty.
WS006	15.00m (50') coil	Each
WS017-1	GaraDry adhesive (Black)	Each
WS017-12	GaraDry adhesive (Black)	Box of 12
WS020	Adhesive applicator gun	Each





(Kits include adhesive)



GARADRY 30mm GARAGE DOOR THRESHOLD SEAL KIT

GaraDry™


The GaraDry 30mm high garage door threshold seal kit has been designed to form a watertight seal between the garage door and the floor. The threshold seal will prevent water, leaves, dust, debris and vermin from entering under the garage door, thus ensuring a clean and dry environment.

The kit includes:

- GaraDry threshold seal
- GaraDry specialist floor threshold adhesive (290ml / Black)
- Fitting instructions

Features:

- High-visibility hazard warning lines
- 100% recyclable - durable and flexible thermoplastic





WS009

Part No.	Length	Qty.
WS009-221	2.21m (7'3") Kit (Including 1 x adhesive)	Each
WS009-252	2.52m (8'3") Kit (Including 1 x adhesive)	Each
WS009-312	3.12m (10'3") Kit (Including 1 x adhesive)	Each
WS009-373	3.73m (12'3") Kit (Including 2 x adhesives)	Each
WS009-434	4.34m (14'3") Kit (Including 2 x adhesives)	Each
WS009-495	4.95m (16'3") Kit (Including 2 x adhesives)	Each
WS009-556	5.56m (18'3") Kit (Including 2 x adhesives)	Each
WS009-617	6.17m (20'3") Kit (Including 2 x adhesives)	Each
WS009-10	10.00m (33') Kit (Including 4 x adhesives)	Each

GARADRY 30mm GARAGE DOOR THRESHOLD SEAL COIL

Part No.	Length	Qty.
WS010	10.00m (33') coil	Each
WS017-1	GaraDry adhesive (Black)	Each
WS017-12	GaraDry adhesive (Black)	Box of 12
WS020	Adhesive applicator gun	Each





GARADRY 40mm GARAGE DOOR FLOOD BARRIER KIT

GaraDry™


The GaraDry 40mm high garage door threshold seal kit has been designed to form a watertight seal between the garage door and the floor. The threshold seal will prevent water, leaves, dust, debris and vermin from entering under the garage door, thus ensuring a clean and dry environment.

The kit includes:

- GaraDry threshold seal
- GaraDry specialist floor threshold adhesive (290ml / Black)
- Fitting instructions

Features:

- High-visibility hazard warning lines
- 100% recyclable - durable and flexible thermoplastic



WS013

Part No.	Length	Qty.
WS013-200	2.21m (7'3") Kit (Including 1 x adhesive)	Each
WS013-250	2.52m (8'3") Kit (Including 2 x adhesives)	Each
WS013-300	3.12m (10'3") Kit (Including 2 x adhesives)	Each
WS013-400	3.73m (12'3") Kit (Including 2 x adhesives)	Each
WS013-450	4.34m (14'3") Kit (Including 2 x adhesives)	Each
WS013-500	4.95m (16'3") Kit (Including 3 x adhesives)	Each
WS013-550	5.56m (18'3") Kit (Including 3 x adhesives)	Each
WS013-600	6.17m (20'3") Kit (Including 3 x adhesives)	Each





(Kits include adhesive)



GARADRY 50mm DOOR FLOOD BARRIER KIT

GaraDry™


The GaraDry 50mm high garage door threshold seal kit has been designed to form a watertight seal between the garage door and the floor. The threshold seal will prevent water, leaves, dust, debris and vermin from entering under the garage door, thus ensuring a clean and dry environment.

The kit includes:

- GaraDry threshold seal
- GaraDry specialist floor threshold adhesive (290ml / Black)
- Fitting instructions

Features:

- High-visibility hazard warning lines
- 100% recyclable - durable and flexible thermoplastic



WS436

Part No.

Length

Qty.

WS436-252 2.52m (8'3") Kit (Including 2 x adhesives)

Each

WS436-312 3.12m (10'3") Kit (Including 2 x adhesives)

Each

WS436-373 3.73m (12'3") Kit (Including 2 x adhesives)

Each

WS436-495 4.95m (16'3") Kit (Including 3 x adhesives)

Each





GARADRY 15mm COMMERCIAL THRESHOLD SEAL KIT


GaraDry™

Robust Aluminium Threshold Seal

The GaraDry 15mm high commercial threshold seal kit has been designed to form a watertight seal between the door and the floor. The threshold seal will prevent water, leaves, dust, debris and vermin from entering under the door, thus ensuring a clean and dry environment. It has been engineered to withstand heavy traffic including forklifts and trucks. The kit consists of interlocking sections into which a continuous length of bottom seal is inserted creating a watertight seal.

The kit includes:

- Aluminum sections complete with bottom seals
- Concrete fixing screws (approximately 3 per 600mm) and screwdriver bit
- Joining bars, grub screws and allen key




WS011

Part No.	Length	Qty.
WS011-200	2.00m (6'6") Kit (Including fixings)	Each
WS011-250	2.50m (8'2") Kit (Including fixings)	Each
WS011-300	3.10m (10'2") Kit (Including fixings)	Each
WS011-400	4.00m (13'1") Kit (Including fixings)	Each
WS011-450	4.50m (14'8") Kit (Including fixings)	Each
WS011-500	5.00m (16'4") Kit (Including fixings)	Each
WS011-550	5.60m (18'4") Kit (Including fixings)	Each
WS011-600	6.00m (19'8") Kit (Including fixings)	Each
WS011-700	7.00m (22'11") Kit (Including fixings)	Each
WS011-800	8.00m (26'2") Kit (Including fixings)	Each
WS011-900	9.00m (29'6") Kit (Including fixings)	Each

For more information on the number of sections supplied in each kit, please consult our website.

Note: Sizes over 29'6" are available, prices on request.





GARADRY 25mm COMMERCIAL THRESHOLD SEAL KIT


GaraDry™

Robust Aluminium Threshold Seal

The GaraDry 25mm high commercial threshold seal kit has been designed to form a watertight seal between the door and the floor. The threshold seal will prevent water, leaves, dust, debris and vermin from entering under the door, thus ensuring a clean and dry environment. It has been engineered to withstand heavy traffic including forklifts and trucks. The kit consists of interlocking sections into which a continuous length of bottom seal is inserted creating a watertight seal.

The kit includes:

- Aluminum sections complete with bottom seals
- Concrete fixing screws (approximately 3 per 600mm) and screwdriver bit
- Joining bars, grub screws and allen key



WS012 Part No.	Length	Qty.
WS012-200	2.00m (6'6") Kit (Including fixings)	Each
WS012-250	2.50m (8'2") Kit (Including fixings)	Each
WS012-300	3.10m (10'2") Kit (Including fixings)	Each
WS012-400	4.00m (13'1") Kit (Including fixings)	Each
WS012-450	4.50m (14'8") Kit (Including fixings)	Each
WS012-500	5.00m (16'4") Kit (Including fixings)	Each
WS012-550	5.60m (18'4") Kit (Including fixings)	Each
WS012-600	6.00m (19'8") Kit (Including fixings)	Each
WS012-700	7.00m (22'11") Kit (Including fixings)	Each
WS012-800	8.00m (26'2") Kit (Including fixings)	Each
WS012-900	9.00m (29'6") Kit (Including fixings)	Each

For more information on the number of sections supplied in each kit, please consult our website.
Note: Sizes over 29'6" are available, prices on request.





GARADRY 8mm INDUSTRIAL STRENGTH THRESHOLD SEAL KIT

GaraDry™

Robust Aluminum Threshold Seal

The GaraDry 8mm high industrial threshold seal kit has been designed to form a watertight seal between the door and the floor. The threshold seal will prevent water, leaves, dust, debris and rodents from entering under the door, thus ensuring a clean and dry environment. It has been engineered to withstand heavy traffic including forklifts and trucks. The kit consists of sections into which a continuous length of bottom seal is inserted creating a watertight seal.

The kit includes:

- Aluminum sections complete with bottom seals
- Concrete fixing screws (approximately 3 per 600mm) and screwdriver bit



WS437



Part No.	Length	Qty.
WS437-200	2.00m (6'6") Kit (Including fixings)	Each
WS437-250	2.50m (8'2") Kit (Including fixings)	Each
WS437-300	3.10m (10'2") Kit (Including fixings)	Each
WS437-400	4.00m (13'1") Kit (Including fixings)	Each
WS437-450	4.50m (14'8") Kit (Including fixings)	Each
WS437-500	5.00m (16'4") Kit (Including fixings)	Each
WS437-550	5.60m (18'4") Kit (Including fixings)	Each
WS437-600	6.00m (19'8") Kit (Including fixings)	Each
WS437-700	7.00m (22'11") Kit (Including fixings)	Each
WS437-800	8.00m (26'2") Kit (Including fixings)	Each
WS437-900	9.00m (29'6") Kit (Including fixings)	Each

For more information on the number of sections supplied in each kit, please consult our website.

Note: Sizes over 29'6" are available, prices on request.

GARADRY GARAGE DOOR TOP SEAL

GaraDry™




The GaraDry top seal has been designed to prevent draughts and conserve heat inside the garage. The top seal is available in either black or white and comes in two lengths; 2.44m (8'0") and 3.05m (10'0"). The top seal seals gaps of up to 40mm high and instantly improves the appearance of the garage door. The product is designed (solely) for use with up-and-over garage doors.

The kit includes:

- GaraDry top seal length(s)
- Zinc wood screws and washers
- Fitting instructions

Note: 3.04m (10'0") top seal is supplied as 2 x 5'0" sections





WS015

Part No.	Length	Qty.
WS015-244W	2.44m (8'0") White	Each
WS015-244B	2.44m (8'0") Black	Each
WS015-304W	3.04m (10'0") White	Each
WS015-304B	3.04m (10'0") Black	Each

Note: For use with double doors please butt two lengths together when fitting.

GARADRY GARAGE DOOR SIDE SEAL

GaraDry™



The GaraDry side seal has been designed to prevent draughts and conserves heat inside the garage. The side seal is available in three lengths; 5m (16'4"); 10m (32'8"); and 20m (65'6"). The side seal seals gaps of up to 22mm wide and instantly improves the appearance of the garage door.

The product is designed (solely) for use with up-and-over garage doors.

The kit includes:

- GaraDry top seal length(s)
- Zinc wood screws and washers
- Fitting instructions

WS016

Part No.

WS016-05

WS016-10

WS016-20

Length

5.00m (16'4") Kit

10.00m (32'8") Kit




20.00m (65'6") Kit

Qty.

Each

Each

Each



GARADRY GARAGE DOOR INSULATION

GaraDry™



WS018

Part No.

Length

Qty.

WS018-S

714mm (W) x 7317mm (L)

Each

WS018-D

714mm (W) x 14634mm (L)

Each

The GaraDry insulation kit has been designed to fit to the back of the garage door. The kit has a dual purpose; it will prevent heat from escaping out of the garage, thus reducing energy costs in colder climates; and it will prevent heat from penetrating the garage door, thus keeping the garage cooler in warmer climates. The three-layer Insulation kit is a viable, more cost effective alternative to buying an insulated garage door (for up & over doors only).

The kit comes in two sizes:


- Single doors 714mm (W) x 7317mm (L)
- Double doors 714mm (W) x 14634mm (L)

The kit includes:

- GaraDry insulation material
- Aluminium foil tape (20m roll for single garage doors and 40m roll for double garage doors)
- Double-sided sticky pads (50 pads for single garage doors and 100 pads for double garage doors)
- Fitting instructions






Before



After

GARADRY WRAP-AROUND ROLLER SHUTTER SEAL

GaraDry™



The GaraDry wrap-around kit has been designed to form a watertight seal between the roller shutter and the floor. The wrap-around kit will also prevent leaves, dust and debris from being blown under the roller-shutter, thus ensuring a clean and dry environment. The wrap-around kit is suitable for use with all standard 75mm T-bar bottom sections of commercial roller-shutter doors.

The kit includes:

- 1 x wrap-around seal
- Fitting instructions

WS014

Part No.	Length	Qty.
WS014-200	2.00m (6'6")	Each
WS014-250	2.50m (8'2")	Each
WS014-300	3.00m (9'10")	Each
WS014-400	4.00m (13'1")	Each
WS014-500	5.00m (16'4")	Each
WS014-600	6.00m (19'8")	Each
WS014-700	7.00m (22'11")	Each
WS014-800	8.00m (26'2")	Each
WS014-900	9.00m (29'6")	Each
WS014-100	10.00m (32'8")	Each

Note: For uneven surfaces it is recommend that you use the GaraDry Commercial Threshold Kit in conjunction with this product in order to obtain a watertight seal.



GARADRY ADHESIVE AND SEALANT

Over the years we have worked hard to develop an adhesive and sealant that offers an outstanding level of adhesion with all of our threshold seals. Our hard work paid off and we are proud to present our specialist formula GaraDry adhesive. It is capable of bonding to the majority of non-porous surfaces with ease and offers incredible durability, even in extreme temperatures.



WS017
Part No.
WS017-1
WS017-12

Qty.
Each
Box of 12

GaraDry adhesive and sealant is the all-in-one complete solution for adhering and sealing all of our garage door threshold seals. GaraDry black adhesive and sealant is an all-round, highly durable and permanently flexible adhesive and sealant that has excellent adhesion to nonporous surfaces. It will also bond to damp surfaces, and is paintable (with most paints).

The sealant is odorless and free of isocyanates (highly reactive chemicals). GaraDry sealant has a shelf life (in tube, not applied) of 18 months.

Our new GaraDry adhesive & sealant has been specifically designed for both effectively securing and weather sealing our garage door threshold seals and benefits from:

- Increased surface grab against our previous adhesive and sealant
- Increased durability and flexibility vs traditional sealants
- Longer shelf life vs our previous adhesive and sealant
- Provides maximum performance with our entire threshold seal range



GaraDry™



Order Online
www.garadry.com (24/7)



Customer service
01704 532 360
Lines open: 9am - 10pm (Monday - Friday)



Order by Email
sales@garadry.co.uk

GaraDry Ltd
Unit 16-18, 17 Summerwood Lane, Halsall, Ormskirk, Lancashire, L39 8RG