



# Certificate of Analysis

## COMPLIANCE FOR RETAIL











Sample: DA30308008-006  
Harvest/Lot ID: 65033  
Batch#: 65033  
Cultivation Facility:  
Processing Facility:  
Distributor Facility:  
Source Facility:  
Seed to Sale# N/A  
Batch Date: 03/01/23  
Sample Size Received: 15 units  
Total Amount: 1 units  
Retail Product Size: 7.5 gram  
Ordered : 03/06/23  
Sampled : 03/06/23  
Completed: 03/18/23  
Sampling Method: SOP.T.20.010.FL

Mar 18, 2023 | White Lab LLC  
4028 North 29th Avenue  
Hollywood, FL, 33020, US




**PASSED**

Pages 1 of 5

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides <b>PASSED</b>	 Heavy Metals <b>PASSED</b>	 Microbials <b>PASSED</b>	 Mycotoxins <b>PASSED</b>	 Residuals Solvents <b>PASSED</b>	 Filtration <b>PASSED</b>	 Water Activity NOT TESTED	 Moisture NOT TESTED	 Terpenes NOT TESTED

 **Cannabinoid** **PASSED**



Analyzed by: 1665, 585, 1440      Weight: 3.0155g      Extraction date: 03/09/23 10:52:13      Extracted by: 1665

Analysis Method : SOP.T.40.031, SOP.T.30.031  
Analytical Batch : DA057107POT  
Instrument Used : DA-LC-007  
Running on : 03/09/23 12:49:10  
Reviewed On : 03/10/23 11:25:12  
Batch Date : 03/09/23 08:15:26

Dilution : 400  
Reagent : 030123.01; 030223.R11; 070122.11; 070121.27; 030223.R09  
Consumables : 280670723; CE0123; 61633-125C6-125E; 0000185478  
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation P/LA-  
Testing 97164

  
Signature

03/18/23

Signed On



# Certificate of Analysis

**PASSED**

White Lab Llc

 4028 North 29th Avenue  
 Hollywood, FL, 33020, US  
 Telephone: (786) 659-2694  
 Email: whitelabusa@gmail.com

 Sample : DA30308008-006  
 Harvest/Lot ID: 65033

 Batch# : 65033  
 Sampled : 03/06/23  
 Ordered : 03/06/23

 Sample Size Received : 15 units  
 Total Amount : 1 units  
 Completed : 03/18/23 Expires: 03/18/24  
 Sample Method : SOP Client Method

Page 2 of 5



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 795, 585	1.0035g	03/16/23 13:56:39	585,3379		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA057423PES					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)					
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Running on : 03/16/23 13:56:58					
FENHEXAMID	0.01	ppm	3	PASS	ND	Dilution : 250					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Reagent : 031323.R01; 031423.R23; 031423.R24; 030923.R14; 022123.R33; 031523.R01; 040521.11					
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Consumables : 6697075-02					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLONICAMID	0.01	ppm	2	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	450, 585	1.0035g	03/16/23 13:56:39	585,3379		
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
IMIDACLOPRID	0.01	ppm	1	PASS	ND	Analytical Batch : DA057426VOL					
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Instrument Used : DA-GCMS-006					
MALATHION	0.01	ppm	2	PASS	ND	Running on : 03/16/23 15:13:07					
METALAXYL	0.01	ppm	3	PASS	ND	Dilution : 250					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Reagent : 031423.R24; 040521.11; 030923.R23; 030923.R24					
METHOMYL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.01	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
NALED	0.01	ppm	0.5	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**  
 Lab Director

 State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation P/LA-  
 Testing 97164

  
 Signature

03/18/23

Signed On



# Certificate of Analysis

**PASSED**

White Lab Llc

4028 North 29th Avenue  
Hollywood, FL, 33020, US  
Telephone: (786) 659-2694  
Email: whitelabusa@gmail.com

Sample : DA30308008-006  
Harvest/Lot ID: 65033

Batch# : 65033  
Sampled : 03/06/23  
Ordered : 03/06/23

Sample Size Received : 15 units  
Total Amount : 1 units  
Completed : 03/18/23 Expires: 03/18/24  
Sample Method : SOP Client Method

Page 3 of 5



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by: 850, 585	Weight: 0.0245g	Extraction date: 03/17/23 13:38:30	Extracted by: 850
-----------------------	-----------------	------------------------------------	-------------------

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA05744750L Instrument Used : DA-GCMS-003 Running on : 03/17/23 13:45:34	Reviewed On : 03/17/23 14:09:38 Batch Date : 03/16/23 13:51:25
--	---

Dilution : 1  
 Reagent : 030420.09  
 Consumables : R2017.167; G201.120  
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

White Lab LLC

4028 North 29th Avenue  
Hollywood, FL, 33020, US  
Telephone: (786) 659-2694  
Email: whitelabusa@gmail.com

Sample : DA30308008-006  
Harvest/Lot ID: 65033

Batch# : 65033  
Sampled : 03/06/23  
Ordered : 03/06/23

Sample Size Received : 15 units  
Total Amount : 1 units  
Completed : 03/18/23 Expires: 03/18/24  
Sample Method : SOP Client Method

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
<b>Analyzed by:</b> 3390, 3336, 585	<b>Weight:</b> 1.0176g	<b>Extraction date:</b> 03/16/23 11:21:28	<b>Extracted by:</b> 3390		
<b>Analysis Method :</b> SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
<b>Analytical Batch :</b> DA057393MIC					
<b>Instrument Used :</b> PathogenDx Scanner DA-111					
<b>Running on :</b> 03/16/23 13:52:21					
<b>Dilution :</b> N/A					
<b>Reagent :</b> 011223.33; 031423.R29; 072122.22					
<b>Consumables :</b> 7558002055					
<b>Pipette :</b> N/A					

<b>Analyzed by:</b> 3390, 3336, 585	<b>Weight:</b> 1.0176g	<b>Extraction date:</b> N/A	<b>Extracted by:</b> 3390		
<b>Analysis Method :</b> SOP.T.40.208 (Gainesville), SOP.T.40.209.FL					
<b>Analytical Batch :</b> DA057413TYM					
<b>Instrument Used :</b> Incubator (25-27C) DA-096					
<b>Running on :</b> 03/16/23 14:18:29					
<b>Dilution :</b> 10					
<b>Reagent :</b> 011223.33; 013123.R21					
<b>Consumables :</b> N/A					
<b>Pipette :</b> N/A					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
<b>Analyzed by:</b> 3379, 795, 585	<b>Weight:</b> 1.0035g	<b>Extraction date:</b> 03/16/23 13:56:39	<b>Extracted by:</b> 585,3379		
<b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
<b>Analytical Batch :</b> DA057425MYC					
<b>Instrument Used :</b> N/A					
<b>Running on :</b> 03/16/23 13:57:11					
<b>Dilution :</b> 250					
<b>Reagent :</b> 031323.R01; 031423.R23; 031423.R24; 030923.R14; 022123.R33; 031523.R01; 040521.11					
<b>Consumables :</b> 6697075-02					
<b>Pipette :</b> DA-093; DA-094; DA-219					

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
<b>TOTAL CONTAMINANT LOAD METALS</b>					
ARSENIC	0.11	ppm	ND	PASS	5
CADMIUM	0.02	ppm	ND	PASS	1.5
MERCURY	0.02	ppm	<0.1	PASS	0.5
LEAD	0.02	ppm	ND	PASS	3
	0.05	ppm	ND	PASS	0.5

<b>Analyzed by:</b> 1022, 585	<b>Weight:</b> 0.2302g	<b>Extraction date:</b> 03/16/23 12:57:37	<b>Extracted by:</b> 1022,3619		
----------------------------------	---------------------------	--	-----------------------------------	--	--

<b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL					
<b>Analytical Batch :</b> DA057412HEA					
<b>Instrument Used :</b> DA-ICPMS-003					
<b>Running on :</b> 03/16/23 21:45:04					

<b>Dilution :</b> 50					
<b>Reagent :</b> 031423.R28; 031423.R18; 031023.R25; 031523.R45; 031023.R23; 031023.R24; 030123.R46; 022323.R22; 020123.02					
<b>Consumables :</b> 179436; 210508058; 12607-302CC-302					
<b>Pipette :</b> DA-061; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

White Lab LLC

4028 North 29th Avenue  
Hollywood, FL, 33020, US  
Telephone: (786) 659-2694  
Email: whitelabusa@gmail.com

Sample : DA30308008-006  
Harvest/Lot ID: 65033

Batch# : 65033  
Sampled : 03/06/23  
Ordered : 03/06/23

Sample Size Received : 15 units  
Total Amount : 1 units  
Completed : 03/18/23 Expires: 03/18/24  
Sample Method : SOP Client Method

Page 5 of 5

	<b>Filth/Foreign Material</b>	<b>PASSED</b>
---	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 585	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA057504FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : 03/17/23 14:36:22

Reviewed On : 03/17/23 14:47:51

Batch Date : 03/17/23 14:25:42

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.