



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30308008-001

Harvest/Lot ID: 65035

Batch#: 65035

Cultivation Facility:

Processing Facility:

Distributor Facility:

Source Facility:

Seed to Sale# N/A

Batch Date: 03/01/23

Sample Size Received: 15 units

Total Amount: 1 units

Retail Product Size: 9.7 gram

Ordered : 03/06/23

Sampled : 03/06/23

Completed: 03/18/23

Sampling Method: SOP.T.20.010.FL











PASSED

Mar 18, 2023 | White Lab LLC

4028 North 29th Avenue
Hollywood, FL, 33020, US



Pages 1 of 5

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents PASSED	 Filtration PASSED	 Water Activity NOT TESTED	 Moisture NOT TESTED	 Terpenes NOT TESTED

Cannabinoid **PASSED**



	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.116	ND	ND	ND	0.981	ND	ND	ND	ND	ND	ND
mg/unit	11.252	ND	ND	ND	95.157	ND	ND	ND	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by: 1665, 585, 1440 Weight: 2.93g Extraction date: 03/09/23 10:51:55 Extracted by: 1665

Analysis Method : SOP.T.40.031, SOP.T.30.031 Reviewed On : 03/10/23 11:24:50
 Analytical Batch : DA057107POT Batch Date : 03/09/23 08:15:26
 Instrument Used : DA-LC-007
 Running on : 03/09/23 12:49:10
 Dilution : 400
 Reagent : 030123.01; 030223.R11; 070122.11; 070121.27; 030223.R09
 Consumables : 280670723; CE0123; 61633-125C6-125E; 0000185478
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164


Signature

03/18/23

Signed On



Certificate of Analysis

PASSED

White Lab Llc

 4028 North 29th Avenue
 Hollywood, FL, 33020, US
 Telephone: (786) 659-2694
 Email: whitelabusa@gmail.com

 Sample : DA30308008-001
 Harvest/Lot ID: 65035

 Batch# : 65035
 Sampled : 03/06/23
 Ordered : 03/06/23

 Sample Size Received : 15 units
 Total Amount : 1 units
 Completed : 03/18/23 Expires: 03/18/24
 Sample Method : SOP Client Method

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND	Analyzed by: 3379, 795, 585 Weight: 1.0762g Extraction date: 03/16/23 13:56:37 Extracted by: 585,3379 Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch: DA057423PES Reviewed On: 03/17/23 23:57:22 Instrument Used: DA-LCMS-003 (PES) Batch Date: 03/16/23 10:22:02 Running on: 03/16/23 13:56:58 Dilution: 250 Reagent: 031323.R01; 031423.R23; 031423.R24; 030923.R14; 022123.R33; 031523.R01; 040521.11 Consumables: 6697075-02 Pipette: DA-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 585 Weight: 1.0762g Extraction date: 03/16/23 13:56:37 Extracted by: 585,3379 Analysis Method: SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie) Analytical Batch: DA057426VOL Reviewed On: 03/17/23 10:45:35 Instrument Used: DA-GCMS-006 Batch Date: 03/16/23 10:23:45 Running on: 03/16/23 15:13:07 Dilution: 250 Reagent: 031423.R24; 040521.11; 030923.R23; 030923.R24 Consumables: 6697075-02; 14725401 Pipette: DA-080; DA-146; DA-218 Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND						
ETOXAZOLE	0.01	ppm	1.5	PASS	ND						
FENHEXAMID	0.01	ppm	3	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	2	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	2	PASS	ND						
FLUDIOXONIL	0.01	ppm	3	PASS	ND						
HEXYTHIAZOX	0.01	ppm	2	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	1	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND						
MALATHION	0.01	ppm	2	PASS	ND						
METALAXYL	0.01	ppm	3	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	3	PASS	ND						
NALED	0.01	ppm	0.5	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
 Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation P/LA-
 Testing 97164


 Signature

03/18/23

Signed On



Certificate of Analysis

PASSED

White Lab Llc

4028 North 29th Avenue
Hollywood, FL, 33020, US
Telephone: (786) 659-2694
Email: whitelabusa@gmail.com

Sample : DA30308008-001
Harvest/Lot ID: 65035

Batch# : 65035
Sampled : 03/06/23
Ordered : 03/06/23

Sample Size Received : 15 units
Total Amount : 1 units
Completed : 03/18/23 Expires: 03/18/24
Sample Method : SOP Client Method

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by: 850, 585	Weight: 0.0206g	Extraction date: 03/17/23 13:38:29	Extracted by: 850
-----------------------	-----------------	------------------------------------	-------------------

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA05744750L Instrument Used : DA-GCMS-003 Running on : 03/17/23 13:45:34	Reviewed On : 03/17/23 14:09:29 Batch Date : 03/16/23 13:51:25
--	---

Dilution : 1
 Reagent : 030420.09
 Consumables : R2017.167; G201.120
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

White Lab LLC

4028 North 29th Avenue
Hollywood, FL, 33020, US
Telephone: (786) 659-2694
Email: whitelabusa@gmail.com

Sample : DA30308008-001
Harvest/Lot ID: 65035

Batch#: 65035
Sampled : 03/06/23
Ordered : 03/06/23

Sample Size Received : 15 units
Total Amount : 1 units
Completed : 03/18/23 Expires: 03/18/24
Sample Method : SOP Client Method

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3390, 3336, 585 Weight: 0.831g Extraction date: 03/16/23 10:52:30 Extracted by: 3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA057392MIC Reviewed On : 03/18/23 15:01:59 Instrument Used : PathogenDx Scanner DA-111 Batch Date : 03/16/23 08:00:29 Running on : 03/16/23 13:52:22 Dilution : N/A Reagent : 011223.33; 031423.R29; 092122.07 Consumables : 7558002055 Pipette : N/A					

Analyzed by: 3390, 3336, 585 Weight: 0.831g Extraction date: N/A Extracted by: 3390 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA057394TYM Reviewed On : 03/18/23 14:57:38 Instrument Used : Incubator (25-27C) DA-096 Batch Date : 03/16/23 08:09:46 Running on : 03/16/23 14:18:25 Dilution : 10 Reagent : 011223.33; 013123.R21 Consumables : N/A Pipette : N/A					
--	--	--	--	--	--

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 795, 585 Weight: 1.0762g Extraction date: 03/16/23 13:56:37 Extracted by: 585, 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA057425MYC Reviewed On : 03/17/23 23:58:32 Instrument Used : N/A Batch Date : 03/16/23 10:23:43 Running on : 03/16/23 13:57:11 Dilution : 250 Reagent : 031323.R01; 031423.R23; 031423.R24; 030923.R14; 022123.R33; 031523.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS					
ARSENIC	0.11	ppm	ND	PASS	5
CADMIUM	0.02	ppm	ND	PASS	1.5
MERCURY	0.02	ppm	<0.1	PASS	0.5
LEAD	0.02	ppm	ND	PASS	3
	0.05	ppm	ND	PASS	0.5

Analyzed by: 1022, 585 Weight: 0.2088g Extraction date: 03/16/23 12:52:56 Extracted by: 1022, 3619					
--	--	--	--	--	--

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA057412HEA Reviewed On : 03/17/23 09:36:54 Instrument Used : DA-ICPMS-003 Batch Date : 03/16/23 09:56:48 Running on : 03/16/23 21:45:04					
---	--	--	--	--	--

Dilution : 50 Reagent : 031423.R28; 031423.R18; 031023.R25; 031523.R45; 031023.R23; 031023.R24; 030123.R46; 022323.R22; 020123.02 Consumables : 179436; 210508058; 12607-302CC-302 Pipette : DA-061; DA-216					
--	--	--	--	--	--

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

White Lab LLC

4028 North 29th Avenue
Hollywood, FL, 33020, US
Telephone: (786) 659-2694
Email: whitelabusa@gmail.com

Sample : DA30308008-001
Harvest/Lot ID: 65035

Batch# : 65035
Sampled : 03/06/23
Ordered : 03/06/23

Sample Size Received : 15 units
Total Amount : 1 units
Completed : 03/18/23 Expires: 03/18/24
Sample Method : SOP Client Method

Page 5 of 5



**Filth/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 585	Weight: NA	Extraction date:	Extracted by:
		N/A	N/A

Analysis Method : SOP.T.40.090

Analytical Batch : DA057504FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : 03/17/23 14:36:22

Reviewed On : 03/17/23 14:47:53

Batch Date : 03/17/23 14:25:42

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.