



Certificate of Analysis

COMPLIANCE FOR RETAIL











Sample: DA30308008-003
Harvest/Lot ID: 65037
Batch#: 65037
Cultivation Facility:
Processing Facility:
Distributor Facility:
Source Facility:
Seed to Sale# N/A
Batch Date: 03/01/23
Sample Size Received: 15 units
Total Amount: 1 units
Retail Product Size: 9.7 gram
Ordered : 03/06/23
Sampled : 03/06/23
Completed: 03/18/23
Sampling Method: SOP.T.20.010.FL

Mar 18, 2023 | White Lab LLC
4028 North 29th Avenue
Hollywood, FL, 33020, US



PASSED

Pages 1 of 5

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents PASSED	 Filtration PASSED	 Water Activity NOT TESTED	 Moisture NOT TESTED	 Terpenes NOT TESTED

 **Cannabinoid** **PASSED**

 Total THC 0.112% Total THC/Container : 10.864 mg	 Total CBD ND Total CBD/Container : 0 mg	 Total Cannabinoids 1.172% Total Cannabinoids/Container : 113.684 mg
---	---	---

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.112	ND	ND	ND	1.06	ND	ND	ND	ND	ND	ND
mg/unit	10.864	ND	ND	ND	102.82	ND	ND	ND	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by: 1665, 585, 1440 Weight: 2.9832g Extraction date: 03/09/23 10:52:01 Extracted by: 1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA057107POT
Instrument Used : DA-LC-007
Running on : 03/09/23 12:49:10
Reviewed On : 03/10/23 11:25:04
Batch Date : 03/09/23 08:15:26

Dilution : 400
Reagent : 030123.01; 030223.R11; 070122.11; 070121.27; 030223.R09
Consumables : 280670723; CE0123; 61633-125C6-125E; 0000185478
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164


Signature

03/18/23

Signed On



Certificate of Analysis

PASSED

White Lab Llc

4028 North 29th Avenue
Hollywood, FL, 33020, US
Telephone: (786) 659-2694
Email: whitelabusa@gmail.com

Sample : DA30308008-003
Harvest/Lot ID: 65037

Batch# : 65037
Sampled : 03/06/23
Ordered : 03/06/23

Sample Size Received : 15 units
Total Amount : 1 units
Completed : 03/18/23 Expires: 03/18/24
Sample Method : SOP Client Method

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND	Analyzed by: 3379, 795, 585 Weight: 1.1328g Extraction date: 03/16/23 13:56:38 Extracted by: 585,3379 Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch: DA057423PES Reviewed On: 03/17/23 23:57:26 Instrument Used: DA-LCMS-003 (PES) Batch Date: 03/16/23 10:22:02 Running on: 03/16/23 13:56:58 Dilution: 250 Reagent: 031323.R01; 031423.R23; 031423.R24; 030923.R14; 022123.R33; 031523.R01; 040521.11 Consumables: 6697075-02 Pipette: DA-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 585 Weight: 1.1328g Extraction date: 03/16/23 13:56:38 Extracted by: 585,3379 Analysis Method: SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie) Analytical Batch: DA057426VOL Reviewed On: 03/17/23 10:45:38 Instrument Used: DA-GCMS-006 Batch Date: 03/16/23 10:23:45 Running on: 03/16/23 15:13:07 Dilution: 250 Reagent: 031423.R24; 040521.11; 030923.R23; 030923.R24 Consumables: 6697075-02; 14725401 Pipette: DA-080; DA-146; DA-218 Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND						
ETOXAZOLE	0.01	ppm	1.5	PASS	ND						
FENHEXAMID	0.01	ppm	3	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	2	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	2	PASS	ND						
FLUDIOXONIL	0.01	ppm	3	PASS	ND						
HEXYTHIAZOX	0.01	ppm	2	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	1	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND						
MALATHION	0.01	ppm	2	PASS	ND						
METALAXYL	0.01	ppm	3	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	3	PASS	ND						
NALED	0.01	ppm	0.5	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164



Signature

03/18/23

Signed On



Certificate of Analysis

PASSED

White Lab LLC

4028 North 29th Avenue
Hollywood, FL, 33020, US
Telephone: (786) 659-2694
Email: whitelabusa@gmail.com

Sample : DA30308008-003
Harvest/Lot ID: 65037

Batch# : 65037
Sampled : 03/06/23
Ordered : 03/06/23

Sample Size Received : 15 units
Total Amount : 1 units
Completed : 03/18/23 Expires: 03/18/24
Sample Method : SOP Client Method

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by: 850, 585	Weight: 0.0225g	Extraction date: 03/17/23 13:38:30	Extracted by: 850
-----------------------	-----------------	------------------------------------	-------------------

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA057447SOL Instrument Used : DA-GCMS-003 Running on : 03/17/23 13:45:34	Reviewed On : 03/17/23 14:09:34 Batch Date : 03/16/23 13:51:25
--	---

Dilution : 1
 Reagent : 030420.09
 Consumables : R2017.167; G201.120
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

White Lab LLC

4028 North 29th Avenue
Hollywood, FL, 33020, US
Telephone: (786) 659-2694
Email: whitelabusa@gmail.com

Sample : DA30308008-003
Harvest/Lot ID: 65037

Batch#: 65037
Sampled : 03/06/23
Ordered : 03/06/23

Sample Size Received : 15 units
Total Amount : 1 units
Completed : 03/18/23 Expires: 03/18/24
Sample Method : SOP Client Method

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3390, 3336, 585	Weight: 0.9124g	Extraction date: 03/16/23 10:52:31	Extracted by: 3390		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA057392MIC					
Instrument Used : PathogenDx Scanner DA-111					
Running on : 03/16/23 13:52:22					
Dilution : N/A					
Reagent : 011223.33; 031423.R29; 092122.07					
Consumables : 7558002055					
Pipette : N/A					

Analyzed by: 3390, 3336, 585	Weight: 0.9124g	Extraction date: N/A	Extracted by: 3390		
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL					
Analytical Batch : DA057394TYM					
Instrument Used : Incubator (25-27C) DA-096					
Running on : 03/16/23 14:18:25					
Dilution : 10					
Reagent : 011223.33; 013123.R21					
Consumables : N/A					
Pipette : N/A					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 795, 585	Weight: 1.1328g	Extraction date: 03/16/23 13:56:38	Extracted by: 585,3379		
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA057425MYC					
Instrument Used : N/A					
Running on : 03/16/23 13:57:11					
Dilution : 250					
Reagent : 031323.R01; 031423.R23; 031423.R24; 030923.R14; 022123.R33; 031523.R01; 040521.11					
Consumables : 6697075-02					
Pipette : DA-093; DA-094; DA-219					

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS					
ARSENIC	0.11	ppm	ND	PASS	5
CADMIUM	0.02	ppm	ND	PASS	1.5
MERCURY	0.02	ppm	ND	PASS	0.5
LEAD	0.02	ppm	ND	PASS	3
	0.05	ppm	ND	PASS	0.5
Analyzed by: 1022, 585	Weight: 0.2329g	Extraction date: 03/16/23 12:55:12	Extracted by: 1022,3619		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA057412HEA					
Instrument Used : DA-ICPMS-003					
Running on : 03/16/23 21:45:04					
Dilution : 50					
Reagent : 031423.R28; 031423.R18; 031023.R25; 031523.R45; 031023.R23; 031023.R24; 030123.R46; 022323.R22; 020123.02					
Consumables : 179436; 210508058; 12607-302CC-302					
Pipette : DA-061; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

White Lab LLC

4028 North 29th Avenue
Hollywood, FL, 33020, US
Telephone: (786) 659-2694
Email: whitelabusa@gmail.com

Sample : DA30308008-003
Harvest/Lot ID: 65037

Batch# : 65037
Sampled : 03/06/23
Ordered : 03/06/23

Sample Size Received : 15 units
Total Amount : 1 units
Completed : 03/18/23 Expires: 03/18/24
Sample Method : SOP Client Method

Page 5 of 5

	Filth/Foreign Material	PASSED
---	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 585	Weight: NA	Extraction date:	Extracted by:
		N/A	N/A

Analysis Method : SOP.T.40.090
Analytical Batch : DA057504FIL
Instrument Used : Filth/Foreign Material Microscope
Running on : 03/17/23 14:36:22

Reviewed On : 03/17/23 14:47:52
Batch Date : 03/17/23 14:25:42

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.