

Zaft

Zaft | P120Grit

Available on [wisetype.nl](https://www.wisetype.nl)

10-1215

WARNING: This typeface is of an extra coarse nature and should be used exclusively for rapid removal of material, hardwood flooring and elegant compositions. Please refrain from unnecessary stretching to ensure absolute integrity. Zaft features 428 glyphs and supports 32 Languages. If Zaft comes into direct contact with skin or eyes, please seek immediate medical help. Keep out of the reach of minors. Do not inhale.

 WiseType© 2019

1300-1000-1000-1000!



A B C D E F

G H I J K L

M N O P Q R

S T U V W X

Y Z 0 1 2 3



o d o c c o t e f g g

h i j k l m n o

o p q r s t u

v w x y z

4 5 6 7 8 9



" # & () . , x + - / < = >

? ! ^ { | } @ * € £ \$ ¥ < >

§ © ¢ " " i • ÷ ~ % |

[\] † ‡ — ¢ ¶ « ¶ »

1/4 1/2 3/4 ™ — —



À Á Â Ã Ä Å Æ Ç È É
 Ó Ô Õ Ö × Ø Ù Ú Û Ü Ý Þ
 ß à á â ã ä å æ ç è é
 ê ë ì í î ï ð ñ ò ó
 ô õ ö ø ù ú û ü ý þ
 ÿ à á â ã ä å æ ç è é
 ê ë ì í î ï ð ñ ò



č č č č č č č č č č č č
ć ć ć ć ć ć ć ć ć ć ć ć
đ đ đ đ đ đ đ đ đ đ đ đ
ń ń ń ń ń ń ń ń ń ń ń ń
ø ø ø ø ø ø ø ø ø ø ø ø
t t t t t t t t t t t t
t t t t t t t t t t t t
t t t t t t t t t t t t



Grit Size

BSQ

Out-Jointed

14 ppm

Boatberg



ISO/F131PZ Grit

Designation*

- P120 — 125µm
- P150 — 100µm
- P180 — 92µm

> Coarse Grit

> 28% Coverage



