

THE ESSENTIALS OF **POS DISPLAY**



A diversified group

With more than 50 years' experience, the ISD group is built on solid foundations with 8 global brands, all from the POS display market.

Truly focused on its close relationship with its customers, through its global vision of the market and its policy of constant innovation, the ISD Group is a key player in the store equipment sector.







4 INDUSTRIES
(food and non food retail, brands and intermediaries)





Dear clients.

Hang & Display has been supplying POS display and communication professionals for more than 17 years – we are committed to supporting you in your projects.

We are pleased to present our 2020-2021 catalogue. In it you will find:

- New and more modern graphic designs
- A new format
- A redesigned segmentation of product families

And above all, a range of more than **600 products** dedicated to store equipment & access to thousands more through our global supply chain.

Many thanks for the trust you have shown all these years. Do not hesitate to contact us.

Office 02 9708 3774 · www.hanganddisplay.com.au



CONTENTS





- 1 SHELF TALKERS SUPPORTS
- 2 BANNER HANGERS AND HEADER HOLDERS
- 3 HANGING SYSTEMS
- 4 PRICE DISPLAY SUPPORTS
- 5 DISPLAY ACCESSORIES
- 6 MERCHANDISING SOLUTIONS
- 7 VISUAL SUPPORTS
- 8 HANG TABS
- 9 INDEX

1 SHELF TALKERS SUPPORTS



2 BANNER HANGERS AND HEADER HOLDERS



3 HANGING SYSTEMS







MERCHANDISING SOLUTIONS





6.6 Dividers





6.10 Divider stops





VISUAL SUPPORTS





7.4 Pin ticket holders







7.9 Sleeves



7.10 Aluminium frames



Aluminium stands



7.12 Free standing sign holder



7.13 Chalkboard



7.14 PVC frames



7.15 Brochure holder



7.18 Clips



HANG TABS



Delta slot Hang tabs



8.5 Euroslot Hang tabs



8.6 Round Hang tabs



8.7 Hook Hang tabs





FAST DELIVERY TIMES



For Sydney we offer same or next day service. NSW, VIC, ACT and QLD metro business addresses enjoy next day shipping. For WA, SA and NT we offer Express freight services. (1).

(1) For custom and special orders lead times apply as per quote terms. Economy as well as direct courier services also available on reauest.

2 INTERNATIONAL DELIVERY



We offer fast DHL, TNT and FedEx Air freight services as well as economy international post.

A FREE "SAMPLE" SERVICE



Many of our items qualify for free samples*, contact our sales team to request your samples.

*Shipping charges apply.

4



SATISFACTION GUARANTEE

If you are not happy with your purchase contact us within 7 days of reception of goods to arrange replacement/exchange⁽³⁾.

(3) Return shipping paid by customer, all items must be returned unused and in original packaging.

5 A "PERSONALISED ADVICE SERVICE



Call or email us about your specific needs or send us photos of the application and our staff are more than happy to provide recommendations to best suit your needs.

FAST QUOTATIONS



Most items and orders are quoted on the spot or within minutes, for custom items and special orders we endeavour to reply within 24-48 hours. A PROFESSIONAL TEAM



Contact our highly experienced and knowledgably team 8am to 5pm weekdays, they are happy to help in any way possible.

24/7 ONLINE SERVICES



Shop our range of products online, get detailed specifications or browse thousands of photos anytime. Don't forget to register an account and enjoy many benefits.

CONTACT US & ORDERS

Feel free to contact our experts, they will be pleased to support you in the design of your project!



EMAIL

sales@hanganddisplay.com.au



PHONE

02 9708 3774



POST

Unit 5/165 Canterbury Road Bankstown NSW 2200



WEBSITE

www.hanganddisplay.com.au



twitter.com/hanganddisplay



instagram.com/hanganddisplay



linkedin.com/company/hang-and-display-limited



facebook.com/hanganddisplay



LETS'S CREATE A MORE SUSTAINABLE WORLD TOGETHER...



OUR ENVIRONMENTAL PROGRAM

Integrating eco-design criteria throughout all phases of a product's life cycle and more broadly in the way we operate: these are the objectives of The **Green Act!**

Hang & Display has been taking environmental issues into account for several years now, applying good practices within the company, or taking into account the impact of our products on the environment. But this year marks a turning point thanks to our Green Act program with the will to develop our eco-responsible offers to accompany you in your projects.



Use of **recyclable** materials

DATA STRIPS 100% RECYCLABLE





✓ New custom made data strips made from PET. (page 4-3)

Made in France

PET SLEEVES



Made in our workshop.





Use of **recyclable** materials



Use of **renewable** materials

DIVIDERS



✓ 30% recycled PET sourced from plastic bottles.

CORRO CLIPS IN CARDBOARD



✓ Replacing plastic with renewable and natural materials.

SHELF TALKERS SUPPORTS



BESTPRODUCT

You can easily find all our 'BEST' products anywhere in the catalogue thanks to this

METAL WOBBLERS On sheet



- Adhesive on both ends.
- Twists to orient the visual as desired.
- Can be attached to all kinds of surface.
- Max. advised load: 40 g.
- Available : With permanent adhesives on both side.
 - With permanent adhesives on one side and non-permanent on the other.



SAVE TIME WHEN DISPLAYING POS VISUALS



2 permanent adhesives (by sheet of 10)

★ WOB2/F100

Length: 75 mm

Pack of 100

• Max. advised load: 10 g.

1 permanent adhesive - 1 non-permanent adhesive (by sheet of 10)

★ WOB2/R/F100


Length: 75 mm

Pack of 100

METAL WOBBLERS



• Max. advised load: 40 g.



2 permanent adhesives

Pack of 100 Length: 75 mm

1 permanent adhesives - 1 non-permanent

Length: 75 mm

Pack of 100



2 permanent adhesives

WOB23/100	Length : 75 mm	Pack of 100
WOB3/2	Length : 150 mm	Pack of 100



• Max. advised load: 50 g.







3 permanent adhesives

Pack of 100 Length: 90 mm


On sheet PET WOBBLER







- Flexible transparent PET to enliven your visual.
- Permanent adhesive at each end.
- Max. advised load: 5 g.



2 permanent adhesive

WOB14

Length: 75 mm Thickness: 250 μ

Pack of 100



On sheet PET WOBBLER

- Flexible transparent PET to enliven your visual.
- Permanent adhesive at each end.
- Max. advised load: 15 g.



2 permanent adhesives

WOB55188

Length: 150 mm Thickness: 250 μ

Pack of 1000

- Non-permanent adhesive at one end leaves no trace on the support.
- Max. advised load: 5 g.

1 permanent adhesive and 1 non permanent

WOB1/R Length: 150 mm Thickness: 250 μ

Pack of 100




PET WOBBLER

Multi-directional wobbler

- Transparent flexible PET to animate visuals.
- 2 possible positions :

Allow display in facing or perpendicular to the support .

• Max. advised load : 15 g.



2 permanent adhesives

WOB19

Dimensions : 120x15 mmThickness : 380μ




SPRING WOBBLER

Permanent adhesive







- Spacer with 2 permanent adhesives connected by a spring.
- Creates permanent movement to highlight your visuals.


Square base 20 x 20 mm


WOB4/20	Spring 20 mm	Pack of 100
WOB4/30	Spring 30 mm	Pack of 100

MEDIA SPACER

Permanent adhesive







- PVC spacer with permanent adhesive at each end.
- Highlights your visual by projecting it from the shelf.

WOB5/15	15 x 26 x 13 mm	Pack of 100
WOB5/25	25 x 26 x 13 mm	Pack Of 100

FOAM BLOCK MEDIA SPACER

Permanent adhesive







- Foam spacer with permanent adhesive at each end.
- Highlights your visual by projecting it from the shelf.

WOB33/13	25 x 25 x 13 mm	Pack of 100
WOB33/25	25 x 25 x 25 mm	Pack Of 100

MULTIPURPOSE GRIP HANGER







• Ticket clip for fitting visual to data strip.




Max. visual thickness: 1 or 2 mm


SUP75	A Multipurpose grip clip	Pack of 100
LAB30/25	B Shelf talker clip	Pack of 1000



Hinged grip for data strip

HINGED GRIP HANGER





• Ticket clip for fitting visual to 38 mm tracks.


Max. visual thickness: 1 to 1,5 mm

SUP37	Length : 25 mm	Pack of 100
SUP38	Length : 75 mm	Pack Of 100



Permanent adhesive

ADHESIVE GRIP STRIP





• U-grip with adhesive for outward facing display of POS visuals on any type of support.

Max. visual thickness: 2,5 mm


SUP28	Length: 25 mm	
SUP29	Length: 38 mm	Pack of 100
SUP30	Length: 75 mm	



FIXED GRIP HOLDER

For data strip





• Grip for attaching POS advertising aisle blade on any type of data strip profile.

Max. visual thickness: 2 mm

★)SUP39


Grip for PE profile

Pack of 100

HINGED GRIP HOLDER

For data strip





 Grip for attaching POS advertising aisle blade on any type of data strip profile.

Max. visual thickness: 2 mm

SUP36


Grip for PE profile

Pack of 100

VARIABLE ANGLE GRIP HOLDER

For angle data strip





- Grip for attaching POS advertising aisle blade on any type of data strip profile.
- Variable angle grip (up to 90°).

Max. visual thickness: 2 mm

SUP69

Grip for PE profile

Pack of 100

HINGED GRIP HOLDER

Electronic label strip



• Grip for aisle blade fitting POS adverts on an electronic rail.

Max. visual thickness: 2,5 mm

Special electronic rail grip

For data strip

FIXED BUS STOP HOLDER



• 'Flag' clip for 30 and 39 mm data strip.

Max. visual thickness: 1 mm

SHE5 Label holder clip

Pack of 100



For profiles and rails

FLEXIBLE BUS STOP HOLDER




SHE7

30 or 39 mm profile

Pack of 100

For data strip and electronic rail


AISLE INTERRUPTOR WOBBLER



Max. visual thickness: 1 mm - 500 μm PVC


★ WOB301

Aisle interruptor






SUPERGRIP Permanent adhesive









25 mm base - Max. visual thickness: 3 - 5 mm

SUP5/5/25	Length: 25 mm	Dook of 100
SUP5/5/35	Length: 35 mm	Pack of 100
SUP5/5/75	Length: 75 mm	Da al ca 6 5 0
SUP 5/5/150	Length: 150 mm	Pack of 50








20 mm base - Max. visual thickness: 3 to 4 mm

SUP8	Length: 75 mm	Pack of 100
SUP9	Length: 150 mm	Pack Of 100







25 mm base - Max. visual thickness: 3 - 6 mm

SUP24/75	Length: 75 mm	Pack of 50
SUP24/150	Length : 150 mm	Pack of 50



Permanent adhesive

SUPERGRIP



13 mm base - Max. visual thickness: 2 mm

★ SUP1/15	Length: 15 mm	
★ SUP1	Length: 25 mm	Pack of 100
★ SUP2	Length: 75 mm	

13 mm base - Max. visual thickness : 3 to 5 mm

SUP1/3-5 Length: 25 mm Pack of 100





25 mm base - Max. visual thickness: 2 mm

SUP4	Length: 25 mm	
SUP5	Length: 75 mm	Pack of 100
SUP7	Length: 150 mm	




Permanent adhesive

CARD HOLDER



28 mm base - Max visual thickness: 3 mm

SUP25	Length : 75 mm	Pack of 100
SUP26	Length: 150 mm	FACK OF 100



shelf talkers supports | 1-9

FLEXIBLE T HINGED SUPERGRIP

Permanent adhesive





• Hinged grip on adhesive base for 'flag' visuals on shelves or rack columns.

25 mm base - Visual thickness: 2 mm


SUP66/25	Length: 25 mm	Pack of 300
SUP66/75	Length: 75 mm	Pack of 100

25 mm base - Visual thickness: 1,5 to 3 mm

SUP66A-25	Length: 25 mm	Pack of 300
SUP66A-75	Length: 75 mm	Pack of 100

MAGNETIC SUPERGRIP


Magnetic strip



- For flag poster, fitted with a magnetic strip.
- Thickness of the poster: 2 mm.
- Max. weight of poster: 50 g.
- Fixed or hinged according to model.

Fixed - Max. visual thickness: 2 mm

SUP7M/75	Base : 25 x 75 mm	Pack of 100
SUP7M/150	Base : 25 x 150 mm	Pack of 100




Hinged - Max. visual thickness: 2,5 mm

 SUP66/M
 Base : 25 x 75 mm
 Pack of 50

• For flag poster, fitted with a very powerful magnetic block.


SUPERGRIP WITH MAGNETIC BASE

Magnetic block





• Max. visual weight: 300g mm.





30 x 40 mm base - Height: 14 mm

MAG7	Base without grip	
MAG7/4	Max. visual thickness : 2 mm	Pack of 10
MAG7/5	Max. visual thickness : 3 to 5 mm	

Heavy duty magnet with supergrip

MAG GRIP





- For flag poster, fitted with a very powerful magnetic base.
- Max. visual thickness: 2,5 mm.



Base: 25 x 75 mm - Max. weight: 150 g

★ SUP67/F

A Fixed

Pack of 10

Base: 25 x 75 mm - Max. weight: 300 g

★ SUP67

B Hinged

Pack of 10

- For flag poster, fitted with a very powerful magnetic base.
- Max. visual thickness: 4 mm.
- 18 mm deep gripper.



Base: 25 x 75 mm - Max. weight: 300 g

SUP68 Length: 75 mm Pack of 10





Heavy duty magnetic grip strip

MAG U GRIP

- Very powerful magnetic base.
- "U" grip for parralel facing media

25 mm base - Max. visual thickness: 2 mm

SUP79 Length: 75 mm Pack of 10



Acrylic Post Mount Sign Holder

 A fast and easy solution to signage on metal frame furniture. No adhesives or messy applications, just slides in and holds any card, sign or aisle blade with a thickness of 0.8mm to 2.7mm thickness.



40mm pitch - Slot width over 10mm

ABWC Capapcity: 0.8mm to 2.7mm

Pack of 10



ACRYLIC SIGN HOLDER

SHELF MOUNT GRIPPER

Magnetic grip







- Mounted under metal shelves.
- Discreet look.
- Choice of flexible (hinged) or fixed.



Fixed

RAZ6/5	A Capacity: 0,5 - 2 mm	Pack of 10
RAZ6/5/5	B Capacity: 3 - 5 mm	FACK OF 10


Hinged

RAZ6/66	C Capacity : 0,5 - 2 mm	Pack of 10
RAZ6/66A	D Capacity : 1,5 - 2,5 mm	PACK OF 10

PROMOBASE® SHELF MOUNTED

Magnetic grip





- Promobase® hanger can be fitted to any type of metal shelf using a powerful magnet.
- Flexible 75 mm grip for 'flag' mounting your POS items.


Max. visual thickness: 2 mm

★ MAG24 Length: 75 mm

Pack of 10

PROMOBASE® GRIP

Magnetic grip



- Promobase® grip attaches to any type of upright metal rack or gondola.
- Very powerful magnetic block
- Flexible 75 mm grip for "flag" visuals.
- Maximum visual weight: 500 g.

25 mm base - Max. visual thickness: 2 mm

MAG42 Length: 75 mm Pack of 10

Magnetic SHARK®FIN






• Shark® fin for 'flag' presentation on metal furniture.

Magnet capacity: 12 kg

SHE17 Magnet base Pack of 25

Perforated

POCKET FOR SHARK®FIN



• Perforated PVC pocket suitable for all Shark® fins or other shelf clip feet with 3 perforations.

Pocket supplied without foot

 SHE16/10
 Size: 10 x 10 cm


 SHE16/13
 Size: 13 x 13 cm
 Pack of 100

 SHE16/20
 Size: 20 x 20 cm



SUPERGRIP Suction cup

- Grip on suction cup base for flag adverts.
- Can be fitted to any surface that is completely smooth and non-porous (windows, metal, etc).





Suction cup ø 25 mm - Max. visual thickness : 2 mm

SUP63	Grip : 25 mm - Cup : 25 mm	
SUP63L/40	Grip: 40 mm - Cup: 40 mm	Pack of 100
SUP63L/60	Grip : 40 mm - Cup : 60 mm	






Double Suction cup ø 42 mm - Visual thickness : 1 to 2 mm

SUP77 Grip: 100 mm Pack of 10





Suction cup ø 25 mm - Max. visual thickness : 2 mm

 SUP62
 Grip : 25 mm
 Pack of 100

For metal wire

FACING GRIP HANGER





В

• Grip for hanging adverts facing out on slide or metal wire up to 10 mm diameter.

ø of the wire: 10 mm - Max. visual thickness: 2,5 mm

SUP47	A 12 x 23 mm
SUP50	B 35 x 40 mm

2 x 23 mm


Pack of 100



For metal wire

FACING GRIP HANGER

- Grip for hanging adverts facing out on slide or metal wire 4 to 5,5 mm diameter.
- Works on GridMesh, stat mesh Gridwire, wire mesh, wire baskets and metal hooks.



ø of the wire: 4 to 5.5 mm - Max. visual thickness: 2 mm

17 x 25 mm

Pack of 100



For metal wire

AISLE BLADE HANGER



• Grip for 'flag' fitting visuals onto metal wire supports.

ø of the wire: 5 to 9 mm - Max. visual thickness: 2 mm

SUP52 50 x 25 mm



COUPON HOLDER HANGER

Clip-on



• Clips onto data strip 26 mm and over or corrugated cardboard up to 5 mm thickness.

HAN33/B	Size : 29 x 16 mm	Pack of 100
HAN33	Size : 60 x 13 mm	Pack Of 100

COUPON HOLDER HANGER

For data strip

For metal wire



CLIP HANGER

- Clips onto datastrip profiles from 30 to 39 mm.
- Fitted with a locking clip.
- \bullet The hanger can accommodate a block of approx. 100 coupons of 80 g/m².


SHE2 Size: 15 x 35 mm Pack of 100

• Adhesive clip for mounting visual on metal wire up to 6 mm diameter.


ø of the wire : 6 mm

CLI23 20 x 25 mm Pack of 100

PVC CLIP For shelf



• Clip fits on shelves 3 to 30 mm thick for outward facing visual.



Height: 30 mm - Length: 70 mm

CLI22 Permanent adhesive Pack of 50

BANNER HOLDERS & HEADER HOLDERS



You can easily find all our 'BEST' products anywhere in the catalogue thanks to this pictogram

MULTIMAG® PLUS MAGNETIC BANNER HANGERS

Multiposition





- Fits on top of and under shelves or against poles and metal walls.
- Reinforced magnet.
- Pole can be turned from 0° to 180°.
- Recommended max. weight of banner: 800 g for 260mm pole.
 - 400 g for telescopic pole from 340 to 440 mm.
- Available in 2 versions: with open hooks.





Open hooks

BAN13	A Length : 260 mm	Pack of 10
BAN16/H	C From 340 to 440mm	Pack of 10

MAGNETIC BANNER HANGERS

Multiposition

- Magnetic Sign Holder
- Straight arm telescopic sign holder base lenght 350 mm plus extension of 220mm complete with 2 hooks to hang media
- Adjustable angle base







Open hooks

BAN14

Length : 350 to 570 mm

2 positions

MULTIMAG® MAGNETIC BANNER HANGERS



- Fits on top of and under shelves or against poles and metal walls.
- Magnetic base.
- 260 mm aluminium pole.
- 2 positions.
- Available in 2 versions: with open hooks and with ring hooks.
- Recommended max. weight of banner: 500 g.



Open hooks

BAN17/H

Length: 260 mm

Pack of 10



1 position

G CLAMP BANNER



- 1 position stem on banner clamp and fixed rod of 210mm.
- Attaches to shelves from 3 to 35mm.
- Maximum recommended visual weight: 500g

Open hooks

BAN34 Length: 210 mm Pack of 10



RAISED MAGNETIC BANNER HANGER

With hooks







- Fits on the shelf.
- Ultra powerful magnetic base.
- 420 mm aluminium horizontal pole.
- Vertical aluminium pole telescopes from 400 to 620 mm.
- Max. poster weight: 1000 g.





TELESCOPIC, POWERFUL MAGNET

BAN21

Length: 420 mm

Pack of 5

RAISED MAGNETIC BANNER HANGER

With clips









- Fits on top of shelves or against poles and metal walls.
- Magnetic base.
- 300 mm aluminium horizontal pole.
- Vertical aluminium pole telescopes from 300 to 500 mm.
- Max. poster weight: 150 g.

BAN12 Length: 300 mm Pack of 10

Pack of 10

Magnetic

PROFILE BANNER HANGERS






- Compact
- Fitted with an ultra strong magnet
- Multi-use with 2 optional profiles
- For all types of supports with different lengths and thicknesses
- Recommended max. weight of banner: 600 g



ULTRA STRONG MAGNET

Set-down base

RAZ5/W White Pack of 10



Wall base





CLAMPING PROFILES

- For supports from 1 to 3 mm.
- For plasticised Flyer Card PVC Film PVC Wallet.
- Custom lengths on request.

RAZ3/300	Length: 300 mm	Pack of 100
RAZ3/600	Length : 600 mm	



GRIP PROFILES

- For supports from 3,1 to 6,2 mm.
- For PP Thick Card PVC.
- Custom lengths on request.

RAZ2/150	Length : 150 mm	Pack of 100
RAZ2/300	Length : 300 mm	




TELESCOPIC MULTIBASE BANNER HANGERS

Multibase



- Suitable for 4 different base types
- Telescopic pole 550 to 900 mm
- Adjustable hooks
- Ask us about single bases
- Supports 200 g
- Supplied unassembled












★ BAN30/B	Cross bar banner hanger	
BAN30/A	Magnetic banner hanger	D. J. 440
★ BAN30/L	Slatwall support banner hanger	Pack of 10
★ BAN30/P	Pegboard support banner hanger	

HEADER CARD HOLDER

For tube





- Right angle.
- 25 x 75 mm metal plate.
- \bullet Attaches to any Ø 8 to 12 mm tube to make straight header card holders. (can't be used with BAN30/A)

Right angle

BAN31/ACC/A Capacity: 3 mm

Magnetic

PROMOBASE TELESCOPIC BANNER HANGER



- Banner hanger with a white ultra strong magnetic block.
- Telescopic rod 400 to 850 mm.
- Open hooks.
- Recommended max. weight of poster: 700 g.





3AN31 400 to 850 mm

Pack of 5



Gondola posts

TELESCOPIC RACK BANNER HANGER



- 400 mm base + 350 mm telescopic extension arm.
- Adjustable hooks.
- Recommended max. weight of poster: 250 g.
- Supplied assembled.

BAN33 600 to 750 mm

Pack of 10



Suction cup

GLASS BANNER HANGER



- 220 mm fixed rod.
- \bullet Ultra strong suction cup ø 60 mm.
- 2 sliding hooks.
- Recommended max. weight of poster: 200 g.
- Supplied unassembled.

BAN32 Length: 220 mm Pack of 10



FLAG BASE






FLA9	B Adhesive support 60°
FLA10	Adhesive support 90° + 90°

FLAG POLE



- Split full length for small pennants and stapled visuals.
- Used with tube holders ref FLA8, FLA9 and FLA10.



FLA7 Length: 300 mm Pack of 100

END CAP



- Locks the visual in the split tube FLA7.
- Plugs onto the end of the tube Ø 8 mm.

ELA11 For

For tube Ø 5-7 mm

Pack of 100

OUTDOOR FLAGPOLE KIT







- Split flag pole 790mm (split 520mm) mounting bracket c/w adhesive tape & screw hole, end cap.
- Bulk packed, flags supplied on request.


Adjustable angle base 90°,60°,30°.

FLA2 Tube Ø 18 mm Pack of 10

Wall mounted upright or inclined PROMOBASE® HEADER HOLDER BLOCKS



- Very powerful magnetic block
- Compact
- Used to display headers upright on metal supports
- For panels 3 mm thick
- Max. recommended height: 400 mm




Upright

★ MAG23/D

Upright header holder

Pack of 10

- Very powerful magnetic block
- Compact
- Used to display headers at 25° on metal supports
- For panels 3 mm thick
- Max. recommended height: 400 mm



Inclined

★ MAG23/E

25° header holder

Pack of 10

Wall mounted with adhesive

PROMOBASE® HEADER HOLDER BLOCK



- Very powerful magnetic block.
- Compact.
- Used to display headers on metal supports.
- For panels 1 to 3 mm thick.
- Max. recommended height: 300 mm.



MAG23/F

78 x 19 mm adhesive pad

PROMOBASE® HEADER HOLDER BLOCKS

Shelf mounted



• Promobase® magnetic block – very powerful and used to display panels upright or inclined (25° angle). Provide 2 pads for a 900 mm panel and 3 pads for a 1200 mm panel.



- Easy to store, install and ship.
- Panel thickness: 3 mm or 5 mm.
- Max. recommended height: upright panel: 400 mm.
 - tilted panel: 300 mm.

MAG23/A MAG23/B Panel thickness: 3 mm

Panel thickness: 5 mm

Pack of 10

PROMOBASE® HEADER HOLDER BLOCKS

Double sided





- Promobase® magnetic block very powerful and used to display panels upright.
- Provide 2 pads for a 900 mm panel and 3 pads for a 1200 mm panel with a maximal heigth of 500 mm.

Magnetic banner holder

MAG41

Panel thickness: 3 mm

2 positions


ALUMINIUM HEADER HOLDERS







- Magnetic base
- Profile for inserting headers 3 mm thick
- Header height: 600 mm straight, 400 mm at maximum tilt
- In white coated aluminium.





MAG21/C

Length: 900 mm

Single

1 position

PROMOBASE® HEADER BLOCK

- Adhesive bracket
- Magnetic base
- Can be used to display panels from 1 to 3 mm
- Up to 1000 mm: 2 pads Up to 1330 mm: 3 pads
- Recommended max. height of visual: 300 mm




MAG22

78 x 19mm adhesive pad

SINGLE METAL BANNER HANGER

Hooks



- Metal telescopic banner hanger 1150 to 2400 mm.
- Fitted with a 400 mm perpendicular rod with sliding hooks.
- Metal grey.

FRA10

Rod: 400 mm

Single

SINGLE METAL BANNER HANGER

Clips





- Metal telescopic banner hanger 1150 to 2400 mm.
- Fitted with 2 x 400 mm perpendicular rods with sliding clips.
- Metallic chrome finish.

EDA12

Rod: 350 mm

Single Hooks

DOUBLE METAL BANNER HANGER

0.400



- Metal telescopic banner hanger 1150 to 2400 mm.
- Fitted with 2 x 400 mm perpendicular rods with sliding hooks.
- Metal grey.

FRA11

Rods: 2 x 400 mm

Single

HANGING SYSTEMS



BESTPRODUCT

You can easily find all our 'BEST'
products anywhere in the
catalogue thanks to this
pictogram

U-SECTION POSTER HOLDER

With Eyelets



- Can clamp the top or bottom of the poster
- Can be used with stapled or grooved visuals.
- For light support: max. thickness 0.5 mm
- Recommended max. weight of poster: 150g
- For use with eyelets ref POS3
- Black and White available on order, MOQ and lead times apply.
- Any size cut to order (max 3000mm)



Transparent (supplied as a set, top & bottom rails plus 2 eyelets)

DOS1/297	Length: 297 mm	
POS1/420	Length: 420 mm	
DOS1/594	Length: 594 mm	
POS1/610	Length: 610 mm	Pack of 20
POS1/841	Length: 841 mm	
POS1/1000	Length: 1000 mm	

POS1/1000
POS1/1200

Length: 1200 mm



Eyelets

POS3

Transparent

Pack of 100

ALUMINIUM POSTER HANGER

With Eyelets



- Colour silver
- \bullet Fits easily to all types of poster (not plasticised or varnished) up to 2 mm thick
- Spring lever system eliminates the need for staples
- Any size cut to order (max 3000mm)
- Supplied as a set, top & bottom rails plus 2 eyelets.



KAD2/420	Length : 420 mm	
KAD2/594	Length: 594 mm	
KAD2/610	Length: 610 mm	
KAD2/841	Length: 841 mm	
KAD2/914	Length: 914 mm	Se
KAD2/1000	Length: 1000 mm	- Se
KAD2/1200	Length: 1200 mm	
KAD2/1270	Length: 1270 mm	
KAD2/1520	Length: 1520 mm	
KAD2/2010	Length: 2010 mm	

Snap lock

CLIP POSTER HANGER PROFILE

- The poster is attached by a clip hinge system guaranteeing a strong, efficient hold.
- No staples required.
- Supplied without hooks.
- Max. poster thickness: 1 mm.
- For use with Eyelets ref POS10.
- Black and White available on order, MOQ and lead times apply.
- Any size cut to order (max 3000mm)

Transparent (supplied with top and bottom rails + 2 eyelets) Any size cut to order (max 3000mm)

Ariy size cut to ord	ier (max 3000mm)	
POS8/18/297	Length: 297mm	
POS8/18/420	Length: 420 mm	
POS8/18/594	Length: 594 mm	Pack of 10
POS8/18/841	Length: 841 mm	Pack of 10
POS8/18/1000	Length: 1000 mm	
POS8/18/1200	Length: 1200 mm	
POS8/18/1500	Length: 1500 mm	



Gripper

GRIP POSTER HANGER PROFILE

Transparent gripper (supplied with top and bottom rails + 2 eyelets) Any size sut to order (may 2000mm)

Any size cut to ord	ier (max 2000mm)	
POS13/297	Length: 297 mm	
POS13/420	Length: 420 mm	
POS13/594	Length: 594 mm	
POS13/610	Length: 610 mm	Pack of 10
POS13/841	Length: 841 mm	Pack Of 10
POS13/1000	Length: 1000 mm	
POS13/1200	Length : 1200 mm	
POS13/1500	Length : 1500 mm	




Transparent


EYELET FOR POSTER HANGER PROFILE

- PVC eyelet.
- Runs along the full length of the hanger.
- To be used with POS8/18

Eyelets

POS10	Transparent	Pack of 100
. 0010	Hallsparent	I delt of 100






• PVC eyelet.

- Runs along the full length of the hanger.
- To be used with POS13

Eyelets

Pack of 100 POS14 Transparent





ADHESIVE HOOKS

PVC White






Open hook - Square base

HAN35

Base: 23 x 23 mm

Pack of 200





Open hook - Square base

HAN2

Base : 25 x 25 mm

Pack of 100





Rotating adhesive hook - Square base

HAN4

Base : 30 x 30 mm

Pack of 100





Closed metal hook - Round base

FOT5/25	Base : ø 25mm	Pack of 50
FOT5/40	Base : ø 40mm	Pack of 100


PVC White

ADHESIVE HOOKS

Closed hook - Square base

HAN0 HAN1 Base: 18 x 18 mm
Base: 20 x 20 mm

Pack of 100



Closed hook - Rectangular base

HAN3

Base: 25 x 35 mm

Pack of 100









Closed hook - Round base ø 22 mm - White

HAN22

Non-permanent adhesive

Pack of 100



- Ultra-strong adhesive, non permanent
- \bullet For smooth, non-porous surface
- Supplied with 2 keys allowing the hook to be removed.
- \bullet Recommended for white goods, furniture and electronics.



Closed hook - Round base ø 22 mm - Transparent - With 2 keys

HAN1/RT

Transparent



SUSPENDED CEILING ATTACHMENTS

Clip-on








• Clip-on eyelets for grid ceilings.

Translucent






Pack of 100

SUSPENDED CEILING ATTACHMENTS

Twist-on






• Heavy duty hook for suspended ceiling, gal finish.

HAN9

Base: 25 x 39 mm

Pack of 100





• Fishtail ceiling hook for suspended ceiling chrome finish.

Metal


HAN10

67 x 30 mm

Simple

SUSPENDED CEILING ATTACHMENTS

- Heavy duty hook for suspended ceiling, gal finish.
- Supplied pack 50 left and 50 right hooks.



ACH

Base: 25 x 39 mm

Pack of 50







White

HAN13

30 x 38 mm

Pack of 100



Round with hooks

• Grey magnetic steel with metal hook.

MAGNETIC



MAG4/25 MAG4/40 ø 40 mm - Max. weight 12.5Kg

ø 25 mm - Max. weight 4Kg

Pack of 10



Round with eyelet

MAGNETIC

- Transparent round magnet with closed eyelet.
- Max. weight 1kg.



MAG10

ø 16 mm

NYLON WIRE





- Transparent nylon wire.
- For invisible hanging.

Transparent - Weight up to 7,5 kg

HAN40/25 Ø 0,25 mm - 25 m reel Single
HAN40/200 Ø 0,25 mm - 200 m reel





- Transparent nylon wire.
- Ball ends.

Ball-end nylon wire

HAN19/40	Length: 40 mm	
HAN19/60	Length : 60 mm	
HAN19/80	Length: 80 mm	
HAN19/100	Length: 100 mm	Pack of 1000
HAN19/120	Length: 120 mm	Pack Of 1000
HAN19/140	Length: 140 mm	
HAN19/160	Length: 160 mm	
HAN19/180	Length : 180 mm	

NYLON WIRE HOOK

Adjustable

Pack of 100





1900 mm

Max. weight: 0,5 kg

HAN12/1900

	Hook	Max. length	
HAN12/1200	18 mm	1200 mm	

18 mm

Extendable JET WIRES

- Super-fast height adjustment.
- They adapt perfectly to the required length.

Max. weight: 0,4 kg


Dimension



Extendable from 170mm to 1500mm

Extendable from 120mm to 1000mm

Pack of 100



Max. weight: 1 kg

Dimension

	HAN24	Extendable from 160 to 1200 mm	Pack of 100
6	HAN16	Extendable from 200 to 1900 mm	Pack of 50
	HAN15	Extendable from 320 to 2500 mm	Pack of 50



Poster hanging systems

MOBILE HANGERS

- 3- or 4-sided hangers.
- Get your messages out round 360°.
- Supplied with jet wire HAN15 and adhesive hook HAN1.

Three-sided mobile hanger

Visual formats

TRI1	A4 landscape/A3 portrait	Cinala
TRI2	A3 landscape/A2 portrait	Single

Four-sided mobile hanger

Visual formats

TRI4 A4 landscape/A3 portrait Sing






Poster hanging systems

• 4-sided hangers.

• Get your messages out round 360°.



Four-sided mobile hanger

Arm length x hanger length


HAN32 275 x 105 mm Single



MOBILE HANGERS



WIRE HOOK Double "C" Hooks



Metal hook - wire : ø 2 mm

HAN20/100	Length : 100 mm	
HAN20/150	Length: 150 mm	
HAN20/200	Length: 200 mm	
HAN20/300	Length: 300 mm	Pack of 50
HAN20/400	Length: 400 mm	
HAN20/600	Length : 600 mm	
HAN20/900	Length : 900 mm	

ADJUSTABLE WIRE HANGERS

Adjustable double hooks



- Adjustable length minimum 1 m to 1.95 m maximum.
- Strength: 15 kg*
 (This information is for guidance only and can change depending on the conditions of use.)

Metal hook - wire : ø 2,18 mm

HAN30 Standard 2 x 1000 mm

Pack of 10

STEEL CABLE WITH GRIPPLE ENDING

Coils and accessories



- This kit contain: A 50m roll of steel cable
 - 30 Gripple® endings
- Strength: 15 kg*
- Custom lengths and gripper qty supplied on request.
- Heavy duty 45kg version available on request.

Steel cable reel + endings

LEAW26 ø 1,5 mm Single

"S" METAL HOOK

	Height	ø wire	
S149	27 mm	2 mm	Pack of 100
S149B	52 mm	2,5 mm	Pack Of 100



"S" asymmetric

ASYMMETRIC HOOK

A Metal				State of the	
	Height	ø wire			
S150	38 mm	2 mm	Pack of 100		
B Metal					
	Height	ø wire			
S64	64 mm	3,6 mm			11 1
S90	90 mm	4 mm	Pack of 10		
S130	130 mm	5 mm		A	В
available in Black,	White or Chr	ome.		A	В
C Metal					
	Height	ø wire			
S153	48 mm	2,5 mm	Pack of 100		1 1
D Metal					
	Height	ø wire			
S180	57 mm	2,5 mm	Pack of 100		
E PVC White				0	
	Height	ø wire		C	D
HOO19	55 mm	5 mm	Pack of 100		
Nylon White				\mathbf{C}	
,	Height	ø wire			7
HOO20N	50 mm	4 mm	Pack of 100	E	6 0
u_n					METALLIC

"C"

METAL HOOK

Metal

НОО9В	Height : 39 mm	Pack of 100
HOO16	Height : 60 mm	Pack of 100



STEEL CABLE Double loop



Wire: ø 2 mm - Wire thickness: 0,8 mm - Break load: 12kg

		-
LEAW24/100	Length: 100 mm	
LEAW24/300	Length : 300 mm	Pack of 10
LEAW24/600	Length : 600 mm	Pack of 10
LEAW24/900	Length : 900 mm	

STEEL CABLE GRIPPLE

For grid ceilings



- The Gripple® suspended ceiling is a suspension system composed of: Galvanized cable.
 - Angel® roller.
 - With a ceiling plastic fastener.
- The height adjustment is carried out very easily and quickly, by sliding the cable in the self-locking roller, unlockable without tools.



1 m cable with hook - Maximum load: 15 kg *

LEAW33 Twist Clip + Cable + Hook Unit



1 m cable with Grub Screw Clamp - Maximum load: 15 kg *

LEAW34 Twist Clip + Cable + Clamp

Unit

WIRE CUTTER

Accessories



- Ergonomic pliers in hardened steel, with a large reduction ratio ensuring a clean cut of the cables.
- For steel wire up to 3mm.

LEAW35 Wire cutter Unit

Coils and accessories

GRIPPLE® SELF-LOCKING FASTENER

- The Gripple® is a suspension system made up of:
 - A galvanized cable with fixed end loop.
 - A self-locking fastener.
- Unlocking the roller to adjust the height is done without tools.

Steel cable reel + endings

LEAW27	Length: 2 m	Pack of 10
LEAW28	Length: 4 m	Pack Of 10




Coils and accessories

NYLON CABLE WITH SELF-LOCKING FASTENER

- The Gripple® Invisigrip® allows your signage to be suspended discreetly thanks to its translucent nylon thread.
- The kit is composed:
- Of a translucent nylon thread.
- A self-locking roller to adjust the suspension height.
- A loop hook or false ceiling of your choice.

Loop - Max. weight: 5 kg





Coils and accessories

STEEL CABLE WITH SELF-LOCKING FASTENER

The Gripple® Angel® is composed of:

- Galvanized cable with loop end.
- An Angel® self-locking roller that can be unlocked without tools for hanging panels up to 5 mm thick using a hex screw or hook.

The height adjustment is done very easily and quickly, by sliding the cable in the Angel® self-locking roller.

3 m cable with snap hook - Maximum load: 15 kg

LEAW31 Pack of 2 A Length: 3 m 3m cable with Grub Screw Clamp - Max load: 15kg LEAW32 B Length: 3 m Pack of 2





5 meter cable available on request.

SPLIT RING Metal - Key ring





ø wire: 1,8 mm

СНА9	ø 20 mm	Pack of 100
CHA9/30	ø 30 mm	Pack of 100

PEAR CLIP Metal - Oval





ø wire: 2,4 mm - Height: 70 mm

HOO15/35 ø ring : 35 mm

Pack of 100

OVAL RING PVC - Oval





ø wire · 24 mm

ø wire : 2,4 mm		
H0011	A Height : 20 mm	Pack of 100
HOO12T	B Height : 30 mm	Pack Of 100

ROUND RING PVC - Round





Transparent

HOO13T ø 15 mm Pack of 100

White

HOO13B ø 20 mm Pack of 100

Metal

METAL LOCKING RING



- Hinged ring with locking function.
- Chrome finish.

HOO14/19	ø 19 mm	
HOO14/25	ø 25 mm	Pack of 100
HOO14/38	ø 38 mm	
HOO14/50	ø 50 mm	Pack of 50
HOO14/63	ø 63 mm	Pack of 25
HOO14/76	ø 76 mm	Pack of 10



Security loop

STEEL LOOP



• Steel cable security loop with a re-closable screw closure.



ø wire: 2 mm - Length: 150 mm

ATT22/50 ø ring : 50 mm Pack of 100

Transparent

ARROW LOOP

- Used to tag tubes, rods or similar items.
- Strong and easy to use.



ATT14 Transparent Pack of 100



BALL CHAIN



- Lightweight applications
- Can be cut with strong scissors.



CHA1

25 m reel

Single





CUSTOM SIZE ON REQUEST

Ball chain with connector - ø 2,4 mm

CHA1H/100	Length: 100 mm	
CHA1H/125	Length: 125 mm	Pack of 100
CHA1H/300	Length : 300 mm	

BALL CHAIN CONNECTOR



СНАЗ

For use with Ø 2,4 mm

Pack of 100

EYELET HANGER

Eyelet for stud



- Length: 20 mm.
- Width: 14 mm.

Metal - Perforation ø 5 mm

DIS13/ACC/OOG

14 x 20 mm

For wire

PVC CLIP HOLDER

- Clip holder with 7 mm max capacity.
- For wires or tubes of ø 10 mm max.
- Articulated.



Max. poster thickness: 5 mm

CLI6/10T

Height: 50 mm

Pack of 50

METAL CLIP Spring

- Clip holder with a spring for hanging posters.
- Can be used with lanyards and ID's
- Ø hole 3 mm



Max. poster thickness: 5 mm

CLI17

Height: 30 mm

Pack of 100

• Metal hanging clip with a perforation hole.



Max. poster thickness: 20 mm

CLI10

Height: 40 mm

Pack of 100

Panel clip

METAL CLAMP

- Fixed retaining clamp.
- For foam core and corflute panels.





Height:5 mm

Pack of 100

- Metal hanging clip for board.
- Push clamp with perforating teeth.



CLI9

Height:15 mm





SUCTION CUP With pin



 Suction cup supplied with a transparent PVC pin for attaching POS items.

SUC3

ø 42 mm

Pack of 50

DOUBLE SUCTION CUP

Mushroom head



 \bullet Suction cup supplied with or without pin on demand.

Double suction cup with pin

SUC6 ø 46 mm

Pack of 100

Double suction cup without pin

SUC6/WT

ø 46 mm

Pack of 100

SUCTION CUP

With screw cap



- Screw-in cap for a secure hold of POS items.
- Media capacity up to 3 mm.

SUC4

ø 40 mm - Screw pitch: M4

Ticket holder SUCTION CUP


• Clear PVC suction cup with a poster clip to hang a leaflet.




Max. capacity: 0.6 mm

SUC14 ø 32 mm Pack of 50

Double-sided SUCTION CUP





• Connects 2 panels of acrylic or glass.



SUC15 Ø 36 mm Pack of 100

Mushroom head SUCTION CUP

	Suction cup Diameter	Head Diameter	
SUC1/25	25 mm	9.5 mm	
SUC1/40	40 mm	14 mm	Pack of 100
SUC1/50	50 mm	14 mm	Pack Of 100
SUC1/60	60 mm	14 mm	

UV resistant material - Mushroom head suction cup

SUC1/22/UV 22 mm 8 mm Pack of 100



Hanging systems | 3-19

SUCTION CUP

With holding nipple



• Shaft length: 10mm.

Mushroom head suction cup

SUC1/33


ø 33 mm

Pack of 100

SUCTION CUP

With D ring





• UV resistant suction cup with a plastic 'D' ring.

Metal hook

SUC5

ø 36 mm

Pack of 100

SUCTION CUP With hook





• Suction cup with plastic J hook.

Plastic hook

SUC7/42

A ø 42 mm

Pack of 100

SUC7/58



B ø 58 mm



Metal hook

SUC2/25 SUC2/40 ø 25 mm ø 40 mm

Hook **SUCTION CUP**

- Extra strong polypropylene white injection molded suction cup with hook and screw to fix heavy items.
- Large suction force is generated by screw when tightened after suction cup is fixed to window.



Powerful screw

SUC8

ø 65 mm

Pack of 10

- Screw-in hook for a secure hold of POS items.
- Used to hang items weighing up to 6 kg on glass surfaces.







Super powerful screw

SUC9


ø 65 mm

Pack of 2

SUCTION CUP

Media hanger

• Suction cup with metal memo clip.



SUC16

ø 36 mm

Pack of 25

- Double suction cup with a perforation hole for hanging application.
- Used with attacher tag ATT9 or ballchain CHA1



SUC50 ø 45 mm








BUNGEE CORDS Stretcher







• T-bar bungee banner cord.

Wire ø 6 mm - Swivel end piece

CAL2

Length: 20 cm

Pack of 10



• Ocky strap banner cord.

Wire ø 5 mm - 2 Hooks

CAL3

Length: 250 mm

Pack of 10



Ocky loop banner cord.

Wire ø 5 mm - 1 Hook

CAL4

Length: 250 mm

CLAMP

CORNER TAB Adhesive



Perforation: ø 10 mm

CAL5

70 x 20 mm

Pack of 50

Self-locking clip





Max. banner thickness: 1,5 mm - Capacity: 45 Kg*

CAL₆

Miniclip

Pack of 50



- Reusable clip
- No tools required no need to perforate the banner
- Tension grip system
- Supplied without cord





Max. banner thickness: 5 mm - Capacity: 100 Kg*

CAL7

Maxi clip

Pack of 50

* These figures are for guidance only and can change depending on the configuration of the site and the support used.

Eyelet and punch tool

ACCESSORIES

- Fitted by clipping onto any type of banner previously perforated.
- Max. thickness: 450 g.

PVC eyelet

CAL8

ø: 12 mm

Pack of 50



• Tool for perforating the banner.

Punch tool

CAL₁₀

Punch tool + 250 eyelets

Single



Hanging systems | 3-23

REQUEST A SAMPLE



Free* samples available on most items, call, email or visit today to discuss your needs and get samples for testing!

Company:		Department:	• • • • • • • • • • • • • • • • • • • •
Recipient:			
Address:			
Postcode:		City:	
Tel.:		Fax:	
Email address:			
Ref.:	Page:	Ref.:	Page:
Ref.:	Page:	Ref.:	Page:
Ref.:	Page:	Ref.:	Page:
Ref.:	Page:	Ref.:	Page:
Ref.:	Page:	Ref.:	Page:
Ref.:	Page:	Ref.:	Page:



Need to buy bulk?

Call or email us for competitive bulk order and trade pricing.

Request your samples



WEBSITE

www.hanganddisplay.com.au



EMAIL

sales@hanganddisplay.com.au



TEL.

02 9708 3774

PRICE DISPLAY SUPPORT



BEST PRODUCT


You can easily find all our **BEST** products anywhere in the catalogue using this pictogram

FLAT DATA STRIP Clear PET



- Extra flat folded adhesive label holder strip.
- Made with 100% recyclable PET material.
- Ideal for designing POS displays.
- Custom cut lengths available on request.







40 mm front - 36 mm back


Pack of 50



STRESS-FREE PRICE DISPLAY

Choose the dimensions, material and type of fitting you want for your label holders.

Choose the shape: 1 or 2 ply according to model A, B or C



2 CHOOSE YOUR DIMENSIONS: L1, L2, L3 and width





Transparent PVC


FLAT DATA STRIP



- Data Strip in PVC, with adhesive.
- Standard colors: transparent.
- Different colors and lengths on demand.



		Ticket	Length	
	LAB4/15	15 mm	1200 mm	
	LAB4/26	26 mm	914/1200 mm	
	LAB4/30	30 mm	914/1200 mm	
	LAB4/33	33 mm	880/1200 mm	Pack of 50
E	LAB4/39	39 mm	914/1200 mm	
	LAB4/52	52 mm	1200 mm	
	LAB4/60	60 mm	1200 mm	



66 CUT TO SIZE DATA STRIPS

Choose the dimensions you want for your label holders.









HINGED DATA STRIP

Transparent



- Hinge allows the data strip to flip out of the way of stock as it is taken from shelves.
- Adhesive tape on the front of the hinge.
- Custom sizes on request.

Ticket height: 26 mm - Transparent

LAB12/26/914	Length : 914 mm	Pack of 50
LAB12/26/1200	Length : 1200 mm	Pack of 50

Ticket height: 39 mm - Transparent

LAB12/39/914	Length: 914 mm	Pack of 50
LAB12/39/1200	Length : 1200 mm	Pack of 50

SHELF TALKER DATA STRIP

Gripper



• Data strip with card holder grip for additional product or promotional media.

Ticket height: 26 mm - Clear

LAB15/26/1200	Length: 1200 mm	Pack of 50
Ticket height : 3	9 mm - Black	
LAB15/39/1200	Length: 1200 mm	Pack of 50

ANGLE DATA STRIP

Front mount



- Provides an easier reading angle for lower retail shelves.
- Adheres to either Front or Top Edge of the shelf.
- Custom lengths available on request.

Ticket height: 26 mm - Transparent

LAB14/FMA/26/914	Length : 914 mm	Pack of 50
LAB14/FMA/26/1200	Length : 1200 mm	Pack of 50
Ticket height: 39 mm - Transparent		
LAB14/FMA/39/914	Length: 914 mm	Pack of 50
LAB14/FMA/39/1200	Length: 1200 mm	Pack of 50

ANGLE DATA STRIP

Top mount




Ticket height: 26 mm - Transparent

LAB14/TMA/26/914	Length : 914 mm	Pack of 50
LAB14/TMA/26/1200	Length : 1200 mm	Pack of 50
Ticket height: 39 mm - T	ransparent	
LAB14/TMA/39/914	Length: 914 mm	Pack of 50
LAB14/TMA/39/1200	Length: 1200 mm	Pack of 50

PRICE DISPLAY SUPPORT

Bullnose for dividers

SHELF STOPPER



- Clear Bullnose PVC data strip, 30mm ticket height with 19mm adhesive & T-Rail. Tickets are being inserted into the curved front.
- Adheres to the top surface of shelf and acts as a light weight stock barrier, used with dividers.
- Custom sizes supplied on request.


Length: 900 mm

RAL4 Height: 30 mm Pack of 50



Bullnose without dividers





- Clear Bullnose PVC data strip, 30mm ticket height with 19mm adhesive. Tickets are being inserted into the curved front.
- Adheres to the top surface of shelf and acts as a light weight stock barrier, used when dividers are not required.
- Custom sizes supplied on request.


Length: 900 mm

RAL5 Height: 30 mm Pack of 50



Vertical for dividers


SHELF STOPPER



- Clear flat data strip shelf stopper, 25 mm ticket height.
- Adhesive base 28 mm wide with T-rail for dividers
- Custom sizes supplied on request.

Length: 895 mm

RAL6 Height: 25 mm Pack of 50



POSTER HOLDER Transparent





- For displaying thin posters.
- Attached by adhesive tape on the back.
- Custom length on request.

Max. poster thickness: 2 mm

CPE/914	Length : 914 mm	
CPE/1000	Length : 1000 mm	Pack of 50
CPE/1200	Length : 1200 mm	

LABEL HOLDER FOR WIRE RACKING

Transparent







- \bullet Perforated extruded label holder strip.
- Used with clips or cable ties.

Clear (supplied without clips)

Cical (Supplied William Cips)		
LAB11/26/914	26mm ticket height Length : 914mm	
LAB11/26/1200	26mm ticket height Length : 1200mm	
LAB11/33/75	33mm ticket height Length : 75mm	Pack of 50
LAB11/39/75	39mm ticket height Length :75mm	
LAB11/39/1200	39mm ticket height Length :1200mm	





LABEL HOLDER FOR SCAN HOOK

PEG14FLIP26X50	26 X 50 mm	
PEG14FLIP26X75	26 x 75 mm	
PEG14FLIP26X80	26 x 80 mm	Pack of 100
PEG14FLIP39X55	39 x 55 mm	
DEC1/JEI ID39X80	39 v 80 mm	



LABEL HOLDER WITH GRIPPER FOR SCAN HOOK

• Flipper label holder with gripper for secondary ticket display.



PEG14FLIP26X75GR

26 x 75 mm

Pack of 100

DOUBLE LABEL HOLDER FOR SCAN HOOK

- Double label holder for displaying 2 messages of 20 and 40 mm by 65 mm.
- Total height: 70 mm






LAB23 20 and 40 x 65 mm Pack of 25



ADHESIVE LABEL HOLDER FOR SCAN HOOK

• Adhesive label holder for a customized display.



LAB24 20 x 65 mm Pack of 50



REQUEST A SAMPLE



Free* samples available on most items, call, email or visit today to discuss your needs and get samples for testing!

Company:		Department:	
Recipient:			
Address:			
Postcode:		City:	
Tel.:		Fax:	
Email address:			
Ref.:	Page:	Ref.:	Page:
Ref.:	Page:	Ref.:	Page:
Ref.:	Page:	Ref.:	Page:
Ref.:	Page:	Ref.:	Page:
Ref.:	Page:	Ref.:	Page:
Ref.:	Page:	Ref.:	Page:



Need to buy bulk?

Call or email us for competitive bulk order and trade pricing.

Request your samples



WEBSITE

www.hanganddisplay.com.au



EMAIL

sales@hanganddisplay.com.au



TEL.

02 9708 3774

DISPLAY ACCESSORIES



You can easily find all our reference products anywhere in the catalogue using this pictogram

SNAP RIVET Permanent



Transparent - Screw ø 5,5 mm - Head ø 12 mm

DIS8/5 Tightening: 5 mm fixed gap Pack of 100

SNAP RIVET Permanent



Transparent - Screw ø 5 mm - Head ø 12 mm

DIS9/3	Tightening: 3 mm to 0 mm	Pack of 100
DIS9/5	Tightening : 5 mm to 0 mm	PACK OF 100

VIKING SCREW Non-permanent





With fin - Screw ø 5 mm - Head ø 14 mm

DIS5/12	Screw length : 12 mm	
DIS5/20	Screw length : 20 mm	Pack of 100
DIS5/25	Screw length : 25 mm	

Permanent

SNAP RIVET - Ø 15 MM





• Black and White available on request, MOQ and lead times apply.



Translucent - Screw ø 5 mm - Head ø 15 mm


DIS21/9

Tightening: 9 to 0 mm

Pack of 1000

Permanent

SNAP RIVET - ø 28 MM






• Black and White available on request, MOQ and lead times apply.

Translucent - Screw ø 5 mm - Head ø 28 mm DIS19/15 Tightening: 15 to 0 mm DIS19/22 Tightening: 22 to 0 mm Pack of 1000 DIS19/38 Tightening: 38 to 0 mm





METAL BINDING SCREW

Non-permanent



Non-permanent - Screw ø 5 mm - Head ø 10 mm - Fixed gap

DIS13/5/NKL	Tightening: 5 mm	
DIS13/10/NKL	Tightening: 10 mm	
DIS13/12/NKL	Tightening: 12 mm	Pack of 100
DIS13/15/NKL	Tightening: 15 mm	Pack Of 100
DIS13/20/NKL	Tightening: 20 mm	
DIS13/25/NKL	Tightening : 25 mm	



Non-permanent - Screw ø 5 mm - Head ø 12 mm - Fixed gap

DIS13/10/WHT	Tightening: 10 mm	Pack of 100
DIS13/12/WHT	Tightening: 12 mm	Pack Of 100



Non-permanent - Screw ø 5 mm - Head ø 12 mm - Fixed gap

		01-
DIS13/10/BLK	Tightening: 10 mm	Dlf 100
DIS13/12/BLK	Tightening: 12 mm	Pack of 100




Non-permanent - Screw ø 5 mm - Head ø 12 mm - Fixed gap

DIS13/5/T	Tightening : 5 mm	
DIS13/10/T	Tightening : 10 mm	Pack of 100
DIS13/15/T	Tightening: 15 mm	

SCREW LOCK HANGER FOR STUDS

Silver metal





Metal - Perforation ø 5 mm

DIS13/ACC/OOG 14 x 20 mm Pack of 1000

Permanent THUMB SNAP



Translucent - Shaft: 4 x 4 mm - Head ø 12 mm

DIS6/3	Tightening: 3 mm	
DIS6/6	Tightening: 6 mm	Pack of 100
DIS6/9	Tightening: 9 mm	Pack Of 100
DIS6/12	Tightening : 12 mm	



Removable PUSH SNAP




Translucent - Screw ø 8,5 mm - Head ø 16 mm - Fixed gap

DIS11/3	Tightening : 3 mm	
DIS11/6	Tightening : 6 mm	Pack of 100
DIS11/9	Tightening : 9 mm	

Permanent

CHRISTMAS TREE CLIP

• Christmas Tree Clip fastener for holding two or more panels together, particularly where final panel has a blind hole.



	Colour	Grip	Length	
DIS14/21	Black	2.4 - 10	19.6	
DIS14/26	Black	2.4 - 10	15.0	
DIS14/50	White	2.0 - 9.0	15.0	Pack of 100
DIS14/62	Black	2.0 - 9.0	15.0	
DIS14/156	White	2.5 - 19.5	27	




H GRIP 180° Transparent






• Connects 2 visuals with a maximum thickness of 2.5 mm.

	Length	Height	
SUP56	25 mm	20 mm	Pack of 100





Length

• Connects 2 visuals with a maximum thickness between 2.5 mm and 6 mm.

SUP55/25	25 mm	25 mm	Pack of 100
SUP55/38	38 mm	25 mm	Pack of 100

Height

J-STRIP Clear PVC




- Clear PVC J-Strip
- Mount top & bottom to display corflute or B-flute signage.
- Capacity 3 mm.
- Standard lengths: 914 mm & 1200 mm.
- Custom lengths available on request.
- Supllied with either clear 9 mm adhesive or 12 mm foam adhesive.

	Length	Capacity	
LAB13J	1200 mm	3 mm	Pack of 100

POWER WING CLIP


White



- Plastic Power Wing Clip.
- Clip onto wire baskets, slatwall or corrugated board displays.
- HP06M Galvanised metal finish

	Length	Width	
HP05	54 mm	32 mm	
HP06	45 mm	24 mm	Pack of 100
НР06М	44 mm	25 mm	

60° and 90° ANGLE GRIP




 Connects 2 visuals with a maximum thickness of 2 mm -Length 25 mm.

SUP57	A Angle : 90°	Pack of 100
SUP58	B Angle : 60°	Pack of 100



3-way ANGLE GRIP

• Clear PVC multi-way panel former.




Angle: 120° - Capacity: up to 2 mm

Length

SUP59	25 mm	Pack of 100
-------	-------	-------------

4-way ANGLE GRIP

• Clear PVC multi-way panel former.



Angle: 90° - Capacity: up to 2 mm

Length

SUP60 25 mm Pack of 100


Flexible HINGE PROFILE

• Clear PVC hinged two-way panel former.



Length

 SUP61
 50 mm
 Pack of 100



CABLE TIE Notch link



- 8 Kg break toud.
- Black and other colors on request.



Translucent - Permanent grip

	Length	Width	
ATT11/2.5/100	100 mm	2,5 mm	
ATT11/2.5/160	160 mm	2,5 mm	
ATT11/2.5/200	200 mm	2,5 mm	Pack of 1000
ATT11/2.5/250	250 mm	2,5 mm	
ATT11/2.8/300	300 mm	2,8 mm	
ATT11/3.6/300	300 mm	3,6 mm	
ATT11/4.8/300	300 mm	4,8 mm	Pack of 100
ATT11/4.8/450	450 mm	4,8 mm	

SECURITY TIE Pearl link





Translucent - Permanent grip - Adjustable length

	Length	vviatn	
ATT10/125	125 mm	1,8 mm	Pack of 500

ARROW LOOP Closed link



- Strong and easy to use.
- Reusable.

Translucent - Non-permanent grip - ø wire : 3 mm

ATT14 Length: 150 mm Pack of 100

Thread link

NYLON PIN LOOP





		Length	Width	
*	ATT9A-125	125 mm	0,6 mm	Pack of 500
	ATT9B-225	225 mm	0,6 mm	Pack of 500



Textile link TAG LOOP

White - Permanent grip - Fixed length loop

	Length	Colour	
ATT18/120	120 mm	White	Pack of 500
ATT18/200	200 mm	White	PACK OF 500

Black - Permanent grip - Fixed length loop

	Length	Colour	
ATT18/120/Z	120 mm	Black	Pack of 500
ATT18/200/Z	200 mm	Black	Pack of 500



Elastic link TAG LOOP

• Plastic stop ball at the end.

Elastic


	Length	Colour	
ATT31/W	110 mm	White	Dlf 1000
ATT31/Z	110 mm	Black	Pack of 1000



For swatches

HANGING LOOP

- Reusable hanging loop in flexible polypropylene for swatches.
- Clip Ø 8,5 mm
- Used with DIS13 screw lock.



Lenght 55 mm	Pack of 100
	Lenght 55 mm




TAGGING GUN



- Nylon tagging gun for labelling light and thick textiles.
- Delivered with a needle.

PTGIII/10651	Gun	Single
PTGIII/108941S	Set of 5 needles	Set

NYLON TIE





Nylon pin model - 1 wide end

TGF08938	Length: 20 mm	Pack of 5000
TGF10670	Length: 51 mm	Pack of 10000
TGF10347/2	Length: 75 mm	Pack of 5000

Hook model PP


TGH08901 Leng	:h : 25 mm	Pack of 5000
---------------	------------	--------------



Hook and loop

SELF-GRIPPING ADHESIVE DOTS








HOOK AND LOOP ADHESIVE TAPE


Reel of 25 mm x 25 m

		Colours	Width	
9	STR20/25L	White	Loop	DII
	STR20/25H	White	Hooks	Per roll



Reel of 25 mm x 25 m

	Colours	Width	
STR20/25L/B	Black	Loop	Per roll
STR20/25H/B	Black	Hooks	Per roll



Display accessories | 5-11

MAGNETIC STRIP Adhesive



- Adhesive magnetic rubber.
- For paper, cardboard and metal.

Reel - Thickness: 1.5 mm - Strength: 80 g/cm²

	Width	Length	
MAG30/12/30	12,7 mm	30 m	Per roll
MAG30/19/30	19 mm	30 m	

MAGNETIC DOTS

Magnetic neodymium



- Adhesive tab with a magnetic face.
- Sold in pairs (+/-).
- 3M® Adhesive

ø 9.5 mm

	Thickness	Strength	
MAG12	0,75 mm	350 gr	Pack of 100
MAG12/L	1,5 mm	750 gr	pair

MAGNETIC CLIP HOLDER

Adhesive



- Magnetic graphic clip holder in white with an adhesive back. The clip holder can be used on walls, windows or metal surfaces.
- \bullet The clip holder has a length of 210mm.

Permanent foam tape - White

	Width	Length	
MAG/CLIP	24 mm	210 mm	Per roll

DISPLAY CCESSORIE

White polyethylene foam

ADHESIVE TAPE

- Universal permanent mounting tape.
- White



	Width	Length	
FOA3/0.8/12	12 mm	50 m	Per roll
FOA3/0.8/18	18 mm	50 m	Per roll



Polyethylene foam

OUTDOOR ADHESIVE TAPE

- All purpose outdoor permanent tape..
- Black



Thickness: 1 mm

	Width	Length	
FOA6/19	19 mm	25 m	Per roll



STORAGE: The double-sided tape must be stored in a dry room, at room temperature and away from light.

USE: We recommend that you carry out tests in actual situations to ensure that the double-sided adhesive adheres well to the substrates.

SURFACE PREPARATION:

To ensure good adhesion of the

GUIDANCE FOR USE

double-sided tape you should prepare the surface by dusting and degreasing it with the isopropyl alcohol.





PAD

Non-permanent - Transparent gel





• Transparent and removable gel.

Thickness: 1 mm - Mechanical strength: 1300 CN/cm

Dimension

FOA10/25 *

25 x 25 mm

Pads of 12 - Bag of 240

DOT

Non-permanent - Transparent gel





• Transparent and removable gel.

Thickness: 0,5 mm - Mechanical strength: 1300 CN/cm

Dimension



ø 15 mm


Per roll of 500

*: With gripping tab

CLOSURE

Adhesive anti-tamper seal





- 1-sided round pad.
- Acrylic adhesive.

Dimension

Adhesive

FOA8/R30


ø 30 mm

Permanent

Per roll of 5000

QUICK-FIX HOOK Hook









White

PRO2

Length: 34 mm

Pack of 100

SLAT WALL HOOK Single prong



White or black ABS

PEG34/100

Length: 100 mm - White

PEG34/100/B Length: 100 mm - Black Pack of 100



MULTI-DISPLAY HOOK

Flat prong



MULTI-DISPLAY HOOK

Single prong



HP200W

Length: 200 mm



White (Black available on request)

HP9	Length : 60 mm	
HP115	Length : 100 mm	Pack of 100
HP150	Length : 150 mm	
HP200	Length : 180 mm	

Single prong EZ HOOK

• Single prong hooks for corrugated cardboard in white or black plastic, fits into slot in cardboard.



White (Black available on request)

	Length	Overall	Holding	
НР3	50 mm	50 mm	40 mm	
HP3-1	60 mm	65 mm	55 mm	
HP12	80 mm	90 mm	80 mm	Pack of 100
HP15	100 mm	118 mm	100 mm	Pack Of 100
HP18	130 mm	142 mm	130 mm	
HP22	180 mm	204 mm	185 mm	




Twin hook EZ HOOK




White - Scan Plate 55 x 35 mm

	Holding	Overall	
TW4	60 mm	100 mm	Pack of 100
TW6	115 mm	150 mm	Pack of 100



PEGBOARD HOOK

Loop hook



PEGBOARD HOOK

Simple

Pack of 100



PEG7/B


Length: 150 mm

• Black available on request.

White - Hook spacing 25 mm

PEG2		Length : 50 mm	
	PEG3	Length : 100 mm	Pack of 100
	PEG4	Length : 150 mm	

Loop hook QUICK-FIX HOOK



White - Hook spacing 25 mm

PRO10/100	Length : 100 mm	Dools of 100
PRO10/150	Length : 150 mm	Pack of 100





PRO10/Z/100	Length : 100 mm	Pack of 100
PRO10/Z/150	Length : 150 mm	Pack of 100



Single prong

QUICK-FIX HOOK



White - Hook spacing 25 mm

	•	
PRO1/50/3	Length : 50 mm	Pack of 100
PRO1/100/3	Length : 100 mm	Pack of 100



Black - Hook spacing 25 mm

війск - поок зрасії	g 23 IIIII	
PRO1/50/B	Length : 50 mm	Pack of 100
PRO1/100/B	Length : 100 mm	Pack of 100



PEGBOARD HOOK

Scan hook

• Works on slatwall and pegboard.

Metal - Hook spacing 25 mm

PEG14SCAN/100	Length: 100 mm	
PEG14SCAN/150	Length: 150 mm	Pack of 100
PEG14SCAN/225	Length: 225 mm	
PEG14SCAN/300	Length: 300 mm	

LOOP HOOK Double



 \bullet Works on slatwall and pegboard.

Metal - Fixed spacing: 25mm

PEG16/75	Length: 75 mm	
PEG16/100	Length : 100 mm	Pack of 100
PEG16/150	Length : 150 mm	
PEG16/200	Length : 200 mm	

PEGBOARD HOOK

Single prong



Metal - Spacing : 25 mm

PEG14/50	Length : 50 mm	
PEG14/100	Length : 100 mm	Pack of 100
PEG14/150	Length : 150 mm	
PEG14/230	Length : 230 mm	

Discover our full range of flipper Label holders for hooks in page 4-7

DISPLAY CCESSORIE

Single prong

SLATWALL HOOK

Chrome

PEG43/50/C	Length : 50 mm	Pack of 100
PEG43/100/C	Length : 100 mm	
PEG43/150/C	Length : 150 mm	
PEG43/200/C	Length : 200 mm	



Black

PEG43/50/B	Length : 50 mm	
PEG43/100/B	Length : 100 mm	Pack of 100
PEG43/150/B	Length: 150 mm	
PEG43/200/B	Length : 200 mm	



White

PEG43/50/W	Length : 50 mm	
PEG43/100/W	Length : 100 mm	Pack of 100
PEG43/150/W	Length : 150 mm	
PFG43/200/W	Length : 200 mm	



Loop hook

SLATWALL AND PEGBOARD HOOK

Chrome

PEG44/120/C	Length : 120 mm	
PEG44/195/C	Length : 195 mm	Pack of 100
PEG44/270/C	Length : 270 mm	



Metal - Spacing: 25 mm

PEG44/120/W	Length : 120 mm	
PEG44/195/W	Length : 195 mm	Pack of 100
PEG44/270/W	Length : 270 mm	




Metal - Spacing : 25 mm

PEG44/120/B	Length : 120 mm	
PEG44/195/B	Length : 195 mm	Pack of 100
PEG44/270/B	Length : 270 mm	

STOCK LIMITER

For single and double hooks



DISPLAY ACCESSORIES

Single or double hooks

ANTI-THEFT DEVICE FOR HOOKS

- Single or double arm anti-theft device depending on model.
- Opened with the magnetic key PEG301KEY shown below (not included).



For single hook

PEG300LOK

Arm ø 6 mm to 4-5 mm

Pack of 10

For double hook

PEG42

Arms ø 5 to 8 mm

Pack of 10



Magnetic key for an anti-theft device

PEG301KEY

With key ring

Single



Double hook

ANTI-THEFT DEVICE FOR HOOKS

• Opened with a specific key (supplied).

For double hook

PEG39

Arm ø 5 to 8 mm

Pack of 10

• Opened with a specific key (supplied).



• Opened with a specific key (supplied)



For double hook

LOCK1

Arm ø 5 to 8 mm

Pack of 20

Discover page 4-10 our range of labelling for arms.

DISPLAY CLIP



• Display clip: 52 x 49 mm

• Capacity: 4 mm - 9 mm

COR2

Transparent

Pack of 50

DISPLAY FOOT

Fixed or variable angle



• Plastic foot for FSDU'S.

- 90° angle.
- Allows the display to be raised to 10 mm above the floor.





White

Pack of 100



• Plastic foot for FSDU'S.

- Adjustable angle.
- Allows the display to be raised to 11 mm above the floor.

Adjustable angle

COR4

Transparent

Pack of 100

DISPLAY FOOT

Adhesive



• Plastic adhesive foot for FSDU'S.

• Allows the display to be raised 25 mm above the floor.

Dimensions: 50 x 50 x 23 mm - ø ball: 35 mm

COR5

Transparent

Pack of 100



- Carries up to 20 Kgs per foot or 80 Kgs for the whole display.
- Optional: wheel with brake mechanism.



COR6 Transparent Pack of 20

Standard with brakes

COR6B Transparent Pack of 20



Cardboard POS

- Assembly connector in white ABS, for bonding into corrugated cardboard
- Free-standing displays. Require 2 for a set.

Size: 40 x 36 x 81 mm - Capacity: 2 mm to 4 mm

COR11 White Pack of 100




ASSEMBLY ACCESSORIES

• Assembly connector (L-shape) in translucent PP for bonding into corrugated cardboard freestanding display stands.

L-shape - Capacity: 5 mm to 6 mm

COR12 Translucent Pack of 100

• Assembly connector (T-shape) in translucent PP for bonding into corrugated cardboard freestanding display stands.





T-shape - Capacity: 5 mm to 6 mm

COR13 Translucent Pack of 100

Cardboard POS

• Screw to be used with honeycomb cardboard and/or polystyrene.

Length: 31 mm - Ø head: 14 mm

COR18T Transparent Pack of 100



ASSEMBLY SCREW

Length: 55 mm - Ø head: 14 mm

 COR19T
 Transparent
 Pack of 100

 Length: 55 mm - Ø head: 14 mm

 COR19W
 White
 Pack of 100



DISPLAY CCESSORIES

DISPLAY SHELF SUPPORT





• Black end caps (for support stalk)

• Height opening end cap: 1 cm




Size: 30 x 30 x 35 mm

COR8

Black

Pack of 59

- Support rail in black ABS, for use with end cap COR 8.
- Can be custom cut to length on request.



Size: 1200 x 28 x 10 mm

COR9

Black

Pack of 25

SHELF TALKER CLIP




- Clear PVC extrusion 25 mm L x 14 mm H that slides firmly onto the front of any traditional data strip. The small clip allows the attachment of a shelf talker that focuses the shoppers attention on the items in that area. These clips are easily removed at the end of a promotion, returning the front of the shelf area to it's previous sleek appearance.
- Custom lengths available on request.

LAB30/25


Transparent

Pack of 1000

DISPLAY HINGES



• Flexible hinge with adhesive in semitransparent ABS.




Dimensions: 20 x 20 mm - ø hole: 5 mm

COR14


Transparent

Pack of 100





• I lexible fillige ili sellilit alispatelit ADS



COR15

Transparent

Pack of 100

Cardboard POS


SHELF SUPPORT CLIP








- For quick and secure assembly of cardboard POS shelves
- Firm support.
- Supplied in 2 parts.






Plastic



White Black

Pack of 100





• Cardboard corro clip made from natural pulp and cardboard, 100% recyclable with cardboard waste

Cardboard


COR20

Cardboard White

Pack of 100



- Low profile shelf support clip 26mm high for corrugated cardboard FSDU shelves
- Supplied as male & female set



Translucent Plastic

COR21

Translucent

Pack of 100






ADHESIVE BUMP-ON

Hemispheric



- In transparent polyurethane with permanent adhesive.
- Use as a non-slip foot.
- Absorbs shock and vibration.
- Delivered in sheets.



Transparente

Diameter Height

DOT4/8,5 ø 8.5 mm 2.2 mm


Pack of 450 stops (on sheet)

ADHESIVE BUMP-ON

Cylindrical



- In clear polyurethane with permanent adhesive.
- Use as a non-slip foot.
- Absorbs shock and vibration.
- Delivered in sheets.



Transparente

Diameter Height


DOT4/12,7 Ø 12.7 mm 3.5 mm Pack of 200 stops (on sheet)

ADHESIVE BUMP-ON

Square



- In clear polyurethane with permanent adhesive.
- Use as a non-slip foot.
- Absorbs shock and vibration.
- Delivered in sheets.




Transparente

Diameter Height

DOT5 12.7 x 12.7 mm 3 mm Pack of 200 stops (on sheet)

• Allows products to be rotated in a display case, on a counter or on any flat surface.



	Diameter	Colour	
TAB3/100/T	ø 100 mm	Transparent	
TAB3/150/T	ø 150 mm	Transparent	Single
TAB3/225/T	ø 225 mm	Transparent	




SOLAR DISPLAY

• Solar or battery powered turntable

Size 101 x 101 mm

Diameter Colour **TAB12** ø 89 mm Transparent Single

• Rocking action to wave media and grab attention







SOL1	52 x 68 x 28 mm	Single
		_

LED ACCESSORIES

Flashing LED light 3mm globe with adhesive pads both sides.

Colour

LED1/W	White	
LED1/R	Red	
LED1/B	Blue	Pack of 50
LED1/G	Green	
LED1/Y	Yellow	

90 day battery life, battery included.



FILE PRONG



- White metal file prong with adhesive backing.
- Can be mounted on request with our reference DOC3.

Dimensions: 150 x 9 mm

DOC1

White metal

Pack of 50



• White PVC file prong.

• Can be mounted on request with our reference DOC1.

Dimensions: 95 x 12 mm

DOC3/PVC

White PVC

Pack of 50

ELASTICS



- Elastic cord with 2 metal ends.
- Other colours on request.

Black

ATT32/150
• Elastic strap.

Max. length: 150 mm

Pack of 100



• Other colours on demand.

Black

ATT33/15 ATT33/20 ø maxi : 150 mm ø maxi : 200 mm

Pack of 100

FLEXIBLE ADHESIVE POCKET

Business card



- Adhesive pocket in clear polypropylene.
- "Helping hand» cutting on short edge.

BAD15

93 x 56 mm

Pack of 100

FLEXIBLE ADHESIVE POCKET


Corner



• Clear PVC adhesive triangle.

DRH3	30 x 30 mm	
DRH5	50 x 50 mm	
DRH10	100 x 100 mm	Pack of 100
DRH14	140 x 140 mm	
DRH15	150 x 150 mm	

HANDLES



HND4/T	White	Pack of 100
HND4/Z	Black	Pack Of 100





HND2 Translucent Pack of 100





• Carrying handle in PP with reinforcement plate

HND5/W	White	Pack of 100
HND5/B	Black	Pack Of 100




Clear FLEXIBLE STRIP





- Pad of 10 PET handless 15x200 mm.
- Pack of 1000 (100 blocks of 10).



BLI11 Dimensions : 200 x 15 mm

Pack of 1000



ANTI-THEFT SYSTEM

Steel cable



- Anti-theft security pull box with adhesive base.
- Adhesive plate at the end of 95 cm cable.

PUL1


Black

Pack of 10

Pack of 100







A Anti-theft pull-box system for steel cable - end 20 cm rats tail

Base Cabl

PUL2B 33 x 50 mm Ø 0.75 mm, extends 900 mm Pack of 10

B Anti-theft pull-box system for steel cable - end with 9 cm rats tail

Base Cable

PUL2 33 x 50 mm Ø 0.75 mm, extends 950 mm Pack of 10

PEN HOLDERS



• Adhesive pen clip.

Plastic - Size: 12 x 15 x 15 mm

PEN1 Cap.: from 6 up to 10 mm

• Adhesive expandable pen holder.

Metal - Ø 20 mm -Heigth : 15 mm

PEN3 Cap. : from 6 up to 14 mm Pack of 100


MERCHANDISING **SOLUTIONS**



BESTPRODUCT

You can easily find all our 'BEST products anywhere in the catalogue thanks to this pictogram

CLIP STRIP Rigid





- Double hanging system: hook for products in blister packs
 - Clip for products in sachets




- With header
- 12 clips

2 parts - extensible clip strip 6 stations

	H108	Length 360 mm	Pack of 10
	2 parts - header	31 x 63 mm	
	HP108	Header for H108	Pack of 10
	Clip strip - 12 st	ations with header -Length 740 mm - Header 31 x 63 mm	
E	SEL1	White	Pack of 10
	SEL1/B	Black	Pack of 10

HANG STRIP Rigid





- Rigid.
- Hook for products in blister packs and satchets with hangsell holes.
- Header size: 35 x76 mm.



Foldable in 3 parts

H138 Length 600 mm Pack of 25

IERCHANDISING

With header HANG STRIP

- Flexible.
- Hanging system: hook for products in blister packs.
- With header.
- Total length: 600 mm.
- Transparent.



Header 41 x 64 mm

H125	A Length 600 mm - 500μ	Pack of 50
Header 85 x 100 n	nm	
SEL6	B Length 600 mm - 800μ	Pack of 25



With header HANG STRIP




Header 33 x 53 mm - 500 μ

H130	Length 540 mm	Pack of 50
------	---------------	------------





Header 40 x 100 mm - 800 μ





Header 75 x 100 mm - 800 μ

H188 Length 925 mm Pack of 25



HANG STRIP Rigid



 Hang Strip injection-moulded. Colour black or white, other colours available on request.

Label holders: 54 x 80 mm - Length 650 mm / Clips: 12

H139	White	Pack of 10
H139/B	Black	Pack of 10

HANG STRIP Rigid



• Clear polypropylene double-sided hang strip with 12 clips on each sides.

Clips: 2 x 12

SEL11	Length 720 mm	Pack of 10



 \bullet Metal shelf-top hook to hang SEL11 in flag position.

Metal - Wire Ø: 3,7 mm

HOO10	Length 100 mm	Pack of 10
	_	



• Metal clip strip with 12 clips, a header and suspension hook.

Metal - Label holder 35 x 55 mm / Clips: 12

MHS1	Length 820 mm	Pack of 5
------	---------------	-----------



 Hang Strip in metal. Colour black or white, other colours available on request.

Label holders: $36 \times 70 \text{ mm}$ - Length 860 mm / Clips: 15

SEL7	White	Pack of 10
SEL7/B	Black	Pack of 10



- Premium hangtsrip without header.
- Metal hooks

Metal clips: 8

STR301 Length 730 mm	Pack of 10
----------------------	------------

With header HANG STRIP

- Flexible.
- Hanging system: for tube Ø max. 40 mm.
- Total length: 1030 mm.
- Transparent.



Label holder 90 x 100 mm

Length 1030 mm

Pack of 50

Custom length optional header





- Hanging system: hook for products in blister packs.
- Supplied in reels with 2000 clips.
- Can be cut to suit your requirements.
- Optional header.
- Transparent.

Reel

	SEL151/R	2000 hooks	Single
Optional label holder			
	SEL152	30 x 80 mm	Pack of 100






HANGING REELS



(ENS

• Blister peg.



Blister peg

32 x 20 mm

Pack of 100



Discover our full range of S-hooks for displaying hangstrips and clipstrips in

BREAKABLE DIVIDER

XS - Small - Medium





- Scored every 25 mm.
- Adapts to the depth of the fitting.
- Contains 30% recycled PC.
- Ideal for small and medium packs.
- Fitted with a rail, see pages 8.4 and 8.5.

XS - Height: 35 mm

Scored from 180 to 380 mm Pack of 50





Small - Height : 55 mm

DIV125981	Scored from 180 to 380 mm	
DIV125985	Scored from 280 to 480 mm	Pack of 50
DIV125983	Scored from 380 to 580 mm	





Medium - Height : 100 mm

DIV125984	Scored from 280 to 480 mm	Pack of 50
DIV125989	Scored from 380 to 580 mm	Pack of 25

Small - Medium - XL

REVERSO®DIVIDER



- Reversible and contorred.
- Contains 30% recycled PET.
- Ideal for small, medium and large packs.
- Fitted with the rails on page 8.4 and 8.5.

Small - Height: 55 mm

DIV125911	Length : 280 mm	
DIV125913	Length : 330 mm	
DIV125915	Length : 380 mm	Pack of 50
DIV125917	Length : 430 mm	
DIV125919	Length : 480 mm	





Medium - Height: 100 mm

I	DIV125931	Length: 280 mm	
	DIV125933	Length: 330 mm	
	DIV125935	Length: 380 mm	Pack of 25
	DIV125937	Length: 430 mm	
	DIV125939	Length: 480 mm	






XL - Height: 180 mm

DIV125944 Length : 380 mm Pack of 10	D	NV125942	Length : 280 mm	
1 001 01 20	D	0IV125944	Length: 380 mm	Dools of 40
	D	0IV125946	Length: 480 mm	Pack of 10
DIV125948 Length : 580 mm	D	NV125948	Length: 580 mm	



RAIL FOR DIVIDER WITH STOP

Adhesive





- Stop with fixing rail for integrated divider.
- Can be used with the dividers on page 6-6 and 6-7.
- Adhesive or magnetic version available.
- Cut down to required size.


Transparent adhesive

	Stop	Base x Length	
RAL123205	30 mm	25 x 1325 mm	D. J. 540
RAL123211	60 mm	40 x 1325 mm	Pack of 10
Transparent ma	gnetic		

	Stop	Base x Length	
RAL123253	30 mm	25 x 1325 mm	Pack of 10
RAL123219	60 mm	40 x 1325 mm	Pack of 10

SEGMENTATION RAIL

Adhesive




- Designed to hold small format products at the front of the shelf.
- 30mm height stop with integrated divider fixing rail.
- Adhesive or magnetic base.
- Made of PVC.

30 x 1325 mm

RAIL FOR DIVIDER

Adhesive




- Allows dividers to be fitted to all types of support.
- PVC
- Custom sizes supplied on request.

Narrow 12 mm - Transparent adhesive

RAL1	Length 900 mm	Pack of 10

RAIL FOR DIVIDER


Adhesive



- Clear Bullnose PVC data strip, 30mm ticket height with 19mm adhesive & T-Rail. Tickets are being inserted into the curved front.
- Adheres to the top surface of shelf and acts as a light weight stock barrier, used with dividers.
- Custom sizes supplied on request.

Length: 900 mm

RAL4	Height : 25 mm	Pack of 50



- Clear flat data strip shelf stopper, 25 mm ticket height.
- Adhesive base 28 mm wide with T-rail for dividers
- Custom sizes supplied on request.

Length: 895 mm

RAL6	Height : 25 mm	Pack of 50
	O .	

Adhesive

RAIL FOR DIVIDER



Standard 16 mm - Transparent adhesive

RAL123120

Length 1325 mm

Pack of 10









Standard 16 mm - White magnetic

RAL123130

Length 1325 mm

Pack of 10

Adhesive or magnetic

RAIL FOR DIVIDER

- Compact customisable multifuntion profile.
- Universal rear rail for merchandising accessories (dividers, etc.).
- 2 clips to customise the profile and add accessories.
- Available in magnetic or adhesive.
- Made of transparent PVC.



Transparent adhesive

RAL123181

Length 1325 mm


Pack of 10

Transparent magnetic

RAL123185

Length 1325 mm

Pack of 10





DIVIDER STOP

Small - Médium - XL









- Fitted to the front of Reverso® dividers.
- Designed to hold products at the front of the shelf.
- Made of PET.

Small - "T" central - Height 40 mm

DIV125901	Pack of 50		
Small - "L" right and left hand - Height 40 mm			
DIV125903	40 x 33 mm	10 pairs	









Medium - "T" centra	l - Height 90 mm
---------------------	------------------

DIV125905 90 x 40 mm		Pack of 50
Medium - "L" rig		
DIV125907	90 x 33 mm	10 pairs









XL - "T" central - Height 120 mm

DIV125908	120 x 99 mm	Pack of 50				
XL - "L" right and left hand - Height 150 mm						
DIV125910 120 x 33 mm		10 pairs				

Transparent

MAGNETIC STAND



- Fitted to a metal tray.
- Contains 30% recycled PC.
- Magnetic base.
- Compatible with baseplate ref PUS124108.

Height 150 mm - Width 90 mm

Length 140 mm

Pack of 10



Transparent

BREAKABLE STRIP AND STAND KIT



- Consists of a stand fitted into a PC strip (30% recycled).
- PET stand (30% recycled).
- Scored every 50 mm.
- Fitted to the divider rail.

Stand height 130 mm - Width 90 mm


PUS124205

Scored from 330 to 580 mm

Pack of 15



STRIP AND STAND KIT ACCESSORIES



- Pull to help bring products to the Baseplate (enhances the front.
- for use with the strip and stand kit PUS124205.
- Made from PC.



- stand and optimises product
- Fitted to stand ref PUS124211 - PUS124205.
- Made of PET.

Baseplate for stand					
PUS124108	PUS124108 130 x 180 mm				
Pull	Pull				
PUS124207	Scored from 330 to 570 mm	Pack of 50			



MEDIUM-STRENGTH PUSHER

With stop



- Designed to automatically push products to the front of the shelf.
- Attaches to the divider rail.
- Width 40 mm.
- With or without integrated stop depending on the model.
- Fitted with the different types of rails on pages pages 6-8 to 6-9.



Medium force: 6 Newton

PUS124523


Length 380 mm

Pack of 20

STRONG PUSHER

With Stop







High strength: 9 Newton

PUS124533

Length 380 mm

Pack of 20

MEDIUM-STRENGTH PUSHER

Without Stop





Medium force: 6 Newton

PUS124563 Lei

Length 380 mm

Pack of 20


VISUAL **SUPPORTS**



You can easily find all our reference products anywhere in the catalogue using this pictogram

ANGLED TICKET HOLDER

Clear base



• Clear polystyrene ticket stand.

Height 10 mm - Max. ticket thickness: 1 mm

TIC8 Base 60 x 40 mm Pack of 100

VERTICAL TICKET HOLDER

Clear base



• Discreet double-sided presentation of the ticket.

Height 10 mm - Max. ticket thickness: 1 mm

TIC9 Base 50 x 40 mm Pack of 100

LARGE CAPAPCITY TICKET HOLDER

Clear acrylic



- Ideal for food identification, table numbers & small signs.
- Display double-sided card
- Capacity up to 3 mm

Height 30 mm - Ticket thickness: up to 3 mm

LEA52/T Base 50 x 45 x 30 mm Pack of 64

CARD STANDS Transparent



- Double-sided presentation of the ticket.
- Clear or black base.

Height 30 mm - Transparent plexi - Ticket thickness: up to 3 mm

LEA31/T Base 105 x 70 mm Pack of 10

Round base **TICKET HOLDER**



25 mm holder - Max. ticket thickness: 0.5 mm

Black

Transparent

Base ø: 50 mm Rod: 50 mm

Pack of 10



Rectangular base

TICKET HOLDER



25 mm holder - Max. ticket thickness: 0.5 mm

40 x 75 mm - Rod : 100 mm

Pack of 10



Magnet base

SPRING CUP



Spring clip 20 mm - Max. thickness: 3 mm

Base ø: 20 mm - Rod: 12 mm

Pack of 25

Removable Adhesive

CARD GRIP



Base Height Pack of 100 ø 20 mm 10 mm



PIN TICKET HOLDER

Metal

Pack of 50





Max. ticket thickness: 1 mm

IC11/V Height: 78 mm

2 POSITION PIN White PVC






Max. ticket thickness: 0,5 mm

TIC13 Height: 55 mm Pack of 100

PIN White PVC







Max. ticket thickness: 1 mm

TIC12/60	Height : 103 mm (clip 60 mm)	Pack of 50
TIC12/80	Height : 125 mm (clip 80 mm)	Pack of 100

VISUAL SUPPOR

Transparent

TICKET AND CARD HOLDER



• Clips onto stands 1 to 7 mm thick.

Max. ticket thickness: 0,5 to 1,5 mm


TIC23

12 x 40 mm

Pack of 100

Transparent

TICKET HOLDER WITH TUBE CLIP





• Used with tubes Ø 25 mm

TIC28

40 mm

Pack of 100

Transparent

BOTTLE TOP TICKET HOLDER





• Can be fixed on bottle necks with a diameter of 50 mm.

Max. ticket thickness: 0,5 mm

TIC62

60 x 40 mm

Single

TICKET HOLDER WITH SRING CLIP

Hinged



• Acrylic POS Clip with swivel and card holder.

25 mm holder - Max. ticket thickness: 0,5 mm

TIC27 Transparent Pack of 25

DOUBLE SPRING CLIP

Hinged



• Acrylic double POS Clip with swivel joint.

20 mm holder - Max. ticket thickness: 8 mm

HP2100 Length: 92 mm Pack of 25

DOUBLE SPRING CLIP

Hinged




• Acrylic double POS Clip with swivel joints and 100 mm stem.

20 mm holder - Max. ticket thickness: 8 mm

HP2210 Length: 195 mm Pack of 10

TICKET HOLDER WITH CLAW GRIP

Hinged



- Acrylic POS Clip with 100 mm stem and swivel joint..
- This useful ticket holder has a claw grip, ideal for shelf edges or poles.

50 mm holder - Max. ticket thickness: 0,5 mm

TIC28 Length: 205 mm Pack of 10

Universal

SPRING GRIPPER WITH CLAW GRIP





80 mm holder - Max. ticket thickness: 5 mm

HP008	Length: 102 mm	Pack of 10
TIC39	Length : 160 mm	Pack of 25

Rotating

SPRING GRIPPER WITH CLAW GRIP





Length: 107 mm Pack of 25

Multi angle

SPRING GRIPPER WITH CLAW GRIP

• Adjustable ratchet action for larger, heavier signs.







80 mm holder - Max. ticket thickness: 5 mm

Pack of 25 Length: 103 mm

FLEXIBLE ADHESIVE POCKET

Rectangular



- Adhesive pocket in clear polypropylene.
- Short edge opening.



	Size	Lg/mm	H/mm	
POC1/A5P/ADH	A5	148	210	
POC1/A4P/ADH	A4	210	297	Pack of 100
POC1/A3P/ADH	А3	297	420	

FLEXIBLE POCKET

Rectangular





• Soft PVC pockets with 3 holes on header for hanging.


Custom sizes on request (MOQ applies)

POC1/DL	1/3 A4 (94 x 210 mm)	
POC1/A7P	A7 (75 x 105 mm)	
POC1/A6P	A6 (105 x 148 mm)	
POC1/A5P	A5 (210 x 148 mm)	Pack of 100
POC1/A5L	A5 (210 x 148 mm)	
POC1/A4P	A4 (210 x 297 mm)	
POC1/A4L	A4 (297 x 210 mm)	

FLEXIBLE ADHESIVE POCKET

Business card





- Adhesive pocket in clear polypropylene.
- "Helping hand» cutting on short edge.

★ BAD15

93 x 56 mm

Pack of 100

PET

ADHESIVE SLEEVE

- Clear sleeve in Crystal PET.
- Fixed with 2 adhesive strips on reverse.



ANTI-REFLECTIVE AVAILABLE ON REQUEST

Vertical - Portrait

	POC2/A7V	A7 (75 x 105 mm)	
	POC2/A6V	A6 (105 x 148 mm)	
	POC2/A5V	A5 (148 x 210 mm)	Pack of 10
E	POC2/A4V	A4 (210 x 297 mm)	
	POC2/A3V	A3 (297 x 420 mm)	
	11		



	POC2/A7H	A7 (105 x 75 mm)			
	POC2/A6H	A6 (148 x 105 mm)			
	POC2/A5H	A5 (210 x 148 mm)	Pack of 10		
E	POC2/A4H	A4 (297 x 210 mm)			
	POC2/A3H	A3 (420 x 297 mm)			
	/: -II-I - :	delle e dle e diver e con d'esse esse d'			

(avaiable in removable adhesive on demand)





MAGNETIC SLEEVE

Clear sleeve in Crystal PET.

• Fixed with 2 magnetic strips on reverse.

Transparent - Vertical - Portrait

	Size	W/mm	H/mm	
POC4/A5V	A5	148	210	Pack of
POC4/A4V	A4	210	297	10
Transparent - Horizontal - Landscape				
	Size	W/mm	H/mm	
POC4/A5H	A5	210	148	Pack of
POC4/A4H	A4	297	210	10



PVC

PET

REPOSITIONABLE ADHESIVE - MAGNETIC OPENING



REPOSITIONABLE AND QUICK VISUAL CHANGE THANKS TO ITS MAGNETIC CLOSURE USE FRONT / BACK ON GLASS

Transparent - Black or grey borders

	Size	W/mm	H/mm	
POC10/A4	A4	210	297	Pack of 2
POC10/A3	A3	297	420	PACK OF Z



SNAP WALL FRAME

Aluminium section



- Snap opening system with square corners.
- Portrait or landscape mounting.
- Available in colour on request.



ALSO AVAILABLE WITH ROUND CORNERS



	Size	W/mm	H/mm	25mm Profile
KAD1M/A5	A5	148	210	
KAD1M/A4	A4	210	297	
KAD1M/A3	A3	297	420	Single
KAD1M/A2	A2	420	594	
KAD1M/A1	A1	594	841	

32 mm profile

KAD1M/A0 A0 84,1 118,9 Single

2-SIDED CLIP-ON FRAME

Aluminium section









- A1 double sided A-frame for corflure inserts.
- \bullet Top flaps open and close to insert media.
- Supplied with plastic backing sheet and clear front cover on both sides.



	Size	W/mm	H/mm	
KAD3W/A1/B	A1	594	841	Single

VISUA

Aluminium section

DOUBLE-SIDED A-FRAME





- A-board with two aluminium clip-on frames with mitred corners.
- A1: 594 x 841 mm

	Size		
KAD3M	A1	Regular	Cinala
KAD3MWP	A1	Waterproof	Single

Also available with round corners.




On spring foot

DOUBLE-SIDE CLIP-ON STANDS

• Stand with two aluminium clip-on frames fixed back to back on a spring support that is wind resistant.











- Aluminium stand with square corners.
- Plastic base with 2 springs (filled with water or sand) guaranteeing good stability and wind resistance.
- Available in black or greysilver.
- Supplied with anti-reflective plastic protection.
- Supplied unassembled.



	Size/mm	W/mm	H/mm	25 mm section
KAD9W/A1	A1	594	841	Single
KAD9W/A0	A0	841	1189	Single

KAD9W/TOOL Single



PEDESTAL SIGN STAND WITH TRAY

Aluminium







- Free-standing A1 Snap Frame & Brochure Tray on 1,8M Combo Pole, heavy base for extra stability & rubber coated to avoid marking floors. Available in silver or black.
- Option for double-sided or without brochure tray, other sizes & configurations available on request.
- NOT WATERPROOF.

Pole height: 1,8 m - Poster size: A1 -Tray: A3 landscape

APS/A1/BT/S	Silver	Cinala
APS/A1/BT/B	Black	Single

FLOOR STANDING MENU BOARD

Aluminium



- Silver menu board with angled snap frame.
- Adjustable orientation portrait or landscape.



	Size	H. Total	
KAD10/A3	A3	1200 mm	Cinala
KAD10/A4	A4	850 mm	Single

TELESCOPIC AND FLEXIBLE MENU BOARD

Aluminium






- Adjustable heigth, adjustable angle from 0 to 90 degrees, adjustable orientation (portrait or landscape).
- Heavy base for stability.

	Size	Heigth	
KAD10/FLX/A3	A3	1200 mm	Cinala
KAD10/FLX/A4	A4	850 mm	Single

2 sides

WOOD LOOK CHALKBOARD





• Made from aluminium and finished in wood color pattern.

	Size	25 mm section
KAD17	600 x 800 mm	Single



SLATE MARKER

water erasable

- Colour chalkboard marker.10 mm wide.
- Pack of 5 markers (green, yellow , orange , red , pink).

	Size	25 mm section
PEN10	Green, yellow , orange , red , pink	Single

- White chalkboard marker.10 mm wide.
- Pack of 3 white markers.

	Size	25 mm section
PEN11	White	Single





CARDBOARD STRUT

With adhesive

- Cardboard strut with adhesive.
- Ready to fold and apply to signs.

BAC1/190	Height: 179 mm - Base: 72mm	
BAC1/240	Height: 238 mm - Base: 95mm	Pack of 50
BAC1/305	Height: 298 mm - Base: 154mm	







CONTACT US FOR MORE INFORMATION

SUPPOF

Floor standing

PEDESTAL BROCHURE HOLDER

- A4 brochure and leaflet dispenser with durable polycarbonate tray and aluminium stand.
- Available in portrait or landscape.



A4 Portrait Tray

KAD13/A4V Total height : 1000 mm Single

A4 Landscape Tray

Total height : 1000 mm Single



Aluminium

RETRACTABLE BANNER STAND

- Rolling cylinder banner holder.
- 365 mm base support legs.
- 3 pieces back support.
- Comes with carry bag.





BAN02

800 x 2000 mm

Single

Foldable

ZIG-ZAG BROCHURE HOLDER



- Foldable 'zig-zag' display with lightweight aluminium frame and 6 transparent plexiglass shelves for displaying documents.
- Easy to transport and set up.

6 shelves (supplied with its carry case) - A4 tray

	Base/mm	H/mm	Lip height	
★ BRO4	290 x 380	1500	25 mm	Single



WALL BROCHURE HOLDER

Single pocket





- Perforated back for wall mounting.
- Ribbed base for perfect retention of the sheets in the bin.

Depth: 35 mm

	Size	W/mm	H/mm	
LEA6/DLWB	1/3 A4	107	145	
LEA5/A5PWB	A5	155	155	Pack of 10
LEA4/A4PWB	A4	232	240	

• For references LEA45/3-A4 and LEA45/A5 only.

PVC BROCHURE HOLDER

1 bin - Adhesive





• PVC brochure holder fixed with a permanent adhesive.


Adhesive soft PVC - Supplied flat - Depth: 35 mm

	Size	vv/mm	H/mm	
LEA3H/DL	1/3 A4	115	220	Pack of 10

C'-- 11/22

CARD HOLDER

1 or 8 pockets








- For business cards up to 105 mm wide.
- ♠ Length: 110 x 55 mm Capacity: 23 mm:

EA1/BIZ/L Landscape pocket Pack of 24

B Dimensions: 200 x 95 x 98 mm - Capacity: 23 mm:

LEA1/BIZ/L8 Landscape 8 pockets (2x4) Pack of 24

FREE-STANDING BROCHURE HOLDER



- Ideal for presenting documents on counter.
- Ribbed base for perfect retention of the sheets in the bin.
- Landscape available on request

Depth: 35 mm

	Size	W/mm	H/mm	
LEA6/DLC	1/3 A4	107	188	
LEA5/A5PB	A5	155	195	Pack of 10
LEA4/A4PB	A4	232	275	



Multipocket

FREE-STANDING BROCHURE HOLDER



- Multi-level counter or wall brochure holder in transparent polystyrene.
- 2 tier and 3 tier versions available on request

4	bi	ns





METAL TICKET AND CARD HOLDER

Spring clip



• Metal ticket and card holder with suspension eyelet.

Max. ticket thickness: 5 mm

	L	W	Ø eye	
CLI17	27 mm	10 mm	5 mm	Pack of 100

STRAP BADGES

With retractor





Extendable cable fixed to a round clip.


• Extendable cable fixed to a round clip.					
Cable length: 850 mm - Ø: 31 mm					
	Colour				
BAD54/BLU	Transparent blue	Pack of 10			
BAD54/B	Black	Pack of 10			

BADGE HOLDER

Magnetic



- Rectangular magnetic badge holder.
- Sold as set (1 adhesive magnetic base + 1 magnetic top)



	L	W	
MAG8	45 mm	13 mm	Pack of 50

- Round magnetic badge holder.
- Sold as set (1 adhesive magnetic base + 1 magnetic top)






MAG8/R/100

Ø 17 mm

Pack of 100 sets


BADGE CLIP Adhesive





• Adhesive badge clip with safety pin.

	L	W	Pin	
BAD1	A 24 mm	14 mm	32 mm	
BAD1B	B 24 mm	19 mm	No pin	Pack of 100
BAD1BP	© 24 mm	19 mm	34mm	




• White plastic adhesive safety pin.

	L	W	Colour	
BAD5	38 mm	8 mm	White	Pack of 100



STRAP CLIP Clip





Strap clip Pack of 25

BADGE HOLDER WITH CLIP/SAFETY PIN

With pin







• Supplied with card.

	Length	Height	
BAD12	90 mm	54 mm	Pack of 50

PVC BADGE HOLDER

Strap clip





•Clear rigid PVC badge holder with euroslot eyelet..


	Length	Height	
BAD26	86 mm	55 mm	Pack of 50

ADHESIVE CARD HOLDER

Pocket with adhesive









A Long-side opening with thumb cut-out.

BAD23	60 x 95 mm	Pack of 100
B Short-side op		
BAD15	60 x 95 mm	Pack of 100

VISUA

BADGE HOLDER

• Clear PVC badge holder with oval suspension eye in top (without clip).



	Length	Height	
BAD16	86 mm	55 mm	Pack of 50

Strap clip

BADGE HOLDER AND CLIP





BAD19 52 x 90 mm Pack of 100

BADGE CLIP



LAN1	A Spring Clip + Breakaway joint	
LAN2	B 2 x Spring Clip + Breakaway joint	Pack of 100
LAN3	C Swivel Snap hook	Pack of 100
LAN4	D 2 x Swivel clipper	

LOCKABLE BOX Large model



- Supplied with A4 landscape header card.
- Constructed of high quality acrylic.
- Super grip, non slip rubber feet .
- Slot size : 150 x 10 mm.
- Lockable supplied with 2 keys.



Acrylic 4 mm with showcard stand (220 x 290 mm)

	H/mm	Lg/mm	D/mm	
KAD35	240	310	210	Single

LOCKABLE BOX

Small model



- Supplied with A5 landscape header card.
- Constructed of high quality acrylic.
- Super grip, non slip rubber feet.
- Slot size: 110 x 10 mm.
- Lockable supplied with 2 keys.



Acrylic 3 mm with showcard stand - Standard

	H/mm	Lg/mm	D/mm	
KAD36	180	220	150	Single

DISPLAY STAND

Clear injected





	H/mm	Lg/mm	D/mm	
★ KAD37	120	102	102	Pack of 20

HANG TABS



BESTPRODUCT

You can easily find all our **BEST** products anywhere in the catalogue using this pictogram



A VERY WIDE RANGE OF PRODUCTS

Adhesive hangers that allow you to hang all types of packaging or to strengthen or repair them.



100% RECYCLABLE

Our Hang Tabs are made of PET, a common category 1 plastic recognised by the recycling sector.

CUSTOMISED

Your Hang Tabs can be customised according to your needs or to facilitate specific packaging.



CHOOSE ITS USE

HANGING

REINFORCING

REPAIRING

CHOOSE ITS HOOK



DELTA SLOT: Reference to the USA. Suitable for single or double arms.



EUROSLOT: European reference for single or double arms. Excellent hold.
Also available as a double tab.



ROUND HOLE: Suitable for single arms. Ideal for small and light products. Also available as a double tab.



OPEN HOOK: Allows the product to be removed from any position on the arm.

SELECT THE RIGHT HANG TAB RANGE ACCORDING TO THE WIDTH OF THE PACKAGING



Self-adhesive surface from 15 to 30 mm wide depending on model



Self-adhesive surface 40 x 35 mm





Self-adhesive surface 50 x 50 mm



Self-adhesive surface 18 to 65 mm

CHOOSE THE HANG TAB ACCORDING TO THE WEIGHT OF THE PACKAGING

THE FLEXI RANGE: MAXIMUM

WEIGHT 250/300 G

- Consists of:
- > a rigid upper part in 250 μ > a flexible adhesive lower part to match the shape of your packaging or to stick onto the packaging
- Available in rolls, sheets or blocks but never in bulk.
- Once positioned on the packaging, the flexible part allows you to fold down the upper part without disturbing the packaging of the boxes.

THE RIGID RANGE:



- Consists of a rigid 380µ PET support with:
- > Either a high quality double-sided acrylic adhesive. > Or a permanent foam to absorb variations in the flatness of the product.
- Available in rolls, sheets or bulk but never in blocks.
- 2 finishes:
- > A non-folding product that can disturb overwrapping - some folding references.

CHOOSE ITS POSITIONING











SUITABLE FOR USE ON SINGLE OR DOUBLE ARMS








RIGID 380µ





• Packed in a box.

Rigid - Standard adhesive : 18 mm

★ BLI321/1000

Large : 40 x 34 mm

Pack of 1000

HANGING



- Large Hang tab, rounded corners.
- Packed in rolls


Rigid - Standard adhesive: 22 mm

BLI382/2000 Large

Large : 45 x 45 mm

Reel of 2000

FLEXI 250µ



- Large
- Pad of 10 hang tabs.
- Packed in boxes 1000.

Foldable - Flexi adhesive : 28 mm

BLI1004/1000 Large: 50 x 50 mm

Pack of 1000

FOLDABLE

8-4 | Hang tabs





RIGIDS 380µ








- Large hang tab Saddle hanger, rounded corners.
- Packed in rolls.
- 3 Folding lines

Rigid - Standard adhesive : 18 mm

BLI155/2000

Large: 50 x 100 mm

Roll of 2000



FLEXI 250µ

- Large hang tab, square shape.
- Block of 10 hang tabs.
- Packed in boxes of 1000.


Foldable - Flexi adhesive: 28 mm

★ BLI5/1000

Large: 50 x 50 mm

Pack of 1000

FOLDABLE



- Large hang tabs with rounded corners.
- Packed in rolls.



Foldable - Flexi adhesive: 27 mm

BLI360/R1000

Large : 50 x 50 mm

Roll of 1000



• Packed in rolls.

BLI364/4000



Foldable - Flexi adhesive: 16 mm

BLI364/1000 Large: 44 x 37 mm

Large: 44 x 37 mm





Roll of 4000

- Medium hang tabs with rounded corners.
- On sheet of 24, 50 sheets per pack.




Foldable - Flexi adhesive: 15 mm

BLI55429/1200 Large: 40 x 35 mm



Pack of 1200






ADAPTED FOR A USE ON SIMPLE HOOK ENSURE THE HANGING OF SMALL SIZE AND LIGHT PRODUCT

FLEXI 250µ



- Small hang tab, Ø hole 10 mm.
- Block of 10 hang tabs.
- Packed in boxes of 1000.






Foldable - Standard adhesive : 25 mm

BLI1011/1000


Dimensions: 25 x 50 mm

Pack of 1000



• On sheets of 48, 42 sheets per pack.







Rigid - Standard adhesive : 9 mm

BLI55430/1000

Dimensions: 20 x 31 mm

Pack of 2000

NOT SURE WHICH HANGTAB IS BEST FOR YOUR PRODUCTS?

CONTACT US FOR A SAMPLE PACK SELECTION TODAY!"



ENSURE THE RECALL OF THE PRODUCS WHEREVER THE POSITION ON THE HOOKS.

RIGID 380µ



- Roll of 1000 small hang tabs.
- Packed as a roll.




Rigid - Standard adhesive: 12 mm

★ BLI394/1000

Dimensions: 22 x 35 mm

Roll of 1000

RIGID 500µ



• Roll of 1000 or 3000 small hang tabs.

• Packing in rolls.



Foldable - Standard adhesive : 18 mm

BLI391/1000	Dimensions : 28 x 45 mm
BLI391/3000	Dimensions : 28 x 45 mm

Roll of 1000

- Pack of 1000 medium hang tabs.
- Packing in sheets.

Foldable - Foam adhesive : 18 mm

BLI55431/1000

Dimensions : 30 x 45 mm

FOLDABLE

Roll of 1000



WE HAVE A MUCH LARGER RANGE OF HANGTABS THAT

CAN BE MADE TO ORDER.

CONTACT US FOR SPECIAL REQUESTS









INJECTED



- Box of 1000 injected tabs.
- Packed in a box.



Injected - Foam adhesive: 8 mm



Width: 18 mm

Pack of 1000



- Box of 1000 injected tabs.
- Packed in a box.

Injected - Foam adhesive : 8 mm

BLI516

Width: 36 mm

Pack of 1000



- Box of 1000 injected tabs.
- Packed in a box.

Injected - Foam adhesive : 8 mm


BL1522 Width: 50 mm Pack of 1000

HANG TABS

RIGID 'U'HANG TAB 250µ


- Roll of 'U' hang tabs
- Packing in rolls.





Foldable - Standard adhesive: 2 strips of 9 x 32 mm

BLI398/1000	Dimensions : 32 x 62 mm	Roll of 1000
BLI398/4000	Dimensions : 32 x 62 mm	Roll of 4000



FLEXIBLE STRIP



- Pad of 10 PET flexi handles 15x200.
- Pack of 1000 (100 pads of 10).




★)BLI11

Dimensions: 200 x 15 mm Pack of 1000



SUPPORT

REINFORCING



- Roll of 6000.
- Packed in rolls.

BLI375/6000 Dimensions : 45 x 18 mm Roll of 6000



"Euroslot" hole

HOLE PUNCHER

- Retail Hole Puncher for Packaging
- Capacity 1.5mm Cardboard or 1mm PVC
- Hole size: 32mm by 6.5mm (9mm peak)



HAN50

"Euroslot" hole

Single

REQUEST A SAMPLE



Free* samples available on most items, call, email or visit today to discuss your needs and get samples for testing!

Company:		Department:	
Recipient:			
Address:			
Postcode:		City:	
Tel.:		Fax:	
Email address:			
Ref.:	Page:	Ref.:	Page:
Ref.:	Page:	Ref.:	Page:
Ref.:	Page:	Ref.:	Page:
Ref.:	Page:	Ref.:	Page:
Ref.:	Page:	Ref.:	Page:
Ref.:	Page:	Ref.:	Page:



Need to buy bulk?

Call or email us for competitive bulk order and trade pricing.

Request your samples



WEBSITE

www.hanganddisplay.com.au



EMAIL

sales@hanganddisplay.com.au



TEL.

02 9708 3774

INDEX

ALPHABETICAL INDEX

A	
ALUMINIUM WOBBLERS	1-2
ACCESSORIES FOR HOOKS	
ACRYLIC ACCESSORIES	
ADHESIVE HOOKS	
AISLE BLADE HOLDERS	
ALUMINIUM FRAMES	
ALUMINIUM STANDS	
ANTI-THEFT ACCESSORIES	
В	
BADGES	7-18
BANNER HANGERS BASES	2-12
BANNER TETHERS	3-22
BINDING ACCESSORIES	5-30
BINDING SCREWS	5-4
BROCHURE HOLDER	7-15
С	_
CARD HOLDERS & GRIPS	
CARDBOARD DISPLAY ACCESSORIES	
CHALKBOARD	
CLAMP POSTER HOLDERS	
COUPON HOLDER	
CROSS-MERCHANDISING	0-2
DELTA SLOT HANG TABS	8-4
DISPLAY ACCESSORIES	
DISPLAY MOVEMENT ACCESSORIES	
DIVIDER RAILS	
DIVIDER STOPS	
DIVIDERS	
DOUBLE-SIDED	
DOUBLE-SIDED PADS	5-14

E	
EUROSLOT HANG TABS	8-5
F	
'FLAG' CLIP HANGER	1-13
FLAG HOLDER	
FLIPPER LABEL HOLDERS	
FREE-STANDING SIGN HOLDER	
FREE-STANDING TICKET HOLDER	7-2
G	1-5
GRIP HANGER GRIPS AND HINGES	
н	
HANDLES	5-31
HANGER CHAINS	
HEADER HOLDERS	
HOOK & LOOP HOOK HANG TABS	
HOOK SECURITY ACCESSORIES	
	3 20
LABEL HOLDER	4-2
LABEL HOLDER	7-5
М	
MAGNETIC ROLLS	5-12
MAGNETIC SIGN HOLDERS	1-12
MAGNETIC SUPERGRIP	
METAL HOOKS	
METAL HOOKS	5-20
NYLON SUSPENSION WIRE	3-8
NYLON TIES	5-8

PET WOBBLERS	1-3
PIN TICKET HOLDERS	7-4
PLASTIC HOOKS	5-15
PLASTIC STUDS	5-5
POCKETS	7-8
PUSHERS	6-12
R	
RINGS	3-14
ROD HANGERS	3-10
ROUND HANG TABS	8-6
S	
SHELF BANNER HANGERS	2-2
SNAP FRAMES	7-14
SNAP RIVETS	5-2
SPECIAL HANG TABS	8-9
STRIPS AND STANDS	6-11
SUCTION CUPS	3-18
SUPERGRIP	1-8
SUPERGRIP FOR WIRE ATTACHMENT	1-15
SUSPENDED CEILING ATTACHMENTS	
SUSPENSION HOOK RODS	
SUSPENSION HOOKS	3-17
Т	
TAGGING GUNS	
TICKET HOLDER	7-5
W	
WALL BANNER HANGERS	2-6
WINDOW SUPERGRIPS	1-14
WIRE HANGING SYSTEMS	3-12
WOBBLERS	1-4

REFERENCE NO. INDEX

RÉF	PAGE	RÉF	PAGE	RÉF	PAGE	RÉF	PAGE
ABWC	1-11	BAN16/H	2-2	CAL2	3-22	COR6B	5-24
ACH	3-7	BAN17/H	2-3	CAL3	3-22	COR8	5-26
APS/A1/BT/B	7-12	BAN21	2-4	CAL4	3-22	COR9	5-26
APS/A1/BT/S	7-12	BAN30/A	2-6	CAL5	3-23	CPE/1000	4-6
ATT14	3-15	BAN30/B	2-6	CAL6	3-23	CPE/1200	4-6
ATT14	5-8	BAN30/L	2-6	CAL7	3-23	CPE/914	4-6
ATT18/120/Z	5-9	BAN30/P	2-6	CAL8	3-23	DIS11/3	5-5
ATT18/200/Z	5-9	BAN31	2-7	CAL10	3-23	DIS11/6	5-5
ATT22/50	3-15	BAN31/ACC/A	2-6	CHA3	3-16	DIS11/9	5-5
ATT32/150	5-30	BAN32	2-7	CHA9	3-14	DIS13/10/BLK	5-4
ATT33/15	5-30	BAN33	2-7	CHA9/30	3-14	DIS13/10/NKL	5-4
ATT33/20	5-30	BAN34	2-3	CLI10	3-17	DIS13/10/T	5-4
ATT9A-125	5-9	BLI1004/1000	8-4	CLI17	3-17	DIS13/10/WHT	5-4
ATT9B-225	5-9	BLI1011/1000	8-6	CLI17	7-18	DIS13/12/BLK	5-4
BAC1/190	7-13	BLI11	5-31	CLI22	1-16	DIS13/12/NKL	5-4
BAC1/240	7-13	BLI11	8-9	CLI23	1-16	DIS13/12/WHT	5-4
BAC1/305	7-13	BLI155/2000	8-5	CLI6/10T	3-17	DIS13/15/NKL	5-4
BAD1	7-19	BLI321/1000	8-4	CLI9	3-17	DIS13/15/T	5-4
BAD12	7-20	BLI360/R1000	8-5	CLI9/B	3-17	DIS13/20/NKL	5-4
BAD15	5-30	BLI364/1000	8-5	COR11	5-25	DIS13/25/NKL	5-4
BAD15	7-8	BLI364/4000	8-5	COR12	5-25	DIS13/5/NKL	5-4
BAD15	7-20	BLI375/6000	8-9	COR13	5-25	DIS13/5/T	5-4
BAD16	7-21	BLI382/2000	8-4	COR14	5-26	DIS13/ACC/OOG	3-16
BAD19	7-21	BLI391/1000	8-7	COR15	5-26	DIS13/ACC/OOG	5-4
BAD1B	7-19	BLI391/3000	8-7	COR18T	5-25	DIS14/156	5-5
BAD1BP	7-19	BLI394/1000	8-7	COR19T	5-25	DIS14/21	5-5
BAD23	7-20	BLI398/1000	8-9	COR19W	5-25	DIS14/26	5-5
BAD26	7-20	BLI398/4000	8-9	COR2	5-24	DIS14/50	5-5
BAD33	7-19	BLI5/1000	8-5	COR20	5-27	DIS14/62	5-5
BAD5	7-19	BLI502	8-8	COR21	5-27	DIS19/15	5-3
BAD54/B	7-18	BLI516	8-8	COR3	5-24	DIS19/22	5-3
BAD54/BLU	7-18	BLI522	8-8	COR4	5-24	DIS19/38	5-3
BAN02	7-15	BLI55429/1200	8-5	COR5	5-24	DIS21/9	5-3
BAN12	2-4	BLI55430/1000	8-6	COR50	5-27	DIS5/12	5-2
BAN13	2-2	BLI55431/1000	8-7	COR50/B	5-27	DIS5/20	5-2
BAN14	2-2	BRO4	7-15	COR6	5-24	DIS5/25	5-2

REF	PAGE	REF	PAGE	REF	PAGE	REF	PAGE
DIS6/12	5-5	HAN19/100	3-8	HOO13T	3-14	KAD1M/A5	7-10
DIS6/3	5-5	HAN19/120	3-8	HOO14/19	3-15	KAD2/1000	3-2
DIS6/6	5-5	HAN19/140	3-8	HOO14/25	3-15	KAD2/1200	3-2
DIS6/9	5-5	HAN19/160	3-8	HOO14/38	3-15	KAD2/1270	3-2
DIS8/5	5-2	HAN19/180	3-8	HOO14/50	3-15	KAD2/1520	3-2
DIS9/3	5-2	HAN19/40	3-8	HOO14/63	3-15	KAD2/2010	3-2
DIS9/5	5-2	HAN19/60	3-8	HOO14/76	3-15	KAD2/420	3-2
DOC1	5-30	HAN19/80	3-8	HOO15/35	3-14	KAD2/594	3-2
DOC3/PVC	5-30	HAN2	3-4	HOO19	3-11	KAD2/610	3-2
DOT4/12,7	5-28	HAN20/100	3-10	HOO20N	3-11	KAD2/841	3-2
DOT4/8,5	5-28	HAN20/150	3-10	HP008	7-7	KAD2/914	3-2
DOT5	5-28	HAN20/200	3-10	HP05	5-6	KAD35	7-22
DRH10	5-30	HAN20/300	3-10	HP06	5-6	KAD36	7-22
DRH14	5-30	HAN20/400	3-10	НР06М	5-6	KAD37	7-22
DRH15	5-30	HAN20/600	3-10	HP115W	5-16	KAD3M	7-11
DRH3	5-30	HAN20/900	3-10	HP12	5-17	KAD3MWP	7-11
DRH5	5-30	HAN23	3-9	HP120W	5-16	KAD3W/A1/B	7-10
FLA10	2-8	HAN24	3-9	HP15	5-17	KAD5NW/A0	7-11
FLA11	2-8	HAN3	3-5	HP150W	5-16	KAD5NW/A1	7-11
FLA2	2-8	HAN30	3-10	HP18	5-17	KAD9W/A0	7-11
FLA7	2-8	HAN32	3-9	HP200W	5-16	KAD9W/A1	7-11
FLA8	2-8	HAN33	1-16	HP2100	7-6	KAD9W/TOOL	7-11
FLA9	2-8	HAN33/B	1-16	HP22	5-17	LAB11/26/1200	4-6
FOA10/25 *	5-14	HAN35	3-4	HP2210	7-6	LAB11/26/914	4-6
FOA4/RT15 *	5-14	HAN4	3-4	НР3	5-17	LAB11/33/75	4-6
FOT5/25	3-4	HAN40/200	3-8	HP3-1	5-17	LAB11/39/1200	4-6
FOT5/40	3-4	HAN40/25	3-8	HP70W	5-16	LAB11/39/75	4-6
FRA10	2-12	HAN50	8-9	KAD10/A3	7-12	LAB12/26/1200	4-4
FRA11	2-12	HAN7	3-6	KAD10/A4	7-12	LAB12/26/914	4-4
FRA12	2-12	HAN8	3-6	KAD10/FLX/A3	7-12	LAB12/39/1200	4-4
HAN0	3-5	HAN9	3-6	KAD10/FLX/A4	7-12	LAB12/39/914	4-4
HAN1	3-5	HND2	5-31	KAD13/A4H	7-15	LAB13J	5-6
HAN10	3-6	HND4/T	5-31	KAD13/A4V	7-15	LAB14/FMA/26/1200	4-4
HAN12/1200	3-8	HND4/Z	5-31	KAD17	7-13	LAB14/FMA/26/914	4-4
HAN12/1900	3-8	HND5/B	5-31	KAD1M/A0	7-10	LAB14/FMA/39/1200	4-4
HAN13	3-7	HND5/W	5-31	KAD1M/A1	7-10	LAB14/FMA/39/914	4-4
HAN15	3-9	H0011	3-14	KAD1M/A2	7-10	LAB14/TMA/26/1200	4-4
HAN16	3-9	HOO12T	3-14	KAD1M/A3	7-10	LAB14/TMA/26/914	4-4
HAN17	3-9	H0013B	3-14	KAD1M/A4	7-10	LAB14/TMA/39/1200	4-4

REF	PAGE	REF	PAGE	REF	PAGE	REF	PAGE
LAB14/TMA/39/914	4-4	LEAW28	3-13	PEG14FLIP39X55	4-7	PEN1	5-32
LAB15/26/1200	4-4	LEAW29	3-13	PEG14FLIP39X80	4-7	PEN10	7-13
LAB15/39/1200	4-4	LEAW30	3-13	PEG14SCAN/100	5-20	PEN11	7-13
LAB23	4-7	LEAW31	3-13	PEG14SCAN/150	5-20	PEN3	5-32
LAB24	4-7	LEAW32	3-13	PEG14SCAN/225	5-20	POC1/A3P/ADH	7-8
LAB30/25	1-5	LEAW33	3-12	PEG14SCAN/300	5-20	POC1/A4L	7-8
LAB30/25	5-26	LEAW34	3-12	PEG16/100	5-20	POC1/A4P	7-8
LAB33/36	4-2	LEAW35	3-12	PEG16/150	5-20	POC1/A4P/ADH	7-8
LAB4/15	4-3	LED1/B	5-29	PEG16/200	5-20	POC1/A5L	7-8
LAB4/26	4-3	LED1/G	5-29	PEG16/75	5-20	POC1/A5P	7-8
LAB4/30	4-3	LED1/R	5-29	PEG2	5-18	POC1/A5P/ADH	7-8
LAB4/33	4-3	LED1/W	5-29	PEG20	5-22	POC1/A6P	7-8
LAB4/39	4-3	LED1/Y	5-29	PEG21	5-22	POC1/A7P	7-8
LAB4/52	4-3	LOCK1	5-23	PEG24	5-22	POC1/DL	7-8
LAB4/60	4-3	MAG/CLIP	5-12	PEG3	5-18	POC10/A3	7-9
LAN1	7-21	MAG10	3-7	PEG30	5-22	POC10/A4	7-9
LAN2	7-21	MAG12	5-12	PEG300LOK	5-23	POC2/A3H	7-9
LAN3	7-21	MAG12/L	5-12	PEG301KEY	5-23	POC2/A3V	7-9
LAN4	7-21	MAG21/C	2-11	PEG34/100	5-15	POC2/A4H	7-9
LEA1/BIZ/L	7-16	MAG22	2-11	PEG34/100/B	5-15	POC2/A4V	7-9
LEA1/BIZ/L8	7-16	MAG23/A	2-10	PEG39	5-23	POC2/A5H	7-9
LEA31/T	7-2	MAG23/B	2-10	PEG4	5-18	POC2/A5V	7-9
LEA3H/DL	7-16	MAG23/D	2-9	PEG42	5-23	POC2/A6H	7-9
LEA4/A4PB	7-17	MAG23/E	2-9	PEG43/100/B	5-21	POC2/A6V	7-9
LEA4/A4PB/4T	7-17	MAG23/F	2-9	PEG43/100/C	5-21	POC2/A7H	7-9
LEA4/A4PWB	7-16	MAG24	1-12	PEG43/100/W	5-21	POC2/A7V	7-9
LEA5/A5PB	7-17	MAG30/12/30	5-12	PEG43/150/B	5-21	POC4/A4H	7-9
LEA5/A5PB/4T	7-17	MAG30/19/30	5-12	PEG43/150/C	5-21	POC4/A4V	7-9
LEA5/A5PWB	7-16	MAG41	2-10	PEG43/150/W	5-21	POC4/A5H	7-9
LEA52/T	7-2	MAG42	1-12	PEG43/200/B	5-21	POC4/A5V	7-9
LEA6/DL/4T	7-17	MAG7	1-10	PEG43/200/C	5-21	POS1/1000	3-2
LEA6/DLC	7-17	MAG7/4	1-10	PEG43/200/W	5-21	POS1/1200	3-2
LEA6/DLWB	7-16	MAG7/5	1-10	PEG43/50/B	5-21	POS1/297	3-2
LEAW24/100	3-12	MAG8	7-18	PEG43/50/C	5-21	POS1/420	3-2
LEAW24/300	3-12	MAG8/R/100	7-18	PEG43/50/W	5-21	POS1/594	3-2
LEAW24/600	3-12	PEG14FLIP26X50	4-7	PEG6	5-18	POS1/610	3-2
LEAW24/900	3-12	PEG14FLIP26X75	4-7	PEG6/B	5-18	POS1/841	3-2
LEAW26	3-10	PEG14FLIP26X75GR	4-7	PEG7	5-18	POS10	3-3
LEAW27	3-13	PEG14FLIP26X80	4-7	PEG7/B	5-18	POS13/1000	3-3

REF	PAGE	REF	PAGE	REF	PAGE	REF	PAGE
POS13/1200	3-3	RAZ5/W	2-5	SUP 5/5/150	1-8	SUP66/75	1-10
POS13/1500	3-3	RAZ6/5	1-12	SUP PP2/R	7-3	SUP66/M	1-10
POS13/297	3-3	RAZ6/5/5	1-12	SUP1	1-9	SUP66A-25	1-10
POS13/420	3-3	RAZ6/66	1-12	SUP1/15	1-9	SUP66A-75	1-10
POS13/594	3-3	RAZ6/66A	1-12	SUP1/3-5	1-9	SUP67	1-11
POS13/610	3-3	S153	3-11	SUP2	1-9	SUP67/F	1-11
POS13/841	3-3	SHE16/10	1-13	SUP24/150	1-8	SUP68	1-11
POS14	3-3	SHE16/13	1-13	SUP24/75	1-8	SUP69	1-6
POS3	3-2	SHE16/20	1-13	SUP25	1-9	SUP7	1-9
POS8/18/1000	3-3	SHE17	1-13	SUP26	1-9	SUP72	1-6
POS8/18/1200	3-3	SHE2	1-16	SUP28	1-5	SUP75	1-5
POS8/18/1500	3-3	SHE5	1-7	SUP29	1-5	SUP77	1-14
POS8/18/297	3-3	SHE7	1-7	SUP30	1-5	SUP79	1-11
POS8/18/420	3-3	SOL1	5-29	SUP36	1-6	SUP7M/150	1-10
POS8/18/594	3-3	STR10/19H	5-11	SUP37	1-5	SUP7M/75	1-10
POS8/18/841	3-3	STR10/19H/B	5-11	SUP38	1-5	SUP8	1-8
PRO1/100/3	5-19	STR10/19L	5-11	SUP39	1-6	SUP9	1-8
PRO1/100/B	5-19	STR10/19L/B	5-11	SUP4	1-9	TAB12	5-29
PRO1/50/3	5-19	SUC1/22/UV	3-19	SUP47	1-15	TAB3/100/T	5-29
PRO1/50/B	5-19	SUC1/25	3-19	SUP5	1-9	TAB3/150/T	5-29
PRO10/100	5-19	SUC1/33	3-20	SUP5/5/25	1-8	TAB3/225/T	5-29
PRO10/150	5-19	SUC1/40	3-19	SUP5/5/35	1-8	TGF08938	5-10
PRO10/Z/100	5-19	SUC1/50	3-19	SUP5/5/75	1-8	TGF10347/2	5-10
PRO10/Z/150	5-19	SUC1/60	3-19	SUP50	1-15	TGF10670	5-10
PRO2	5-15	SUC14	3-19	SUP52	1-15	TGH08901	5-10
PTGIII/10651	5-10	SUC15	3-19	SUP54	1-15	TIC11/V	7-4
PTGIII/108941S	5-10	SUC16	3-21	SUP55/25	5-6	TIC12/60	7-4
PUL1	5-32	SUC2/25	3-20	SUP55/38	5-6	TIC12/80	7-4
PUL2	5-32	SUC2/40	3-20	SUP56	5-6	TIC13	7-4
PUL2B	5-32	SUC3	3-18	SUP57	5-7	TIC23	7-5
RAL4	4-5	SUC4	3-18	SUP58	5-7	TIC27	7-6
RAL5	4-5	SUC5	3-20	SUP59	5-7	TIC28	7-5
RAL6	4-5	SUC50	3-21	SUP60	5-7	TIC28	7-6
RAZ2/150	2-5	SUC6	3-18	SUP61	5-7	TIC32	7-3
RAZ2/300	2-5	SUC6/WT	3-18	SUP62	1-14	TIC39	7-7
RAZ3/300	2-5	SUC7/42	3-20	SUP63	1-14	TIC46/100	7-3
RAZ3/600	2-5	SUC7/58	3-20	SUP63L/40	1-14	TIC60	7-7
RAZ4/B	2-5	SUC8	3-21	SUP63L/60	1-14	TIC61	7-7
RAZ4/W	2-5	SUC9	3-21	SUP66/25	1-10	TIC62	7-5

TICB 7-2 TICP 7-2 TICP 7-2 TRI 3-9 TRI2 3-9 TRI4 3-9 TW4 5-17 TW6 5-17 TW6 5-17 TW6 5-17 WOB1/R 1-3 WOB1/R 1-3 WOB1/R 1-3 WOB2/R/TO 1-2 WOB3/1 1-7 WOB301 1-7 WOB301 1-7 WOB301 1-7 WOB301 1-7 WOB301 1-4 WOB3/25 1-4 WOB4/20 1-4 WOB4/20 1-4 WOB4/20 1-4 WOB5/15 1-4 WOB5/15 1-4 WOB5/15 1-4 WOB5/15 1-4 WOB5/15 1-4 WOB5/18 1-3 WOB5/1	REF	PAGE	REF PAGE	REF PAGE	REF PAGE
TRI1 3-9 TRI2 3-9 TRI4 3-9 TW4 5-17 TW6 5-17 TW6 5-17 WOB1/R 1-3 WOB14 1-3 WOB19 1-3 WOB2/100 1-2 WOB2/F100 1-2 WOB2/R/100 1-2 WOB2/R/100 1-2 WOB2/R/100 1-2 WOB2/R/100 1-2 WOB2/R/100 1-2 WOB3/2 1-2 WOB3/3 1-4 WOB3/3 1-4 WOB3/3 1-4 WOB4/30 1-4 WOB5/15 1-4 WOB5/15 1-4 WOB5/25 1-4	TIC8	7-2			
TRI2 3-9 TRI4 3-9 TW4 5-17 TW6 5-17 WOB1/R 1-3 WOB14 1-3 WOB2/100 1-2 WOB2/R/100 1-2 WOB3/10 1-7 WOB3/10 1-7 WOB3/10 1-7 WOB3/10 1-4 WOB3/20 1-4 WOB4/30 1-4 WOB5/15 1-4 WOB5/15 1-4	TIC9	7-2			
TRI4 3-9 TW4 5-17 TW6 5-17 TW6 5-17 WOB1/R 1-3 WOB14 1-3 WOB2/100 1-2 WOB2/F100 1-2 WOB2/R/100 1-2 WOB2/R/100 1-2 WOB2/R/100 1-2 WOB2/R/100 1-2 WOB20 1-2 WOB3/2 1-2 WOB3/2 1-2 WOB3/2 1-4 WOB3/2 1-4 WOB3/2 1-4 WOB3/2 1-4 WOB3/2 1-4 WOB3/2 1-4 WOB5/15 1-4 WOB5/15 1-4 WOB5/15 1-4	TRI1	3-9			
TW4 5-17 TW6 5-17 WOB1/R 1-3 WOB14 1-3 WOB19 1-3 WOB2/100 1-2 WOB2/F100 1-2 WOB2/R/100 1-2 WOB2/R/100 1-2 WOB20 1-2 WOB20 1-2 WOB3/2 1-2 WOB3/2 1-2 WOB3/2 1-2 WOB3/13 1-4 WOB3/20 1-4 WOB4/30 1-4 WOB5/15 1-4 WOB5/25 1-4	TRI2	3-9			
TW6 5-17 WOB1/R 1-3 WOB14 1-3 WOB19 1-3 WOB2/100 1-2 WOB2/F100 1-2 WOB2/R/100 1-2 WOB2/R/100 1-2 WOB2/R/100 1-2 WOB20 1-2 WOB23/100 1-2 WOB3/2 1-2 WOB3/2 1-2 WOB3/2 1-4	TRI4	3-9			
WOB1/R 1-3 WOB14 1-3 WOB19 1-3 WOB2/100 1-2 WOB2/F100 1-2 WOB2/R/100 1-2 WOB2/R/100 1-2 WOB2/R/100 1-2 WOB20 1-2 WOB23/100 1-2 WOB3/2 1-2 WOB3/2 1-2 WOB3/3 1-4 WOB3/2 1-4	TW4	5-17			
WOB14 1-3 WOB19 1-3 WOB2/100 1-2 WOB2/F100 1-2 WOB2/R/100 1-2 WOB2/R/100 1-2 WOB20 1-2 WOB23/100 1-2 WOB3/2 1-2 WOB3/2 1-2 WOB3/3 1-4 WOB3/2 1-4 WOB4/20 1-4 WOB4/30 1-4 WOB5/15 1-4 WOB5/15 1-4	TW6	5-17			
WOB19 1-3 WOB2/100 1-2 WOB2/F100 1-2 WOB2/R/100 1-2 WOB2/R/100 1-2 WOB20 1-2 WOB23/100 1-2 WOB3/2 1-2 WOB3/2 1-7 WOB3/1 1-7 WOB3/1 1-4 WOB3/2 1-4	WOB1/R	1-3			
WOB2/100 1-2 WOB2/R/100 1-2 WOB2/R/100 1-2 WOB2/R/F100 1-2 WOB20 1-2 WOB23/100 1-2 WOB3/2 1-2 WOB3/2 1-2 WOB3/2 1-4 WOB4/2 1-4 WOB4/2 1-4 WOB4/3 1-4 WOB5/15 1-4 WOB5/25 1-4	WOB14	1-3			
WOB2/F100 1-2 WOB2/R/100 1-2 WOB2/R/F100 1-2 WOB20 1-2 WOB23/100 1-2 WOB3/2 1-2 WOB3/2 1-7 WOB301 1-7 WOB33/13 1-4 WOB3/25 1-4 WOB4/20 1-4 WOB4/30 1-4 WOB5/25 1-4	WOB19	1-3			
WOB2/R/100 1-2 WOB2/R/F100 1-2 WOB20 1-2 WOB23/100 1-2 WOB3/2 1-2 WOB301 1-7 WOB33/13 1-4 WOB33/25 1-4 WOB4/20 1-4 WOB4/30 1-4 WOB5/15 1-4 WOB5/25 1-4	WOB2/100	1-2			
WOB2/R/F100 1-2 WOB20 1-2 WOB23/100 1-2 WOB3/2 1-2 WOB301 1-7 WOB33/13 1-4 WOB33/25 1-4 WOB4/20 1-4 WOB4/30 1-4 WOB5/15 1-4 WOB5/25 1-4	WOB2/F100	1-2			
WOB23/100 1-2 WOB3/2 1-2 WOB301 1-7 WOB33/13 1-4 WOB33/25 1-4 WOB4/20 1-4 WOB4/30 1-4 WOB5/15 1-4 WOB5/25 1-4	WOB2/R/100	1-2			
WOB23/100 1-2 WOB3/2 1-2 WOB301 1-7 WOB33/13 1-4 WOB33/25 1-4 WOB4/20 1-4 WOB4/30 1-4 WOB5/15 1-4 WOB5/25 1-4	WOB2/R/F100	1-2			
WOB3/2 1-2 WOB301 1-7 WOB33/13 1-4 WOB33/25 1-4 WOB4/20 1-4 WOB4/30 1-4 WOB5/15 1-4 WOB5/25 1-4	WOB20	1-2			
WOB33/13 1-4 WOB33/25 1-4 WOB4/20 1-4 WOB4/30 1-4 WOB5/15 1-4 WOB5/25 1-4	WOB23/100	1-2			
WOB33/13 1-4 WOB33/25 1-4 WOB4/20 1-4 WOB4/30 1-4 WOB5/15 1-4 WOB5/25 1-4	WOB3/2	1-2			
WOB33/25 1-4 WOB4/20 1-4 WOB4/30 1-4 WOB5/15 1-4 WOB5/25 1-4	WOB301	1-7			
WOB4/20 1-4 WOB4/30 1-4 WOB5/15 1-4 WOB5/25 1-4	WOB33/13	1-4			
WOB4/30 1-4 WOB5/15 1-4 WOB5/25 1-4	WOB33/25	1-4			
WOB5/15 1-4 WOB5/25 1-4	WOB4/20	1-4			
WOB5/25 1-4	WOB4/30	1-4			
	WOB5/15	1-4			
WOB55188 1-3	WOB5/25	1-4			
	WOB55188	1-3			

Notes		
79		

Notes	 	 	
· · · · · · · · · · · · · · · · · · ·			

Notes		
74		

Notes	 	 ••••
19		

Notes			
	 ••••••	•	
79			

Notes					
	***************************************	•••••	•••••	,	
1					

HANG & DISPLAY GENERAL TERMS AND CONDITIONS OF SALE

1 - GENERAL

- 1.1 In these conditions 'The Company' refers to Hang & Display Pty Ltd and the 'Customer' refers to the purchaser of the goods.
- 1.2 The Customer agrees that the conditions set out below shall be incorporated into any contract with the Company.
- 1.3 Clerical errors may be corrected by the Company at any time

2 - FORMATION OF CONTRACT

- 2.1 The Customer's standard terms or any other terms provided by the Customer shall not be incorporated into the contract or any variation thereof less expressly accepted by the Company in writing.
- 2.2 The order consists of an acceptance by The Company to supply the goods and or services upon The Company's terms and conditions here set out and shall, unless previously cancelled by The Company by written notice to The Customer, be deemed to be accepted upon

receipt by The Company of The Customers' written or verbal instructions to supply goods and or services, by accepting delivery of any part of the Goods and or services. The Terms and Conditions here set out shall apply to the contract to the exclusion

of all Customer order terms and conditions on which any purchase order has been given to The Company or subject to when the order is accepted or purported to be accepted

by The Company. Neither party shall be bound by any variation, waiver or addition or exclusion to the terms and conditions here set out unless agreed in writing between the authorised representative of The Company and The Customer.

3 - OUOTATIONS

- 3.1 All prices are, unless otherwise stated, quoted Ex Works exclusive of delivery costs and GST. The Company reserves the right to be exercised at it's discretion, to vary the price of goods, if, subsequent to the date of the quotation there is any increase or decrease in the total cost to the Company of producing or acquiring the goods which is beyond the Company's control.
- 3.2 In such an event the Company will give written notice to the Customer before delivery. If such alteration increases the price, the Customer may cancel the relevant order by notice given to the Company within 3 days of the date of the notification of the increase by the Company.

4 - SAMPLES

The Company may at its discretion submit a sample to the Customer for approval before executing the bulk of the order, which will only be commenced on receipt of such approval in writing. All goods in respect of which is sampled is so approved shall be deemed to have been satisfactorily tested by the Customer and to comply with the specification for the goods.

5 - WARRANTIES

- 5.1 The goods shall be of satisfactory quality and will conform to any specification agreed by the Company in writing, within the normal limits of industrial quality for such goods.
- 5.2 The liability of the Company for breach of the above term, or any claim in respect of any defect in the goods, shall be limited to replacement of the defective goods or, at
- the Company's option, reimbursement of the price paid for those goods. The company's responsability is strictly limited to the pure and simple replacement of any defective recognized goods /parts by cross-examination after return in our stores, whatever the nature of the defect is. This excludes any damages & failures whatever they are.
- 5.3 The Customer shall not be entitled to make any claim in respect of any such defective goods unless the claim is notified to the Company in writing within 7 days from delivery of the goods.
- 5.4 The Company shall not be liable to the customer where the defect or damage in respect of which a claim is made has been caused or contributed to by:
- 5.4.1 Abnormal usage of the goods. The company cannot accept complaints for goods which were used or transformed by the buyer.
- 5.4.2 An act or omission of anyone other than The Company.
- 5.5 Any particular purpose for which the goods are to be fit must be agreed in writing between the Company and the Customer. If no such agreement is made, the customer
- acknowledges and agrees that he has not made known expressly or by implication to the Company any particular purpose for which the goods are being bought.
- 5.6 Save as set out above
- 5.6.1 All terms relating to the quality of the goods or to the fitness to the goods for a particular purpose are excluded from any contract between the Company and the Customer.
- $5.6.2\,The\,Company\,shall\,be\,under\,no\,liability\,in\,respect\,of\,any\,defect\,in\,the\,goods.$

6 - DELIVERY

6.1 Time is not of the essence of the contract.

6.2 If the Company does not deliver the goods within 21 working days of the date stated for delivery on the order then the Customer may give written notice to the Company that delivery is required within a period of not less than 14 days, to be sent by recorded delivery. If the

the stated period then the Customer may cancel the order. In the event of such cancellation the Customer shall not be liable to pay any further sums in respect of goods which have not been delivered.

Company fails, without good reason, to commence delivery of the goods within

6.3 The Customer shall have no right to damages for any failure on the Company's part to deliver the goods in accordance with the time stated for delivery.

6.4 Where an order requires delivery of a number of items, the Company reserves the right to deliver all or any number of those items as soon as they are available and the

Customer shall honour all statements presented in respect of such deliveries in accordance with the payment terms.

7 - INSPECTION AND ACCEPTANCE

7.1 If the Customer wishes to inspect the goods prior to delivery, such inspection must be made at the Company's premises and notification of this requirement must be given in

writing at the time of placing the order. If upon inspection goods are approved by or on behalf of the Customer then such approval shall constitute acceptance by the customer

that the goods conform with their specification and that the goods are fit for any particular purpose agreed under clause 4.

7.2 If no such inspection is made then, unless the Customer gives written notification to the contrary to the Company within 3 working days after delivery, the Customer shall be taken to have approved the goods and to accept that the goods conform with their specification and that the goods are fit for any particular purpose agreed under clause 4.

8 - SPECIFICATION

- 8.1 All drawings, descriptions, specifications and particulars of the goods to be supplied are approximate only.
- 8.2 The descriptions and illustrations contained in the catalogues, on the website and other advertising of the Company have been provided in good faith by the Company but:
- 8.2.1 No such description, illustration, price list or other advertising shall form part of the contract;
 8.2.2 If the Customer wishes to rely on any such description, illustration, price list or other
 advertising in entering into the contract it must notify the Company in writing before the

Company provides a quotation. If no such notification is given, the Customer agrees that it did not rely on any such representation in entering into the contract.

8.3 The Company reserves the right to incorporate new features and to supply products which may not be strictly in accordance with the specification agreed upon, provided

that any changes in specification shall not materially prejudice the performance of the goods.

9 - QUANTITIES

- 9.1 The quantity of the goods ordered shall be subject to a tolerance of +/ -10 %. Any quantity delivered within the accepted tolerance will be invoiced at the agreed rate.
- 9.2 The Company cannot accept complaints for waste or damage lower than 5 % of the order.
- 9.3 A receipt in respect of the delivery must be signed on receipt of the goods by the Customer or his representative at the Customers premises. Unless the Customer notifies

the Company in writing of any shortfall within 48 hours of delivery, the Customer is taken to accept that the correct quantity has been delivered. The Company will have no

liability for any shortfall and will be entitled to payment for the full quantity.

10 - PAYMENT

- 10.1 Payment for the goods must be made within 30 days of the date of the invoice.
- 10.2 In the event of non-payment within 30 days, then the Company may charge interest on all unpaid sums at a rate of 8% over the current base rate prevailing in Australia.
- 10.3 The Company does implement it's statutory right to interest.

11 - Currency PROTECTION

Where it is agreed that payment for the goods is to be made in any currency other than \$ Australian Dollars the Company reserves the right to be exercised at it's discretion to vary the price so as to take into account any changes in the rate of exchange between the date of the Company's quotation and the date of the invoice.

12 - RETURNS

Goods can only be returned if written authorisation has been received from the Company. The goods must be in their original cartons. Incomplete cartons will not be accepted.

13 - RISK

Risk in the goods shall pass to the Customer on delivery.

14 - TITLE

14.1 Until full payment for all goods has been received by the Company:

14.1.1 Property in all goods shall remain in the Company, notwithstanding delivery of the goods or any part of them;

14.1.2 The Customer shall be at liberty to sell or deal with the goods in the ordinary course of business, but until full payment in respect of all goods has been made;

a) The Customer shall hold the Goods as trustee of the goods for the Company:

b) The Customer shall hold any rights to payment or other consideration arising out of any sale of the goods in trust for the Company and agrees to assign such rights to the company upon request by the Company:

c) The Customer shall hold the proceeds of any sale of the goods as trustee for the Company. The proceeds shall not be minoled with other monies or paid into any

overdrawn bank account and such monies shall at all times be identifiable as the Company's monies. The Customer as trustee for the Company shall not be entitled to deal with such monies in any manner whatsoever.

14.2 The Customers power to sell or deal with the goods in the ordinary course of business shall be automatically revoked if the Company cancels the order under clause 15 helow.

14.3 Upon determination of the Customers power of sale, the Company shall be entitled to reclaim the goods and the customer grants the company a license to enter the Customers premises for that purpose.

15 - CANCELLATION

15.1 If at any time the Customer cancels an order for goods or services which do not appear in the Company's most recent catalogue or which are, in the Company's

opinion non standard, then the Company shall be entitled to claim an amount up to 85% of the value of the order, as liquidated damages for stock. The Customer agrees

that the said amount represents a genuine pre-estimate of the Company's loss. The said sum shall be recoverable by the Company from the Customer as a debt.

 $15.2\ lf the Customer fails to make the correct payment to the Company for the products by the date on which any such payment is due, or makes a composition or$

arrangement with his creditors, or becomes bankrupt or being a company makes a proposal for a voluntary arrangement for a composition of debts or scheme of

arrangements to be approved in accordance with the Companies Act 1985 or the Insolvency Act
1986 as the case may be or any amendment or re-enactment thereof. or

has a provisional liquidator appointed or has a winding up order made or passes a resolution for voluntary winding up or under the insolvency Act 1986 or any amendment or

re-enactment thereof has an administrator or an administrative received appointed then:

15.2.1 The Customer shall immediately inform the Company;

15.2.2 The Company may by notice in writing to the Customer cancel the order any other orders which may be outstanding between the Customer and the Company.

15.3 In the event of such cancellation:

15.3.1 The Company shall be entitled to reclaim the goods in accordance with the provisions of clause 14 above:

15.3.2 The Customer shall remain liable to pay the Company the full purchase price for the goods less (i) the disposal value received by the Company for the whole or part of

the goods in its possession or reclaimed by the Company under paragraph 14 above (ii) any part of purchase price for the goods paid by the Customer to the Company and

(iii) any direct costs incurred by the Company in the direct costs incurred by the Company in the performance of the order. The Company's determination of such amount

shall, in the absence of manifest error, be binding on the Customer.

16 - FORCE MAJEURE

The company shall not be liable to the Customer for failure to deliver the goods or for any delay in delivery of the goods or for any damage to or defect in the goods where such failure is caused or contributed to by any cause outside the Company's reasonable control, including but not limited to shortages of raw materials, strikes, riots and civil commission or acts

17 - I AW AND JURISDICTION

of God, theft, water and embargo.

These conditions are governed by Australian Law. Any disputes shall be submitted to the exclusive iurisdiction of the Australian courts


overdrawn bank account and such monies shall at all times be identifiable as the Company's monies. The Customer as trustee for the Company shall not be entitled to deal with such monies in any manner whatsoever.

14.2 The Customers power to sell or deal with the goods in the ordinary course of business shall be automatically revoked if the Company cancels the order under clause 15 helow.

 $14.3\ Upon\ determination\ of\ the\ Customers\ power\ of\ sale, the\ Company\ shall\ be\ entitled\ to\ reclaim$

the goods and the customer grants the company a license to enter the Customers premises for that purpose.





The company Hang & Display reserves the right to modify at any time and without prior notice the price and the products presented in this catalogue. This catalogue is not a contractual document. July 2020 - All rights and total or partial reproduction of the catalogue is completely forbidden without agreement of the holding. Hang & Display part of the ISD group.