INSTAGONE

EMERGENCY HEALTH INFORMATION CALL CHEMTREC®:

1-800-424-9300

PRODUCT NAME: BGH5; CB9

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

=BGH5; CB9 7 CBGIA9F DFC8I7HG %)%, <=; <K5M%, K5@@2B>\$++% +'&!*,%%-\$ REVISION DATE: CODE: SYNONYMS: CHEMICAL FAMILY: DESCRIPTION / USE: FORMULA:

06/28/2015 101-B None Hypochlorite Stain Remover None established

SECTION 2. HAZARDS IDENTIFICATION

The consumer variant of this product is labeled in accordance with regulations administered by the consumer product safety commission (CPSC) and the food and drug administration (FDA). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration (OSHA) applicable to this SDS differ from the labeling requirements of the CPSC and FDA, and result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

Oxidizing solids:Category 2Acute toxicity (Oral):Category 4Skin corrosion:Category 1B	
Skin corrosion : Category 1B	
5,	
Serious eye damage : Category 1	
Acute toxicity (Inhalation) : Category 3	
Specific target organ toxicity - : Category 3 single exposure	
GHS Label element	
Hazard pictograms :	×,
Signal word : Danger	

INSTAGONE

Hazard statements	:	H272 May intensify fire; oxidiser. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H331 Toxic if inhaled. H335 May cause respiratory irritation.
Precautionary statements	:	 Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P220 Keep/Store away from clothing/ combustible materials. P221 Take any precaution to avoid mixing with combustibles. P260 Do not breathe vapours. P264 Wash hands thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/ protective clothing/ eye protection/face protection. Response: P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor/ physician. P363 Wash contaminated clothing before reuse. P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish. Storage: P403 + P333 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P405 Store locked up. P403 + P330 Store in a well-ventilated place. with local regulation.
Other hazards		

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS OR CHEMICAL NAME CALCIUM HYPOCHLORITE <u>CAS #</u> 7778-54-3 <u>% RANGE</u> 60 - 80

INSTAGONE

SODIUM CHLORIDE	7647-14-5	10 - 20
CALCIUM CHLORATE	10137-74-3	0-5
CALCIUM CHLORIDE	10043-52-4	0-5
CALCIUM HYDROXIDE	1305-62-0	0 - 4
CALCIUM CARBONATE	471-34-1	0-5
Water	7732-18-5	5.5 - 10

SECTION 4. FIRST AID MEASURES

General Advice:	Call a poison control center or doctor for treatment advice. For 24-hour emergency medical assistance, call Arch Chemical Emergency Action Network at 1-800-654-6911. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
Inhalation:	IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
Skin Contact:	IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Eye Contact:	IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Ingestion:	IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
Notes to Physician:	Probable mucosal damage may contraindicate the use of gastric lavage.

SECTION 5. FIREFIGHTING MEASURES

INSTAGONE

This product is chemically reactive with many substances. Any contamination of the product with other substances by spill or otherwise may result in a chemical reaction and fire., This product is a strong oxidizer which is capable of intensifying a fire once started., Product is not known to be flammable, combustible or pyrophoric.
Net an Parkin
Not applicable
Not applicable
Water only. Do not use dry extinguishers containing ammonium compounds.
Use water to cool containers exposed to fire. See Section 6 for protective equipment for fire fighting.
Not applicable
Not applicable

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Protection for Emergency Situations:	Response to a large quantity spill (100 pounds or greater) or when dusting or decomposition gas exposure could occur requires the use of a positive pressure full face supplied air repirator or self contained breathing apparatus (SCBA), chemical resistant gloves, coveralls and boots. In case of fire, this personal protective equipment should be used in addition to normal fire fighter equipment.
Spill Mitigation Procedures	
Air Release:	Vapors may be suppressed by the use of water fog. All water utilized to assist in fume suppression, decontamination or fire suppression may be contaminated and must be contained before disposal and/or treatment.
Water Release:	This product is heavier than water. This material is soluble in water. Monitor all exit water for available chlorine and pH. Advise local authorities of any contaminated water release.
Land Release:	Contact 1-800-654-6911 immediately. DANGER: All spills of this product should be treated as contaminated. Contaminated product may initiate a chemical reaction that may spontaneously ignite any combustible material present, resulting in a fire of great intensity. In case of a spill, separate all spilled product from packaging, debris and other material. Using a clean broom or shovel, place all spilled product into plastic bags, and place those bags into a clean, dry disposal container, properly marked and labeled. Disposal containers made of plastic or metal are recommended. Do not seal disposal containers tightly. Immediately remove all product in disposal containers to an isolated area outdoors. Place all damaged packaging material in a disposal container of water to assure decontamination (i.e. removal of all product) before disposal. Place all undamaged packaging in a clean, dry container properly marked and labeled. Call for disposal procedures.

Additional Spill Information :

Hazardous concentrations in air may be found in local spill area and immediately downwind. Remove all sources of ignition. Stop source of spill as soon as possible and notify appropriate personnel. Dispose of spill residues per guidelines under Section 13, Disposal Consideration. This material may be neutralized for disposal; you are requested to contact Arch Chemicals at 1-800-654-6911 before beginning any such procedure. FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC: 1-800-424-9300 REPORTABLE QUANTITY: 10 lbs. (as calcium hypochlorite) per 40 CFR 302.4.

SECTION 7. HANDLING AND STORAGE

Handling:	Avoid inhalation of dust and fumes. Do not take internally. Avoid contact with skin, eyes and clothing. Upon contact with skin or eyes, wash off with water. Remove contaminated clothing and wash before reuse.
Storage:	Keep product tightly sealed in original containers. Store product in a cool, dry, well-ventilated area. Store away from combustible or flammable products. Keep product packaging clean and free of all contamination, including, e.g. other pool treatment products, acids, organic materials, nitrogen-containing compounds, dry powder fire
Shelf Life Limitations:	extinguishers (containing mono-ammonium phosphate), oxidizers, all corrosive liquids, flammable or combustible materials, etc. Do not store product where the average daily temperature exceeds 95° F. Storage above this temperature may result in rapid decomposition, evolution of chlorine gas and heat sufficient to ignite combustible products. Shelf life (that is, the period of time before the product goes below stated label strength) is determined by storage time and temperatures. Store in a cool, dry and well ventilated area.
Incompatible Materials for Storage:	Prolonged storage at elevated temperatures will significantly shorten the shelf life. Storage in a climate controlled storage area or building is recommended in those areas where extremes of high temperature occur. Do not allow product to come in contact with other materials, including e.g. other pool treatment products, acids, organic materials, nitrogen-containing compounds, dry powder fire extinguishers (containing mono-ammonium phosphate), oxidizers, all corrosive liquids, flammable or combustible materials, etc. A
Do Not Store At temperatures Above:	chemical reaction with such substances can cause a fire of great intensity. Average daily temperature of 35° C / 95° F. Storage above this temperature may result in rapid decomposition, evolution of chlorine gas and heat sufficient to ignite combustible products.

INSTAGONE

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation: Protective Equipment for Ro	Local exhaust ventilation or other engineering controls are normally required when handling or using this product to keep airborne exposures below the TLV, PEL or other recommended exposure limit. utine Use of Product
Respiratory Protection :	Wear a NIOSH approved respirator if levels above the exposure limits are possible.
Respirator Type :	A NIOSH approved full-face air purifying respirator equipped with combination chlorine/P100 cartridges. Air purifying respirators should not be used in oxygen deficient or IDLH atmospheres or if exposure concentrations exceed ten (10) times the published limit.
Skin Protection :	Wear impervious gloves to avoid skin contact. A full impervious suit is recommended if exposure is possible to a large portion of the body. A safety shower should be provided in the immediate work area.
Eye Protection:	Use chemical goggles. Emergency eyewash should be provided in the immediate work area.
Protective Clothing Type:	Neoprene, Nitrile, Natural rubber (This includes: gloves, boots, apron, protective suit)

Components with workplace control parameters

Components (CAS-No.)	Value	Control parameters	Basis (Update)
CALCIUM HYPOCHLORITE (7778-54-3)	TWA	1 mg/m3	OEL*
CALCIUM HYPOCHLORITE (7778-54-3)	Conc	37 - 48 mg/m3	NIOSH/GUIDE IDLH
CALCIUM HYDROXIDE (1305-62-0)	TWA	5 mg/m3	ACGIH (02 2014)

*OEL: Recommended Occupational Exposure Guideline.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Form Color: Odor: Molecular Weight: pH : Boiling Point: Melting point/freezing point Density: solid Free flowing, granular white Chlorine-like (Active ingredient)143.00 g/mol 10.4 - 10.8 (1% solution in neutral, distilled water) (@ 25 Deg. C) Not applicable Not applicable 0.8g/cc

INSTAGONE

Vapor Pressure: Vapor Density: Viscosity: Fat Solubility: Solubility in Water:	 (@ 25 Deg. C) Not applicable Not applicable Not applicable No data 18 % (@ 25 Deg. C) Product also contains calcium hydroxide and calcium carbonate which will leave a residue.
Partition coefficient n- octanol/water:	No data
Evaporation Rate:	Not applicable
Oxidizing:	Oxidizer
Volatiles, % by vol.:	Not applicable
VOC Content	This product does not contain any chemicals listed under the U.S.
	Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40
	CFR 60.489). This product does not contain any VOC exemptions
	listed under the U.S. Clean Air Act Section 450.
HAP Content	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Stability and Reactivity Summary:	Product is not sensitive to mechanical shock or impact. Product is not sensitive to electrical static discharge. Product will not undergo hazardous polymerization. Product is an NFPA Class 3 oxidizer which can cause a severe increase in fire intensity. Not pyrophoric. Not an organic peroxide. If subjected to excessive temperatures, the product may undergo rapid decomposition, evolution of chlorine gas, and heat sufficient to ignite combustible substances. If product is exposed to small amounts of water, it can react violently to produce heat and toxic gases and spatter. Use copious amounts of water for fires involving this product.
Conditions to Avoid:	Do not store next to heat source, in direct sunlight, or elevated storage temperature. Do not store where the daily average temperature exceeds 95 °F. Prevent ingress of humidity and moisture into container or package. Always close the lid.
Chemical Incompatibility:	This product is chemically reactive with many substances, including, e.g., other pool treatment products, acids, organics, nitrogen-containing compounds, dry powder fire extinguishers (containing mono-ammonium phosphate), oxidizers, corrosive ,flammable or combustible materials. Do not allow product to contact any foreign matter, including other water treatment products. Contamination or improper use may cause a fire of great intensity, explosion or the release of toxic gases. If product is exposed to small amounts of water, it can react violently to produce heat and toxic gases and spatter.
Hazardous Decomposition Products: Decomposition Temperature:	Chlorine 170 - 180 °C - , 338 - 356 °F-

SECTION 11. TOXICOLOGICAL INFORMATION

Component Animal Toxicology

INSTAGONE

Oral LD50 value: CALCIUM HYPOCHLORITE SODIUM CHLORIDE CALCIUM CHLORIDE CALCIUM HYDROXIDE	LD50 (65% calcium hypochlorite) 850 mg/kg Rat LD50 = 3,000 mg/kg Rat LD50 = 1,000 mg/kg Rat E LD50 = 7,340 mg/kg Rat
Component Animal Tox Dermal LD50 value: CALCIUM HYPOCHLORITE SODIUM CHLORIDE CALCIUM CHLORIDE CALCIUM HYDROXIDE	LD50 (65% calcium hypochlorite) > 2,000 mg/kg Rabbit LD50 > 10,000 mg/kg Rabbit LD50 = 2,630 mg/kg Rat
<u>Component Animal Tox</u> <u>Inhalation LC50 value</u> : CALCIUM HYPOCHLORITE	ticology Inhalation LC50 1 h (65% calcium hypochlorite), (Nose Only) = 2.04 mg/l Rat Inhalation LC50 4 h (65% calcium hypochlorite), (Nose Only) = 0.51 mg/l Rat
SODIUM CHLORIDE CALCIUM CHLORIDE CALCIUM HYDROXIDE	Inhalation LC50 1 h > 42 mg/l Rat No data E No data
<u>Product Animal Toxicity</u> <u>Oral LD50 value</u> : <u>Dermal LD50 value</u> : <u>Inhalation LC50</u> <u>value</u> :	LD50 Approximately 800 mg/kg Rat LD50 > 2,000 mg/kg Rabbit Inhalation LC50 1.00 h (Nose Only) > 2.04 mg/l Rat Inhalation LC50 4 h (Nose Only) > 0.51 mg/l Rat Inhalation LC50 1 h (Nose Only) > 2.04 mg/l Rat Inhalation LC50 4 h (Nose Only) > 0.51 mg/l Rat
Skin Irritation: Eye Irritation: Skin Sensitization:	DRY MATERIAL CAUSES MODERATE SKIN IRRITATION., WET MATERIAL CAUSES SKIN BURNS. Corrosive to eyes. This material is not known or reported to be a skin or respiratory sensitizer.
Acute Toxicity: Subchronic / Chronic Toxicity:	This product is corrosive to all tissues contacted and upon inhalation, may cause irritation to mucous membranes and respiratory tract. The dry material is irritating to the skin. However when wet, it will produce burns to the skin. There are no known or reported effects from repeated exposure except those secondary to burns.

SAFETY DATA SHEET INSTAGONE

Reproductive and Developmental Toxicity:	Calcium hypochlorite has been tested for teratogenicity in laboratory animals. Results of this study have shown that calcium hypochlorite is not a teratogen.	
CALCIUM CHLORI	DE	Not known or reported to cause reproductive or developmental toxicity.
Mutagenicity:	mice, and it did not has been reported to has, however, been animals based on re frequently are inapp chemicals due to a produces mutations concentrations used	e has been tested in the Dominant lethal assay in male induce a dominant lethal response. Calcium hypochlorite o produce mutagenic activity in two in vitro assays. It shown to lack the capability to produce mutations in esults from the micronucleus assay. In vitro assays propriate to judge the mutagenic potential of bactericidal high degree of cellular toxicity. The concentration which in these in vitro assays is significantly greater than the d for disinfection. Based on high cellular toxicity in in vitro of mutagenicity in animals, the risk of genetic damage a not significant.
CALCIUM CHLORI	DE	This product was determined to be non-mutagenic in the Ames assay. It was also shown to be non- clastogenic in the chromosomal aberration test.
Carcinogenicity:	This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA. One hundred mice were exposed dermally 3 times a week for 18 months to a solution of calcium hypochlorite. Histopathological examination failed to show an increased incidence of tumors. IARC (International Agency for Research on Cancer) reviewed studies conducted with several hypochlorite salts. IARC has classified hypochlorite salts as having inadequate evidence for carcinogenicity to humans and animals. IARC therefore considers hypochlorite salts to be not classifiable as to their carcinogenicity to humans (Group 3 Substance).	
CALCIUM CHLORI	· ·	This chemical is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP, or EPA.

SECTION 12. ECOLOGICAL INFORMATION

Overview:

Highly toxic to fish and other aquatic organisms.

Ecological Toxicity Values for: CALCIUM HYPOCHLORITE

Bluegill	-	(nominal, static). 96 h LC50 0.088 mg/l
Rainbow trout (Salmo gairdneri),		(nominal, static). 96 h LC50 0.16 mg/l
Daphnia magna,	-	(nominal, static). 48 h LC50 0.11 mg/l
Bobwhite quail	-	Dietary LC50 > 5,000 ppm
Mallard ducklings	-	Dietary LC50 > 5,000 ppm
Bobwhite quail	-	Oral LD50 3,474 mg/kg

SAFETY DATA SHEET INSTAGONE

Ecological Toxicity Values for: CALCIUM CHLORIDE

Bluegill Mosquito fish Pimephales promelas (fathead minnow)	-	(nominal, static). 96 h LC50 = 10,650 mg/l (nominal, static). 96 h LC50 = 13,400 mg/l (nominal, static). 96 h LC50 = 4,630 mg/l
Daphnia magna, Ceriodaphnia dubia Nitzschia linearis (diatom)	-	(nominal, static). 48 h LC50= 2,770 mg/l (nominal, static). 48 h LC50= 1,830 mg/l (nominal, static). 5 day LC50 = 3,130 mg/l

SECTION 13. DISPOSAL CONSIDERATIONS

CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.

Waste Disposal Summary :	If this product becomes a waste, it meets the criteria of a hazardous waste as defined under 40 CFR 261 and would have the following EPA hazardous waste number: D001.If this product becomes a waste, it will be a hazardous waste which is subject to the Land Disposal restrictions under 40 CFR 268 and must be managed accordingly.
Disposal Methods :	As a hazardous solid waste it should be disposed of in accordance with local, state and federal regulations.
Potential US EPA Waste Codes :	D001

SECTION 14. TRANSPORT INFORMATION

DOT UN number Description of the goods Class Packing group Labels Emergency Response Guidebook Number	 2880 Calcium hypochlorite, hydrated mixtures 5.1 II 5.1 140
TDG UN number	: 2880
STAGONE	

INSTAGONE

Description of the goods Class Packing group Labels	: CALCIUM HYPOCHLORITE, HYDRATED MIXTURE : 5.1 : II : 5.1
IATA UN number Description of the goods Class Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passenger aircraft) Packing instruction (passenger aircraft)	 2880 Calcium hypochlorite, hydrated mixture 5.1 II 5.1 562 558 Y544
IMDG-CODE UN number Description of the goods Class Packing group Labels EmS Number 1 EmS Number 2	 2880 CALCIUM HYPOCHLORITE, HYDRATED MIXTURE 5.1 II 5.1 F-H S-Q
Marine pollutant	: yes

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals.

Signal word	:	DANGER!
Hazard statements	:	Causes substantial but temporary eye injury. Corrosive. Causes skin burns. Corrosive. Causes irreversible eye damage. This pesticide is toxic to fish.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Calcium hypochlorite	7778-54-3	10	

INSTAGONE

SARA 302

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

Calcium hypochlorite 7778-54-3

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Calcium hypochlorite 7778-54-3

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

	Calcium hypochlorite Calcium carbonate Calcium chlorate Calcium dihydroxide	7778-54-3 471-34-1 10137-74-3 1305-62-0	
Pennsylvania Right To Know			
	Calcium hypochlorite	7778-54-3	
	Sodium chloride	7647-14-5	
	Calcium carbonate	471-34-1	
	Calcium chlorate	10137-74-3	

INSTAGONE

	Calcium chloride Calcium dihydroxide	10043-52-4 1305-62-0
New Jersey Right To Know		
	Calcium hypochlorite Sodium chloride Calcium carbonate Calcium chlorate Calcium chloride Calcium dihydroxide	7778-54-3 7647-14-5 471-34-1 10137-74-3 10043-52-4 1305-62-0

California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this	product are reported in t	he following inventories:

TSCA : This is an EPA registered pesticide.

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION

SECTIONS REVISED: Major References : 14, 1 Available upon request.