McLabs-P+Color

SAFETY DATA SHEET

SDS Revision Date: 10/12/2021

Prepared to OSHA, ANSI, NOHSC, WHMIS, 1002/58 & 1272/2008/EC Standards | SDS Revision: 4.7 1. PRODUCT IDENTIFICATION 1.1 Product Name: Light Elegance P* Color Gel Polish 1.2 Chemical Name: POLYURETHANE (METH) ACRYLATE PREPOLYMER RESIN BLEND 1.3 Synonyms: NA 1.4 Trade Names: NA Product Use: 1.5 EXTERNAL USE ONLY, KEEP OUT OF THE REACH OF CHILDREN Manufacturer's Name: MCCONNELL LABS. INC. Manufacturer's Adress: 406 SW UMATILLA AVE, REDMOND, OR 97756 USA

2. HAZARD INDENTIFICATION

Hazard Identification: 2.1

Emergency Phone:

Business Phone / Fax:

+1 541 526 1417 / +1 541 526 1418

1.8

This product is not classified as a HAZARDOUS SUBSTANCE and as a DANGEROUS GOOD according to the classification criteria of NOHSC: 1008 (2004) and ADG Code (Australia). WARNING! MAY CAUSE AN ALLERGIC SKIN REACTION. AVOID SKIN CONTACT DUE TO SENSITIZING POTENTIAL. CAUSES EYE IRRITATION. Hazard Statements (H): H317 - May cause an allergic skin reaction. H320 - Causes eye irritation. Precautionary Statements (P): P223 - Keep container tightly closed. P261 - Avoid breathing fumes/gas/vapors/spray. P272 - Contaiminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves. P302 + P352 - IF ON SKIN - wash with soap and warm water. P305 + P351 + P338 - IF IN EYES - Rince continually with water for several minutes. Remove contact lenses if present and easy to do, continue rinsing. P333 + P313 - If skin reaction or a rash occurs, get medical attention. P337 + P313 - ilf eye irritation persists, P321 - for specific first aid treatment (see section 4 of this Safety Data Sheet). P363 - Wash contaminated clothing before resuse. P501 - Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF).



Routes of Entry: Inhalation: YES Absorption: YES Ingestion: YES

Effects of Exposure: 2.3

> INGESTION: If product is swallowed, may cause nausea, vomiting and/or diarrhea and central nervouse system depression.

EYES & SKIN: The liquid may produce eye discomfort and is capable of causing temporary impairment of vision and/or transient eye inflamation, ulceration. The vapor is discomforting to the eye. Splashes may cause severe eye irritation, possible corneal burns and eye damage. Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering. May be irritating to the skin, especially after prolonged contact. The product can cause allergic skin reactions

(e.g., rashes, welts, dermatitis) upon prolonged or repeated expsoure.

INHALATION: Vapors of this product may be moderately irritating to the nose, throat and other tissues of the respiratory system. Symptoms

of overexposure can include coughing, wheezing, nasal congestion and difficulty breathing. Inhalation of concentrated vaors can cause central nervous system depression (e.g., drowsiness, headaches, nausea). Odor may give some warning of

exposure but odor fatigue may occur.

CHEMTREC: +1 703 527 3887 / +1 800 424 9300 (CCN 696869)

2.4 Symptoms of Overexposure:

> Symptoms of skin overexposure may include redness, itiching and irritation of affected areas. Overexposure in eyes may cause redness, itching and watering. The product can cause allergic skin reactions (e.g., rashes, welts, deratitis) upon prolonged or repeated exposure.

2.5 Acute Health Effects:

Moderate irritation to eyes near affected areas. Additionally, high concentrations of vapors can cause drowsiness, dizziness, headaches and nausea.

2.6 Chronic Health Effects:

The material may cause an allergic reaction for some sensitive individuals.

Target Organs:

Eyes, skin

		3. COMI	POSITION	& INGRE	DIEN	T INF	ORN	/ATIO	ON				
				EXPOSURE LIMITS IN AIR (mg/m3)									
					Α	CGIH		NOH	SC		OSHA	4	
					r	pm	+	ppn	_	-	ppm	1	
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	ES- TWA		ES- PEAK	PEL	STEL	. IDLH	OTHER
Bis-HEA IPDI / PPG-53		NA	NA	30-50	NA	NA	NA	NA	NF	NA	NA	NA	OTTER
Copolymer	IVA	INA	INA	130 30	INA	INA	INA	INA	IIVI	INA	INA	INA	l
		Tara	L	1	1	1	1	1	1	1	1	T	ı
Bis-HEA Poly(1,4- butanediol)-9 / IPDI	NA	NA	NA	15-30	NA	NA	NA	NA	NF	NA	NA	NA	
Copolymer													
Bis-HEMA	82339-16-0	NA	NA	15-30	NA	NA	NA	NA	NF	NA	NA	NA	
Polyneopentyl Glycol Adipate/ IPDI Copolymer													
PEG-4 Dimethacrylate	25852-47-5	NA	NA	5-13	NE	NE	NE	NE	NF	NE	NE	NE	
Tetrahydrofufuryl	2455-24-5	NA	219-529-5	5-13	NE	NE	NE	NE	NF	NE	NE	NE	
Methacrylate													
Sucrose Benzoate	12738-64-6	NA	NA	5-13	NE	NE	NE	NE	NF	NE	NE	NE	
Isobornyl	7534-94-3	NA	231-403-1	5-13	NE	NE	NE	NE	NF	NE	NE	NE	
Methacrylate													
Trimethylolpropane	3290-92-4	NA	NA	5-13	NA	NA	NA	NA	NF	NA	NA	NA	
Trimethacrylate													
1-hydroxycyclohexyl	947-19-3	NA	NA	≤1.0	NA	NA	NF	NF	NF	NA	NA	NA	
phenylketone													
Trimethylebenzoyl	75980-60-8	NA	278-355-8	≤1.0	NA	NA	NF	NF	NF	NA	NA	NA	
Diphenylphosphine Oxide													
	7621 96 0	NA	NA	≤1.0	NA	NA	NF	NF	NF	NA	NA	NA	
Silica	7631-86-9	INA	INA	[≤1.0	INA	NA	INF	INF	NF	INA	INA	NA	<u> </u>
MAY ALSO CONTAIN	1												
CI 77891 (Titanium	13463-67-7	XR2275000	236-675-5	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA	
Dioxide)		1	I	T.a.	1	T	T	1	1	1	Т	1	1
CI 15850 (Red 6)	17852-98-1	NA	241-806-4	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA	
CI 47005 (Yellow 10)	8004-92-0	NA	NA	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA	
	21645-51-2												
CI 77007	57455-37-5	PO4725000	215-111-1	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA	I
(Ultramarine Blue)	37433-37-3	BQ472300C	1213-111-1	[≥0.1	INA	INA	INF	INF	INF	INA	IVA	INA	<u> </u>
CI 45410 (Red 28)	18472-87-2	NA	241-409-6	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA	
	10472-07-2												ļ.
CI 77499 (Black Iron Oxide)	52357-70-7	NA	257-870-1	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA	
MICA	12001-26-2	ZF6680000	NA	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA	
CI 16035 (Red 40)	25956-17-6	VV8760000	247-368-0	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA	
CI 19140 (Yellow 5)	12225-21-7	NA	235-428-9	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA	
CI 45410 (Red 48)	18472-87-2	NA	242-355-6	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA	
CI 77499 (Iron Oxide)	12227-89-3	NA	235-442-5	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA	
			_				_		_				
CI 77491 (Iron Oxide)	1309-37-1	NA	215-168-2	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA	

_	_	
2	Λf	a
J	Οı	J

Polybutylene	26062-94-2	NA	NA	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA		
Terephthalate	Eye Irritant 2; H3	19												
Polyethylene	25038-59-9	NA	NA	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA		
Terephthalate														
CI15880 (Red 63)	6417-83-0	NA	NA	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA		
CI 19140 (Yellow 23 Al	12225-21-7	NA	NA	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA		
Lake)		-	•	-	-	<u>-</u>	-	-	<u>-</u>	•	-	'	-	
CI 15850 (Red 57)	5281-04-9	NA	NA	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA		
CI 77510 (Prussion	25869-00-5	NA	NA	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA		_
Blue)														
CI 15880 (Red 34)	6417-83-0	NA	NA	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA		
CI 15850 (Red 7)	6417-83-0	NA	NA	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA		
			I	-										
CI 42090 (Blue 1)	3844-45-9	NA	NA	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA		
CI 77510 (Blue 27)	25869-00-5	NA	NA	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA		
						1	_	_	_			_		_
CI 77266 (Carbon Black)	1333-86-4	NA	NA	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA		
,		_				_	1	_				1	T	
Acrylates Copolymer	25035-69-2	NA	NA	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA		\dashv
5. / 1		I	1			F	1	1	T	F	1	1		
Bis(glycidoxyphenyl)p	NA	NA	NA	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA		
ropane/Bisaminometh ylnorbornane														
Copolymer														
Aluminum hydroxide	21645-51-2		244-492-7											
CI 47005	8004-92-0		305-632-3											
			242-355-6											
CI 45410	18472-87-2		242-333-6											
CI 45380	17372-87-1			.0.1		1	H		+	1	1			_
Bis(glycidoxyphenyl)p	NA	NA	NA	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA		-
ropane/Bisaminometh														
ylnorbornane														
Copolymer														
Aluminum hydroxide	21645-51-2		244-492-7											
CI 45410	18472-87-2		242-355-6											
CI 45380	17372-87-1		241-409-6											
Aluminum	1333-86-4	NA	NA	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA		
Polyurethane-33	125826-44-0	NA	NA	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA		_
7 Gryarechane 33			1107			1.4/1						1.471		
Aluminum	7429-90-5	NA	NA	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA		
CI 60725 (Violet #2)	81-48-1	NA	201-353-5	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA		
. ,														=

^{**} Due to trade secret information, more detailed concentrations of the ingredients cannot be provided.

4. FIRST AID MEASURES

4.1 First Aid:

INGESTION: If ingested, do not induce vomiting! If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient SKIN & EYES: If product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Open and close eyelid(s)

INHALATION: Remove victim to fresh air at once. If breathing stops, perform artificial respiration. Seek immediate medical attention.

4.2 | Medical Conditions Aggravated by Exposure:

Pre-existing dermatitis, other skin conditions and disorders of the target organs (eyes, skin)

- 1		
	HEALTH	1
)	FLAMMABILITY	0
	PHYSICAL HAZARDS	0
	PROTECTIVE EQUIPMENT	В
	EVEC CVINI	

		5. FIREFIGHTIN	G MEASURES	
5.1	Flashpoint & Method: > 100 ℃ (> 212 ℉)			
5.2	Autoignition Temperature: NA			
5.3	Flammability Limits: Low	ver Explosive Limit (LEL): NA	Upper Explosive Limit (UEL): NA	
5.4	Fire & Explosion Hazards: When involved in a fire, this product ma	ay ignite and decompose to for	n toxic gases (e.g., CO, CO2 and Nox)	
5.5	Extinguishing Methods: Water, Foam, CO2, Dry Chemical			
5.6	Fire Fighting Procedures: First responders should wear eye prote	ection. Structural fire fighters m	oust wear full protective equipment and	

6. ACCIDENTAL RELEASE MEASURES

6.1 Spills:

Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., , 1 gallon [3.785 liters]) wear appropriate personal protective equipment (e.g., goggles & gloves). Maximize ventilation (open doors and windows). Expose spilled material to UV light source for 2-5 minutes. Lift cured material from substrate and repeat until very little residue remains. Remove remaining spilled material with absorbent material and place into appropriate closed container(s). Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with warm, soapy water. Remove any contaminated clothing and wash before reuse. For large spills (e.g., > 1 gallon [3.785 liters]) deny entery to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Expose spilled material to UV light source for 2-5 minutes. Lift cured material from substrate and repeat until very little residue remains. Remove remaining spilled material with absorbent material and place into appropriate closed container(s). Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with warm, soapy water. Remove any contaminated clothing and wash before reuse. Keep spills and cleaning runoffs out of

7. HANDLING AND STORAGE INFORMATION

7.1 Work & Hygiene Practices:

Avoid prolonged contact with this material. Avoid breathing the vapors generated by this product. Use in a well ventilated location (e.g., local exhaust ventilation, fans). Wash exposed skin thoroughly with plenty of soap and water after using this product. If necessary, use a moisturizer after washing. Do not eat, drink or smoke while handling this product.

7.2 Storage & Handling:

Use and store in a cool, dry, well ventilated location. Keep away from excessive heat. Keep away from incompatible materials listed in Section 10. Do not store in damaged or unmarked containers or storage devises. Keep containers securely closed when not in use. Open slowly on a level, stable surface. Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care. As a precaution against exposure to the eyes, nose, throat and face, this product should not be stored higher than waist level. KEEP AWAY FROM CHILDREN AT ALL TIMES!

7.3 Special Precautions:

Do not store where temperatures can exceed 50 °C (122 °F).

	9. PHYSICAL & CHEMICAL PROPERTIES				
9.1	Density:	1.1			
9.2	Boiling Point:	NA			
9.3	Melting Point:	ND			
9.4	Evaporation Rate:	NA			
9.5	Vapor Pressure:	<1 (air=1)			
9.6	Appearance & Color:	Clear or pigmented liquid			
9.7	Odor Threashold:	NE			
9.8	Solubility:	Not soluble			
9.9	pH:	NA			
9.1	Viscosity:	approximately 4,000 cps			
9.1	Flash Point:	26.7 °C (80 °F), calc			
9.1	Other Information:	NA			

exposed areas thoroughly with soap and water.

	10. STABILITY & REACTIVITY
10	Stability:
	Relatively stable under ambient conditions when stored properly.
10	Hazardous Decomposition Products:
	If exposed to extremely high temperatures, products of thermal decomposition may include irritating vapors and toxic gases (e.g., oxides of
	carbon and nitrogen).
10	Hazardous Polymerization: Will not occur.
10	Conditions to Avoid:
	Exposure or contact to extreme temperatures, incompatable chemicals, strong light sources, sparks and flame.
11	Incompatable Substances:
	Strong oxidizers, peroxides, strong acids or alkalis.

	11. TOXICOLOGICAL INFORMATION
11	Toxicity Data: This product has NOT been tested on animals to obtain toxicology data. There are toxicology data for the components of the product which are found in scientific literature. These data have not been presented in this document.
11	Acute Toxicity:
	See Section 2.5
11	Chronic Toxicity:
	See Section 2.6

11	Suspected Carcinogen:	
	The ingredients of this product are not listed as carcinogens by the National Toxicology Program and have not been evaluated by the Internail	of
	Agency for Research on Cancer or the American Conference of Government Industrial Hygenists.	
12	Reproductive Toxicity:	
	This product is not reported to cause reproductive toxicity in humans.	l
	Mutagenicity:	l
	This product is not reported to produce mutagenic effects in humans.	l
	Embryotoxicity: This product is not reported to produce embryotoxic effects in humans.	l
	Teratogenicity:	l
	This products is not reported to cause teratogenic effects in humans.	l
12	Irritancy of Product:	l
	See Section 2.3	l
12	Biological Exposure Indicies: NE	
12	Physician Recommendations:	l
	Treat syptomatically	l
	12 FCOLOCICAL INFORMATION	1
12	12. ECOLOGICAL INFORMATION Environmental Stability:	
12	This product will slowly volatile from soil. Components of this product will slowly decompose into organic compounds. Butyl Acetate: K _{OC} =	l
	1.82. Water Solubility: 120 parts H ₂ O at 25 °C (77 °F). Bioconcentration Factor = 4-14. Bioconcentration is not anticipated to be significant. This	l
	compound can be removed from contaminated environments from volatilization and biodegredation. This compound's half life is 6.1 hours.	l
	,	l
		l
12	Effects on Plants & Animals:	l
4.2	There is no specific data availble for this product on plant life.	l
12	Effects on Aquatic Life: There is no specific data availble for this product on aquatic life.	l
	There is no specific data available for this product on aquatic life.	
	13. DISPOSAL CONSIDERATIONS	
13	Waste Disposal:	1
_	Dispose inaccordance with local, state and Federal waste laws.	l
13	Special Considerations:	l
	This material becomes an inert plastic upon prolonged exposure to sources of UV light and sunlight. Disposal of inert plastics is safer for the environment and is more easily handled for disposal according to local, state and Federal regulations.	l
	environment and is more easily mandied for disposal according to local, state and rederal regulations.	l
	4.4. TRANSPORTATION INFORMATION	
	14. TRANSPORTATION INFORMATION	1
	pasic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional	l
14	49 CFR (GRD): NOT REGULATED	l
14	IATA (AIR):	l
	NOT REGULATED	l
14	IMDG (OCN):	l
	NOT REGULATED TD CD (Canadian CND):	l
14	TDGR (Canadian GND): NOT REGULATED	l
15	ADR/RID (EU):	l
	NOT REGULATED	l
15	MEXICO (SCT): NOT REGULATED	
15	ADGR (AUS):	l
	NOT REGULATED	I
	15. REGULATORY INFORMATION	
1 -		l
	SARA Reporting: NA	
	SARA Threshold Planning Quantity: NA	
15	TSCA Inventory Status:	l
	All components of this product are listed in the TSCA Inventory or are exempt	ı

16 Other Federal Requirements:

This products complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics)

16 Other Canadian Regulations:

This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are on the Priorities Substances List.



16 State Regulatory Information:

Ingredients in this mixture are found on the following state criteria lists: <u>Titanium Dioxide</u> is listed on the following state criteria list(s): Massachusetts Hazardous Substances List (MA), Minnesota Hazardous Substances List (MN), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposure List (WA).

16 67/548/EEC (European Union), Australian NOHSC:2011 (2003), and GHS Requirements:

The primary cononents of this product are not listed in Annex 1 of EU Directive 67/548/EEC. Irritant (Xi). Risk Phrases (R): 36/37/38 - Irritating to eyes, respiratory system and skin. Safety Phrases (S): 2-23-29 - Keep out of reach of Children. Do not breath gas, fumes, vapor or spray. Do not empty into drains.



16. OTHER INFORMATION

16 Other Information:

WARNING! MAY CAUSE AN ALLERGIC SKIN REACTION. CAUSES EYE IRRITATION. Avoid breathing fume, gas, mist, vapors, spray. Wear potective gloves and eye/face protection. IF ON SKIN - Wash with soap and water. IF IN EYES - Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. If skin irritation or a rash occurs - get medical advice/attention. Do not take internally. Keep away from heat and open flame. KEEP OUT OF THE REACH OF CHILDREN.

16 Terms & Definitions:

Please see last page of this SDS.

16 Disclaimer:

This Safety Data Sheet (SDS) is offered persuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other governement regulations must be reviewed for applicability to this product. To the best of McConnell Labs' knowledge, the information contained herein is reliable and accurate as of the date it was prepared; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to sonsult the latest edition.

16 Prepared for:
McConnell Labs, Inc.

406 SW Umatilla Ave

Redmond, OR 97756 USA

17 Prepared by:

McConnell Labs, Inc.

406 SW Umatilla Ave

Redmond, OR 97756 USA

Tel: +1 541 526 1417



McConnellLabs



DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists		
TLV	Threshold Limit Value		
OSHA U.S. Occupational Safety and Health Administration			
PEL	Permissible Exposure Limit		
IDI H	Immediately Dangerous to Life and Health		

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.


HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard				
1	Slight Hazard				
2	Moderate Hazard				
3	Severe Hazard				
4	Extreme Hazard				



PERSONAL PROTECTION RATINGS:







Full Face Respirator









Dust & Vapor Half-Mask Respirator







Full Face

Respirator





Dust Respirator

TI Airline Hood/Mask or SCBA

OTHER STANDARD ABBREVIATIONS:

NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:						
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition					
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source					
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source					

HAZARD RATINGS:

0	Minimal Hazard		
1 Slight Hazard			
2	Moderate Hazard		
3	Severe Hazard		
4 Extreme Hazard			
ACD	Acidic		
ALK	Alkaline		
COR	Corrosive		
w	Use No Water		
ox	Oxidizer		
TREFOIL	Radioactive		



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals				
	\$				
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal				
ppm	Concentration expressed in parts of material per million parts				
TD _{io}	Lowest dose to cause a symptom				
TCLo	Lowest concentration to cause a symptom				
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects				
TC, TCo, LCio, & LCo					
IARC	International Agency for Research on Cancer				
NTP	National Toxicology Program				
RTECS	Registry of Toxic Effects of Chemical Substances				
BCF	Bioconcentration Factor				
TL _m	Median threshold limit				
log Kow or log Koc	Coefficient of Oil/Water Distribution				

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System
DOT	U.S. Department of Transportation
TC	Transport Canada
EPA	U.S. Environmental Protection Agency
DSL	Canadian Domestic Substance List
NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List
TSCA	U.S. Toxic Substance Control Act
EU	European Union (European Union Directive 67/548/EEC)
WGK	Wassergefährdungsklassen (German Water Hazard Class)

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	③	(2)	@	①	®		R
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

			*		*	×	×
С	E	F	N	0	Т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond			(! >		(
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment