

PCode 1331

Clariant Produkte (Deutschland) GmbH
Höchst site, Quality Management
Fax: ++ 49 69 / 305-38467



ESSENTIAL INGREDIENTS INC
2408 Tech Center Pkwy Ste 200
Lawrenceville GA 30043-1351

Repeated print

Inspection certificate
according to EN10204-3.1

Date: 06/04/2019
Page: 1 / 1

Your order from 04/24/2019
Order No. : 109875

Our consignment from 06/04/2019
Delivery no./Pos. : 51087692 / 900002
Order : 13909706
Material : Allantoin Premium box
Material-no. : 30390230140
Batch No. : 5022000070

On the batch, of which the consignment is a part, the following values were determined.

Inspection characteristic/-method	Specification	Result
Appearance consistence Clariant - LM-CA1-0078		Powder, crystalline
Appearance Colour (white to off white) Clariant - LM-CA1-0078		Equal to
Assay (potentiometric titration) Clariant - LM-CA1-0077	>= 99.0	100.5 %
Loss on drying (2g, 105°C, const. weight) Clariant - LM-CA1-0076	<= 0.10	0.10 %
pH value (0.5% in dist./purified H2O) Clariant - LM-CA1-0079	4.0 - 6.0	4.3 [-]

Date of production: 05/29/2018

Best before date: 05/28/2021

The above particulars do not release the customer from the obligation to carry out an inspection of goods received.

Helmut Madl (inspection representative)

This report does not require a signature.